



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

WASHINGTON

County Base Map

(Records are Sorted by Township, Range, and Section)

LOG ID:**002603**WELL TYPE

Community Public Well

DRILL DATE: 1932/07/17TOWNSHIP

0

RANGE

0

SECTION

LG1848

ELEVATION:DRILL DEPTH: 1,085FTUTM XUTM YDEPTH TO BED: 15FT

695,151.52

4,200,938.66

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 150**LOG ID:****002128**WELL TYPE

Community Public Well

DRILL DATE: 1926/12/00TOWNSHIP

0

RANGE

0

SECTION

LG1848

ELEVATION:

877FT

DRILL DEPTH: 958FTUTM XUTM YDEPTH TO BED: 25FT

695,003.52

4,200,842.65

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: PLUGGED 11/1958S.W.L. (AFTER CASING): 28**LOG ID:****007672**WELL TYPE

Industrial High Capacity Well

DRILL DATE: 1941/03/TOWNSHIP

0

RANGE

0

SECTION

LG1855

ELEVATION:

873FT

DRILL DEPTH: 1,212FTUTM XUTM YDEPTH TO BED:

693,203.45

4,225,920.42

ZONE 15

S.W.L. (BEFORE CASING): 280 FTREMARKS: WELL #1A, STOCKING CLAIMS.W.L. (AFTER CASING): 60 FT**LOG ID:****007409**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1941/08/TOWNSHIP

0

RANGE

0

SECTION

LG1855

ELEVATION:

886FT

DRILL DEPTH: 915FTUTM XUTM YDEPTH TO BED: 30FT

691,952.44

4,225,672.39

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 75



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**010978**WELL TYPE

Private Well

DRILL DATE: 1949/09/08TOWNSHIPRANGESECTIONELEVATION:

865FT

DRILL DEPTH: 98FT

0

0

LG1857

DEPTH TO BED: 30FTUTM XUTM Y

691,597.44

4,226,206.41

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:formerly in name of Marshall Thompson Well #2 - 1.5 mi S of Jct Hwys
H & 47 on Hwy 47S.W.L. (AFTER CASING):**LOG ID:****010225**WELL TYPE

Industrial High Capacity Well

DRILL DATE: 1948//TOWNSHIPRANGESECTIONELEVATION:

862FT

DRILL DEPTH: 65FT

0

0

LG1857

DEPTH TO BED: 10FTUTM XUTM Y

691,324.44

4,225,672.39

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

NEAR RICHWOODS

S.W.L. (AFTER CASING):**LOG ID:****015015**WELL TYPE

Industrial High Capacity Well

DRILL DATE: 1956/05/05TOWNSHIPRANGESECTIONELEVATION:

820FT

DRILL DEPTH: 316FT

0

0

LG1875

DEPTH TO BED: 30FTUTM XUTM Y

703,893.40

4,210,764.03

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:S.W.L. (AFTER CASING): 85**LOG ID:****013973**WELL TYPE

Private Well

DRILL DATE: 1955/08/22TOWNSHIPRANGESECTIONELEVATION:

856FT

DRILL DEPTH: 100FT

0

0

LG1875

DEPTH TO BED: 10FTUTM XUTM Y

704,385.40

4,211,554.06

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:S.W.L. (AFTER CASING): 36



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**013043**WELL TYPE

Industrial High Capacity Well

DRILL DATE: 1954/09/18TOWNSHIP

0

RANGE

0

SECTION

LG1875

ELEVATION:

771FT

DRILL DEPTH: 345FTDEPTH TO BED: 25FTUTM X

705,808.41

UTM Y

4,213,586.14

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 2.5 MI W OF BLACKWELLS.W.L. (AFTER CASING): 69**LOG ID:****013336**WELL TYPE

Private Well

DRILL DATE: 1954/12/20TOWNSHIP

0

RANGE

0

SECTION

LG1875

ELEVATION:

706FT

DRILL DEPTH: 125FTDEPTH TO BED:UTM X

705,587.41

UTM Y

4,215,719.21

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 2 MI SE OF WASHINGTON STATE PARK LOOKOUT TOWERS.W.L. (AFTER CASING): 31**LOG ID:****013086**WELL TYPE

Private Well

DRILL DATE: 1954/10/29TOWNSHIP

0

RANGE

0

SECTION

LG1875

ELEVATION:

847FT

DRILL DEPTH: 92FTDEPTH TO BED: 10FTUTM X

704,385.41

UTM Y

4,211,617.06

ZONE 15

S.W.L. (BEFORE CASING): 1 FTREMARKS: 1.5 MI NE OF BELLE FOUNTAIN SCHOOLS.W.L. (AFTER CASING): 19 FT**LOG ID:****012685**WELL TYPE

Private Well

DRILL DATE: 1954/05/12TOWNSHIP

0

RANGE

0

SECTION

LG1875

ELEVATION:

769FT

DRILL DEPTH: 65FTDEPTH TO BED: 10FTUTM X

702,979.41

UTM Y

4,210,376.01

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 1.5 MI W OF TIFFS.W.L. (AFTER CASING): 30



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**014236**WELL TYPE

Private Well

DRILL DATE: 1955/10/31TOWNSHIPRANGESECTIONELEVATION:

798FT

DRILL DEPTH: 288FT

0

0

LG1875

DEPTH TO BED: 15FTUTM XUTM Y

703,274.41

4,211,636.05

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 23**LOG ID:****012395**WELL TYPE

Industrial High Capacity Well

DRILL DATE: 1953/07/10TOWNSHIPRANGESECTIONELEVATION:

760FT

DRILL DEPTH: 286FT

0

0

LG1875

DEPTH TO BED: 10FTUTM XUTM Y

706,008.41

4,213,642.14

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 2 MI W OF BLACKWELLS.W.L. (AFTER CASING): 65**LOG ID:****008286**WELL TYPE

Private Well

DRILL DATE: 1941/12/TOWNSHIPRANGESECTIONELEVATION:

914FT

DRILL DEPTH: 39FT

0

0

LG2050

DEPTH TO BED:UTM XUTM Y

695,700.67

4,184,564.25

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: 1.5 MI N OF CALEDONIA ON W SD HWY 21S.W.L. (AFTER CASING):**LOG ID:****013057**WELL TYPE

Industrial High Capacity Well

DRILL DATE: 1954/10/16TOWNSHIPRANGESECTIONELEVATION:

964FT

DRILL DEPTH: 350FT

0

0

LG2115

DEPTH TO BED: 10FTUTM XUTM Y

697,858.50

4,200,795.70

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 1 MI E OF POTOSIS.W.L. (AFTER CASING): 26



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**028492**WELL TYPE

Community Public Well

DRILL DATE: 1981/08/25TOWNSHIPRANGESECTIONELEVATION:

942FT

DRILL DEPTH: 955FT

0

0

LG2134

DEPTH TO BED: 25FTUTM XUTM Y

698,690.49

4,201,014.71

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: lots of caving throughout well - located at Industrial ParkS.W.L. (AFTER CASING):**LOG ID:****017882**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1958/07/TOWNSHIPRANGESECTIONELEVATION:

951FT

DRILL DEPTH: 150FT

0

0

LG2153

DEPTH TO BED: 15FTUTM XUTM Y

689,504.71

4,185,374.19

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****008530**WELL TYPE

Industrial High Capacity Well

DRILL DATE: 1944/05/03TOWNSHIPRANGESECTIONELEVATION:

780FT

DRILL DEPTH: 285FT

0

0

LG2161

DEPTH TO BED: 20FTUTM XUTM Y

692,622.44

4,228,048.48

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: #1 BARITE MINE; 2.5 MI S OF FRANKLIN CO LINE; WATER USED IN WASHERS.W.L. (AFTER CASING): 20**LOG ID:****008758**WELL TYPE

Industrial High Capacity Well

DRILL DATE: 1944//TOWNSHIPRANGESECTIONELEVATION:

826FT

DRILL DEPTH: 1,002FT

0

0

LG2161

DEPTH TO BED: 20FTUTM XUTM Y

692,543.44

4,227,266.46

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: RICHWOODS; a MILLS.W.L. (AFTER CASING): 30



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**002075**WELL TYPE

Exploratory Hole (Mineral Prospect)

| | | | | | | |
|--------------------------------|------------|-----------------|---|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1917/09/00 | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 778FT |
| <u>DRILL DEPTH:</u> | 160FT | 0 | 0 | LG2181 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 2FT | | | | 701,728.59 | 4,188,351.41 |
| | | | | | ZONE 15 | |
| <u>S.W.L. (BEFORE CASING):</u> | | <u>REMARKS:</u> | JUST W OF BIG RIVER ON W.T. ROBINSON TRACT; NO UNITS IDENTIFIED | | | |
| <u>S.W.L. (AFTER CASING):</u> | | | | | | |

LOG ID:**002079**WELL TYPE

Exploratory Hole (Mineral Prospect)

| | | | | | | |
|--------------------------------|------------|-----------------|--------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1938/05/00 | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 860FT |
| <u>DRILL DEPTH:</u> | 280FT | 0 | 0 | LG2181 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 4FT | | | | 700,397.60 | 4,188,204.39 |
| | | | | | ZONE 15 | |
| <u>S.W.L. (BEFORE CASING):</u> | | <u>REMARKS:</u> | | | | |
| <u>S.W.L. (AFTER CASING):</u> | | | | | | |

LOG ID:**023958**WELL TYPE

Private Well

| | | | | | | |
|--------------------------------|------------|-----------------|--------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1965/04/22 | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 910FT |
| <u>DRILL DEPTH:</u> | 235FT | 0 | 0 | LG3019 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 25FT | | | | 689,233.43 | 4,226,396.38 |
| | | | | | ZONE 15 | |
| <u>S.W.L. (BEFORE CASING):</u> | FT | <u>REMARKS:</u> | | | | |
| <u>S.W.L. (AFTER CASING):</u> | 150 | | | | | |

LOG ID:**017112**WELL TYPE

Private Well

| | | | | | | |
|--------------------------------|------------|-----------------|--------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1957/07/09 | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 853FT |
| <u>DRILL DEPTH:</u> | 150FT | 0 | 0 | LG3021 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 20FT | | | | 692,039.45 | 4,222,787.29 |
| | | | | | ZONE 15 | |
| <u>S.W.L. (BEFORE CASING):</u> | FT | <u>REMARKS:</u> | | | | |
| <u>S.W.L. (AFTER CASING):</u> | 5 | | | | | |



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**003942**WELL TYPE

Private Well

| | | | | | | |
|--------------------------------|----------|-----------------|--|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1936/09/ | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 807FT |
| <u>DRILL DEPTH:</u> | 127FT | 0 | 0 | LG3021 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 3FT | | | | 691,233.45 | 4,223,574.31 |
| | | | | | ZONE 15 | |
| <u>S.W.L. (BEFORE CASING):</u> | | <u>REMARKS:</u> | formerly in name of Howard Delcorn - 2 mi S of Richwoods, "up hollow"; | | | |
| <u>S.W.L. (AFTER CASING):</u> | | | well flows 7 gpm @ 127 ft | | | |

LOG ID:**005542**WELL TYPE

Private Well

| | | | | | | |
|--------------------------------|----------|-----------------|--------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1939/07/ | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 903FT |
| <u>DRILL DEPTH:</u> | 70FT | 0 | 0 | LG3021 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 10FT | | | | 691,185.45 | 4,223,293.30 |
| | | | | | ZONE 15 | |
| <u>S.W.L. (BEFORE CASING):</u> | | <u>REMARKS:</u> | @ RICHWOODS | | | |
| <u>S.W.L. (AFTER CASING):</u> | | | | | | |

LOG ID:**026001**WELL TYPE

Private Well

| | | | | | | |
|--------------------------------|------------|-----------------|--------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1968/10/16 | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 910FT |
| <u>DRILL DEPTH:</u> | 150FT | 0 | 0 | LG3022 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 10FT | | | | 691,045.44 | 4,227,310.44 |
| | | | | | ZONE 15 | |
| <u>S.W.L. (BEFORE CASING):</u> | FT | <u>REMARKS:</u> | | | | |
| <u>S.W.L. (AFTER CASING):</u> | 140 | | | | | |

LOG ID:**008282**WELL TYPE

Private Well

| | | | | | | |
|--------------------------------|----------|-----------------|--------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1943/07/ | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 799FT |
| <u>DRILL DEPTH:</u> | 155FT | 0 | 0 | LG3022 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | | | | | 696,005.46 | 4,225,498.44 |
| | | | | | ZONE 15 | |
| <u>S.W.L. (BEFORE CASING):</u> | FT | <u>REMARKS:</u> | | | | |
| <u>S.W.L. (AFTER CASING):</u> | 50 | | | | | |



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**007240**WELL TYPE

Private Well

| | | | | | | |
|--------------------------------|--------|-----------------|-----------------------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1941// | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 862FT |
| <u>DRILL DEPTH:</u> | 52FT | 0 | 0 | LG3022 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 7FT | | | | 693,264.45 | 4,223,524.34 |
| | | | | | ZONE 15 | |
| <u>S.W.L. (BEFORE CASING):</u> | | <u>REMARKS:</u> | NEAR RICHWOODS, W SD HWY 12 | | | |
| <u>S.W.L. (AFTER CASING):</u> | | | | | | |

LOG ID:**003918**WELL TYPE

Noncommunity Public Well

| | | | | | | |
|--------------------------------|------------|-----------------|------------------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1935/04/27 | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 924FT |
| <u>DRILL DEPTH:</u> | 131FT | 0 | 0 | LG3022 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 10FT | | | | 691,209.44 | 4,227,667.45 |
| | | | | | ZONE 15 | |
| <u>S.W.L. (BEFORE CASING):</u> | FT | <u>REMARKS:</u> | OLD NATL PIGMENT CO #1 | | | |
| <u>S.W.L. (AFTER CASING):</u> | 79 | | | | | |

LOG ID:**005057**WELL TYPE

Noncommunity Public Well

| | | | | | | |
|--------------------------------|--------|-----------------|--------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1937// | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 738FT |
| <u>DRILL DEPTH:</u> | 80FT | 0 | 0 | LG3022 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 10FT | | | | 694,613.45 | 4,227,298.48 |
| | | | | | ZONE 15 | |
| <u>S.W.L. (BEFORE CASING):</u> | FT | <u>REMARKS:</u> | HWY H | | | |
| <u>S.W.L. (AFTER CASING):</u> | 30 | | | | | |

LOG ID:**002012**WELL TYPE

Exploratory Hole (Mineral Prospect)

| | | | | | | |
|--------------------------------|------------|-----------------|--|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1916/00/00 | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 790FT |
| <u>DRILL DEPTH:</u> | 662FT | 0 | 0 | LG3022 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | | | | | 696,105.46 | 4,225,637.45 |
| | | | | | ZONE 15 | |
| <u>S.W.L. (BEFORE CASING):</u> | | <u>REMARKS:</u> | ON TURKEY CREEK NEAR E LINE; NO COMPANY NAME OR ID | | | |
| <u>S.W.L. (AFTER CASING):</u> | | | | | | |

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
003920

WELL TYPE
Noncommunity Public Well

| | | | | | | |
|--------------------------------|------------|-----------------|------------------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1936/07/09 | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 837FT |
| <u>DRILL DEPTH:</u> | 75FT | 0 | 0 | LG3022 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | | | | | 691,656.44 | 4,229,269.51 |
| | | | | | ZONE 15 | |
| <u>S.W.L. (BEFORE CASING):</u> | FT | <u>REMARKS:</u> | OLD NATL PIGMENT CO #2 | | | |
| <u>S.W.L. (AFTER CASING):</u> | 25 | | | | | |

LOG ID:
016344

WELL TYPE
Private Well

| | | | | | | |
|--------------------------------|------------|-----------------|---|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1957/06/25 | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 787FT |
| <u>DRILL DEPTH:</u> | 132FT | 0 | 0 | LG3039 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | | | | | 697,306.44 | 4,213,581.06 |
| | | | | | ZONE 15 | |
| <u>S.W.L. (BEFORE CASING):</u> | FT | <u>REMARKS:</u> | 1.6 MI S OF NEW CRUISE SCHOOL, 0.4 MI E OF HWY 21 | | | |
| <u>S.W.L. (AFTER CASING):</u> | 70 | | | | | |

LOG ID:
015433

WELL TYPE
Private Well

| | | | | | | |
|--------------------------------|------------|-----------------|--|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1956/09/26 | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 914FT |
| <u>DRILL DEPTH:</u> | 250FT | 0 | 0 | LG3039 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 20FT | | | | 699,594.42 | 4,210,021.96 |
| | | | | | ZONE 15 | |
| <u>S.W.L. (BEFORE CASING):</u> | FT | <u>REMARKS:</u> | 3.5 MI N OF JCT HWYS 47 & E, 0.5 MI W OF HWY E | | | |
| <u>S.W.L. (AFTER CASING):</u> | 82 | | | | | |

LOG ID:
017368

WELL TYPE
Private Well

| | | | | | | |
|--------------------------------|------------|-----------------|---|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1958/05/30 | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 827FT |
| <u>DRILL DEPTH:</u> | 105FT | 0 | 0 | LG3039 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 5FT | | | | 696,825.43 | 4,210,043.93 |
| | | | | | ZONE 15 | |
| <u>S.W.L. (BEFORE CASING):</u> | FT | <u>REMARKS:</u> | 400' N OF OLD MINES CATHOLIC CHURCH, 100' W OF HWY 21 | | | |
| <u>S.W.L. (AFTER CASING):</u> | 30 | | | | | |



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**014751**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1956/07/27TOWNSHIP

0

RANGE

0

SECTION

LG3039

ELEVATION:

655FT

DRILL DEPTH: 225FTDEPTH TO BED: 20FTUTM X

697,665.44

UTM Y

4,215,702.14

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 0.5 MI S OF OLD SCHOOLS.W.L. (AFTER CASING): 29**LOG ID:****016727**WELL TYPE

Private Well

DRILL DATE: 1957/07/TOWNSHIP

0

RANGE

0

SECTION

LG3039

ELEVATION:DRILL DEPTH: 95FTDEPTH TO BED: 5FTUTM X

697,900.43

UTM Y

4,207,581.87

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: 0.5 MI E OF JCT HWYS 21 & 47, ON S SD HWY 47; FLOWS 4 GPMS.W.L. (AFTER CASING):**LOG ID:****021357**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:TOWNSHIP

0

RANGE

0

SECTION

LG3039

ELEVATION:

820FT

DRILL DEPTH: 65FTDEPTH TO BED: 25FTUTM X

695,690.44

UTM Y

4,213,815.04

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****019180**WELL TYPE

Private Well

DRILL DATE: 1960/06/23TOWNSHIP

0

RANGE

0

SECTION

LG3039

ELEVATION:

743FT

DRILL DEPTH: 100FTDEPTH TO BED: 20FTUTM X

696,545.44

UTM Y

4,213,485.05

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 0.5 MI N OF POTOSI ON HWY 21S.W.L. (AFTER CASING): 25



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
020773

WELL TYPE
Private Well

DRILL DATE: 1961/05/04 TOWNSHIP 0 RANGE 0 SECTION LG3039 ELEVATION: 819FT
DRILL DEPTH: 70FT UTM X UTM Y
DEPTH TO BED: 20FT 696,965.43 4,210,550.95
ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: 12 MI N OF POTOSI ON HWY 21
S.W.L. (AFTER CASING): 40

LOG ID:
021017

WELL TYPE
Exploratory Hole (Mineral Prospect)

DRILL DATE: TOWNSHIP 0 RANGE 0 SECTION LG3039 ELEVATION: 735FT
DRILL DEPTH: 550FT UTM X UTM Y
DEPTH TO BED: 95FT 696,566.44 4,213,808.06
ZONE 15
S.W.L. (BEFORE CASING): REMARKS:
S.W.L. (AFTER CASING):

LOG ID:
021066

WELL TYPE
Exploratory Hole (Mineral Prospect)

DRILL DATE: 1962// TOWNSHIP 0 RANGE 0 SECTION LG3039 ELEVATION: 778FT
DRILL DEPTH: 1,005FT UTM X UTM Y
DEPTH TO BED: 10FT 695,943.44 4,213,353.03
ZONE 15
S.W.L. (BEFORE CASING): REMARKS:
S.W.L. (AFTER CASING):

LOG ID:
021148

WELL TYPE
Exploratory Hole (Mineral Prospect)

DRILL DATE: 1962// TOWNSHIP 0 RANGE 0 SECTION LG3039 ELEVATION: 801FT
DRILL DEPTH: 85FT UTM X UTM Y
DEPTH TO BED: 5FT 695,668.44 4,213,854.04
ZONE 15
S.W.L. (BEFORE CASING): REMARKS:
S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**021149**WELL TYPE

Exploratory Hole (Mineral Prospect)

| | | | | | | |
|--------------------------------|----------|-----------------|--------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1962/08/ | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 814FT |
| <u>DRILL DEPTH:</u> | 105FT | 0 | 0 | LG3039 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | | | | | 695,713.44 | 4,213,841.04 |
| <u>S.W.L. (BEFORE CASING):</u> | | | | | ZONE 15 | |
| <u>S.W.L. (AFTER CASING):</u> | | | | | <u>REMARKS:</u> | |

LOG ID:**009345**WELL TYPE

Private Well

| | | | | | | |
|--------------------------------|------------|-----------------|--------------|----------------|---|--------------|
| <u>DRILL DATE:</u> | 1946/11/12 | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 918FT |
| <u>DRILL DEPTH:</u> | 297FT | 0 | 0 | LG3039 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 40FT | | | | 697,600.43 | 4,207,581.87 |
| <u>S.W.L. (BEFORE CASING):</u> | | | | | ZONE 15 | |
| <u>S.W.L. (AFTER CASING):</u> | 6 | | | | <u>REMARKS:</u> @ OLD MINES, 1 MI S OF JCT HWYS 12 & 21 | |

LOG ID:**007405**WELL TYPE

Noncommunity Public Well

| | | | | | | |
|--------------------------------|----------|-----------------|--------------|----------------|-----------------------------|--------------|
| <u>DRILL DATE:</u> | 1941/12/ | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 818FT |
| <u>DRILL DEPTH:</u> | 165FT | 0 | 0 | LG3039 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 25FT | | | | 696,985.43 | 4,209,931.93 |
| <u>S.W.L. (BEFORE CASING):</u> | | | | | ZONE 15 | |
| <u>S.W.L. (AFTER CASING):</u> | 37 | | | | <u>REMARKS:</u> @ OLD MINES | |

LOG ID:**011682**WELL TYPE

Exploratory Hole (Mineral Prospect)

| | | | | | | |
|--------------------------------|------------|-----------------|--------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1951/08/30 | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 926FT |
| <u>DRILL DEPTH:</u> | 100FT | 0 | 0 | LG3039 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | | | | | 697,800.43 | 4,207,593.87 |
| <u>S.W.L. (BEFORE CASING):</u> | | | | | ZONE 15 | |
| <u>S.W.L. (AFTER CASING):</u> | 2 | | | | <u>REMARKS:</u> | |



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**011677**WELL TYPE

Exploratory Hole (Mineral Prospect)

| | | | | | | |
|--------------------------------|------------|-----------------|---|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1951/08/13 | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 982FT |
| <u>DRILL DEPTH:</u> | 350FT | 0 | 0 | LG3039 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 5FT | | | | 696,924.43 | 4,207,793.86 |
| | | | | | ZONE 15 | |
| <u>S.W.L. (BEFORE CASING):</u> | FT | <u>REMARKS:</u> | 6 MI N OF POTOSI, 2.5 MI E OF HWY 21; MAY BE A MINERAL TEST | | | |
| <u>S.W.L. (AFTER CASING):</u> | 80 | | | | | |

LOG ID:**028818**WELL TYPE

Community Public Well

| | | | | | | |
|--------------------------------|------------|-----------------|--------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1995/08/28 | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 869FT |
| <u>DRILL DEPTH:</u> | 1,220FT | 0 | 0 | LG3172 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | | | | | 699,687.47 | 4,202,382.76 |
| | | | | | ZONE 15 | |
| <u>S.W.L. (BEFORE CASING):</u> | 238 FT | <u>REMARKS:</u> | | | | |
| <u>S.W.L. (AFTER CASING):</u> | 230 FT | | | | | |

LOG ID:**017366**WELL TYPE

Private Well

| | | | | | | |
|--------------------------------|------------|-----------------|--------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1958/04/30 | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 882FT |
| <u>DRILL DEPTH:</u> | 80FT | 0 | 0 | LG3172 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 20FT | | | | 699,362.47 | 4,202,674.76 |
| | | | | | ZONE 15 | |
| <u>S.W.L. (BEFORE CASING):</u> | FT | <u>REMARKS:</u> | | | | |
| <u>S.W.L. (AFTER CASING):</u> | 41 | | | | | |

LOG ID:**007419**WELL TYPE

Private Well

| | | | | | | |
|--------------------------------|--------|-----------------|---|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1941// | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 904FT |
| <u>DRILL DEPTH:</u> | 40FT | 0 | 0 | LG3268 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 4FT | | | | 690,820.71 | 4,183,659.16 |
| | | | | | ZONE 15 | |
| <u>S.W.L. (BEFORE CASING):</u> | FT | <u>REMARKS:</u> | formerly in name of Parkin - 1 MI E OF BELGRADE ON S SD HWY C | | | |
| <u>S.W.L. (AFTER CASING):</u> | 10 | | | | | |

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
005245

WELL TYPE
Private Well

DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION: 850FT
0 0 LG3278
DRILL DEPTH: 59FT
DEPTH TO BED: 5FT UTM X UTM Y
696,465.43 4,209,026.89
ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: 0.25 MI S OF CHURCH @ OLD MINES, W SD HWY 21
S.W.L. (AFTER CASING): 35

LOG ID:
009491

WELL TYPE
Exploratory Hole (Mineral Prospect)

DRILL DATE: 1946/06/ TOWNSHIP RANGE SECTION ELEVATION: 1,049FT
0 0 LG3291
DRILL DEPTH: 431FT
DEPTH TO BED: 10FT UTM X UTM Y
687,217.73 4,184,439.13
ZONE 15
S.W.L. (BEFORE CASING): REMARKS:
S.W.L. (AFTER CASING):

LOG ID:
024128

WELL TYPE
Community Public Well

DRILL DATE: 1966/03/ TOWNSHIP RANGE SECTION ELEVATION: 1,056FT
0 0 LG3310
DRILL DEPTH: 1,425FT
DEPTH TO BED: 25FT UTM X UTM Y
694,940.53 4,199,973.63
ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: W OF HWY P, N OF SUNSET HILL CEMETARY
S.W.L. (AFTER CASING): 329

LOG ID:
015358

WELL TYPE
Private Well

DRILL DATE: 1956/08/29 TOWNSHIP RANGE SECTION ELEVATION: 853FT
0 0 LG430
DRILL DEPTH: 58FT
DEPTH TO BED: 20FT UTM X UTM Y
693,140.49 4,205,405.73
ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: 3.5 MI N OF POTOSI ON HWY F; "RAILROAD TRACK OVER IT"
S.W.L. (AFTER CASING): 35



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**013076**WELL TYPE

Noncommunity Public Well

| | | | | | | |
|--------------------------------|--------|-----------------|--------------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1954// | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 951FT |
| <u>DRILL DEPTH:</u> | 140FT | 0 | 0 | LG430 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 15FT | | | | 694,566.52 | 4,201,240.65 |
| | | | | | ZONE 15 | |
| <u>S.W.L. (BEFORE CASING):</u> | | <u>REMARKS:</u> | C.M. MILDER, OWNER | | | |
| <u>S.W.L. (AFTER CASING):</u> | | | | | | |

LOG ID:**019906**WELL TYPE

Community Public Well

| | | | | | | |
|--------------------------------|----------|-----------------|---|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1961/04/ | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 1,017FT |
| <u>DRILL DEPTH:</u> | 1,020FT | 0 | 0 | LG430 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 100FT | | | | 695,750.51 | 4,201,493.68 |
| | | | | | ZONE 15 | |
| <u>S.W.L. (BEFORE CASING):</u> | FT | <u>REMARKS:</u> | VALLEY RD NEAR CITY LIMITS; LOST TOOLS AT 1020' | | | |
| <u>S.W.L. (AFTER CASING):</u> | 55 | | | | | |

LOG ID:**010680**WELL TYPE

Community Public Well

| | | | | | | |
|--------------------------------|------------|-----------------|---------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1948/11/09 | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 964FT |
| <u>DRILL DEPTH:</u> | 1,100FT | 0 | 0 | LG430 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | | | | | 694,894.51 | 4,201,268.66 |
| | | | | | ZONE 15 | |
| <u>S.W.L. (BEFORE CASING):</u> | FT | <u>REMARKS:</u> | MANY CREVICES | | | |
| <u>S.W.L. (AFTER CASING):</u> | 150 | | | | | |

LOG ID:**006162**WELL TYPE

Private Well

| | | | | | | |
|--------------------------------|----------|-----------------|---|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1940/03/ | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 1,074FT |
| <u>DRILL DEPTH:</u> | 124FT | 0 | 0 | LG430 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 70FT | | | | 696,250.50 | 4,201,824.70 |
| | | | | | ZONE 15 | |
| <u>S.W.L. (BEFORE CASING):</u> | FT | <u>REMARKS:</u> | 0.25 MI NE OF REED & THOMPSON SAWMILL ON HWY 21 | | | |
| <u>S.W.L. (AFTER CASING):</u> | 85 | | | | | |

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
020382

WELL TYPE
Exploratory Hole (Mineral Prospect)

DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION: 1,023FT
35N 1W 11
DRILL DEPTH: UTM X UTM Y
DEPTH TO BED: 330FT 675,189.85 4,181,004.92
ZONE 15
S.W.L. (BEFORE CASING): REMARKS: Well #CT-11 - TD NOT GIVEN, BONNETERRE CORE
S.W.L. (AFTER CASING):

LOG ID:
020353

WELL TYPE
Exploratory Hole (Mineral Prospect)

DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION: 1,150FT
35N 1W 11
DRILL DEPTH: 1,172FT UTM X UTM Y
DEPTH TO BED: 450FT 675,189.84 4,181,618.93
ZONE 15
S.W.L. (BEFORE CASING): REMARKS: Well #CT-10 - ONLY BONNETERRE WAS CORED
S.W.L. (AFTER CASING):

LOG ID:
022142

WELL TYPE
Private Well

DRILL DATE: 1963/06/ TOWNSHIP RANGE SECTION ELEVATION: 940FT
35N 1E 12
DRILL DEPTH: 125FT UTM X UTM Y
DEPTH TO BED: 15FT 686,426.77 4,181,293.05
ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: 3 MI S OF BELGRADE ON HWY JJ
S.W.L. (AFTER CASING): 28

LOG ID:
012164

WELL TYPE
Exploratory Hole (Mineral Prospect)

DRILL DATE: 1953// TOWNSHIP RANGE SECTION ELEVATION: 1,040FT
35N 1W 13
DRILL DEPTH: 575FT UTM X UTM Y
DEPTH TO BED: 5FT 677,581.85 4,179,532.90
ZONE 15
S.W.L. (BEFORE CASING): REMARKS: Well #A-216
S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
012297

WELL TYPE
Exploratory Hole (Mineral Prospect)

DRILL DATE: 1953// TOWNSHIP 35N RANGE 1W SECTION 13 ELEVATION: 1,059FT
DRILL DEPTH: 590FT UTM X 676,381.87 UTM Y 4,179,100.88
DEPTH TO BED: 20FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: Well #A-219
S.W.L. (AFTER CASING):

LOG ID:
012450

WELL TYPE
Exploratory Hole (Mineral Prospect)

DRILL DATE: 1953// TOWNSHIP 35N RANGE 1W SECTION 13 ELEVATION: 1,157FT
DRILL DEPTH: 255FT UTM X 677,581.86 UTM Y 4,179,100.90
DEPTH TO BED: 165FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: Well #A-209
S.W.L. (AFTER CASING):

LOG ID:
020330

WELL TYPE
Exploratory Hole (Mineral Prospect)

DRILL DATE: TOWNSHIP 35N RANGE 1W SECTION 14 ELEVATION: 1,067FT
DRILL DEPTH: 1,020FT UTM X 675,171.85 UTM Y 4,180,232.90
DEPTH TO BED: 375FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: Well #CT-9 - BONNETERRE CORE STUDY
S.W.L. (AFTER CASING):

LOG ID:
020229

WELL TYPE
Exploratory Hole (Mineral Prospect)

DRILL DATE: TOWNSHIP 35N RANGE 1W SECTION 14 ELEVATION: 1,251FT
DRILL DEPTH: 1,071FT UTM X 675,471.87 UTM Y 4,179,400.89
DEPTH TO BED: 215FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: Well #CT-8 - BONNETERRE STUDY - CORE ONLY
S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**007423**WELL TYPE

Private Well

| | | | | | | |
|--------------------------------|--|-----------------|--------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 1,018FT |
| <u>DRILL DEPTH:</u> | 60FT | 35N | 1E | 15 | | |
| <u>DEPTH TO BED:</u> | 5FT | | | | <u>UTM X</u> | <u>UTM Y</u> |
| <u>S.W.L. (BEFORE CASING):</u> | FT | | | | 684,014.80 | 4,180,114.99 |
| <u>S.W.L. (AFTER CASING):</u> | 15 | | | | ZONE 15 | |
| <u>REMARKS:</u> | formerly in name of F.F. Vineyard - 5 MI SW OF BELGRADE, W OF SUNLIGHT | | | | | |

LOG ID:**027399**WELL TYPE

Private Well

| | | | | | | |
|--------------------------------|-------------------|-----------------|--------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1970/10/ | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 1,102FT |
| <u>DRILL DEPTH:</u> | 100FT | 35N | 1W | 16 | | |
| <u>DEPTH TO BED:</u> | 20FT | | | | <u>UTM X</u> | <u>UTM Y</u> |
| <u>S.W.L. (BEFORE CASING):</u> | | | | | 672,134.88 | 4,179,495.89 |
| <u>S.W.L. (AFTER CASING):</u> | | | | | ZONE 15 | |
| <u>REMARKS:</u> | NO TOWNSHIP GIVEN | | | | | |

LOG ID:**020386**WELL TYPE

Exploratory Hole (Mineral Prospect)

| | | | | | | |
|--------------------------------|--|-----------------|--------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | |
| <u>DRILL DEPTH:</u> | | 35N | 1E | 16 | | |
| <u>DEPTH TO BED:</u> | 285FT | | | | <u>UTM X</u> | <u>UTM Y</u> |
| <u>S.W.L. (BEFORE CASING):</u> | | | | | 681,117.82 | 4,179,865.95 |
| <u>S.W.L. (AFTER CASING):</u> | | | | | ZONE 15 | |
| <u>REMARKS:</u> | NO TOTAL DEPTH GIVEN; JUST TOP OF PRECAMBRIAN; BONNETERRE CORE STUDY | | | | | |

LOG ID:**020182**WELL TYPE

Exploratory Hole (Mineral Prospect)

| | | | | | | |
|--------------------------------|-----------|-----------------|--------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 1,009FT |
| <u>DRILL DEPTH:</u> | 485FT | 35N | 1W | 16 | | |
| <u>DEPTH TO BED:</u> | 220FT | | | | <u>UTM X</u> | <u>UTM Y</u> |
| <u>S.W.L. (BEFORE CASING):</u> | | | | | 671,834.88 | 4,179,793.90 |
| <u>S.W.L. (AFTER CASING):</u> | | | | | ZONE 15 | |
| <u>REMARKS:</u> | CORE ONLY | | | | | |



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**020154**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

1,077FT

DRILL DEPTH:

495FT

35N

1W

16

DEPTH TO BED:

270FT

UTM XUTM Y

671,734.90

4,178,898.88

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

NEAR RD 2 MI SE OF COURTOIS; BONNETERRE CORE STUDY

S.W.L. (AFTER CASING):**LOG ID:****012451**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:

1953//

TOWNSHIPRANGESECTIONELEVATION:

1,246FT

DRILL DEPTH:

714FT

35N

1E

16

DEPTH TO BED:

160FT

UTM XUTM Y

682,317.81

4,180,067.97

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****012314**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:

1953//

TOWNSHIPRANGESECTIONELEVATION:

1,083FT

DRILL DEPTH:

601FT

35N

1E

17

DEPTH TO BED:

60FT

UTM XUTM Y

679,917.83

4,179,738.94

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

CABLE TOOLED TO 175'

S.W.L. (AFTER CASING):**LOG ID:****012290**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:

1952//

TOWNSHIPRANGESECTIONELEVATION:

1,030FT

DRILL DEPTH:

645FT

35N

1W

2

DEPTH TO BED:

25FT

UTM XUTM Y

675,192.82

4,183,546.97

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

Well #A-204

S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**013631**WELL TYPE

Exploratory Hole (Mineral Prospect)

| | | | | | | |
|--------------------------------|------------|-----------------|--|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1953/07/01 | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 1,025FT |
| <u>DRILL DEPTH:</u> | 730FT | 35N | 1W | 3 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 10FT | | | | 673,544.83 | 4,183,595.97 |
| | | | | | ZONE 15 | |
| <u>S.W.L. (BEFORE CASING):</u> | | <u>REMARKS:</u> | Well #A-242 - #13011 DEEPENED & CORED 290-730'; SEE #13011 | | | |
| <u>S.W.L. (AFTER CASING):</u> | | | FOR COMPLETE LOG | | | |

LOG ID:**013011**WELL TYPE

Exploratory Hole (Mineral Prospect)

| | | | | | | |
|--------------------------------|------------|-----------------|--|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1953/07/01 | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 1,025FT |
| <u>DRILL DEPTH:</u> | 730FT | 35N | 1W | 3 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 10FT | | | | 673,544.83 | 4,183,595.97 |
| | | | | | ZONE 15 | |
| <u>S.W.L. (BEFORE CASING):</u> | | <u>REMARKS:</u> | Well #A-242 - SAMPLES 10-290'; CORE (#13631) 290-730'; | | | |
| <u>S.W.L. (AFTER CASING):</u> | | | COMPLETE LOG ON #13011 | | | |

LOG ID:**012295**WELL TYPE

Exploratory Hole (Mineral Prospect)

| | | | | | | |
|--------------------------------|--------|-----------------|--------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1952// | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 960FT |
| <u>DRILL DEPTH:</u> | 760FT | 35N | 1W | 3 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 5FT | | | | 673,644.83 | 4,183,715.97 |
| | | | | | ZONE 15 | |
| <u>S.W.L. (BEFORE CASING):</u> | | <u>REMARKS:</u> | Well #A-200 | | | |
| <u>S.W.L. (AFTER CASING):</u> | | | | | | |

LOG ID:**012292**WELL TYPE

Exploratory Hole (Mineral Prospect)

| | | | | | | |
|--------------------------------|--------|-----------------|--------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1953// | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 944FT |
| <u>DRILL DEPTH:</u> | 618FT | 35N | 1W | 3 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | | | | | 673,644.83 | 4,183,475.97 |
| | | | | | ZONE 15 | |
| <u>S.W.L. (BEFORE CASING):</u> | | <u>REMARKS:</u> | Well #A-202 | | | |
| <u>S.W.L. (AFTER CASING):</u> | | | | | | |



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**012308**WELL TYPE

Exploratory Hole (Mineral Prospect)

| | | | | | | |
|--------------------------------|--------|-----------------|--------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1953// | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 1,054FT |
| <u>DRILL DEPTH:</u> | 877FT | 35N | 1W | 3 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 25FT | | | | 673,944.83 | 4,183,595.97 |
| <u>S.W.L. (BEFORE CASING):</u> | | | | | ZONE 15 | |
| <u>S.W.L. (AFTER CASING):</u> | | <u>REMARKS:</u> | Well #A-221 | | | |

LOG ID:**012142**WELL TYPE

Exploratory Hole (Mineral Prospect)

| | | | | | | |
|--------------------------------|--------|-----------------|--------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1952// | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 1,068FT |
| <u>DRILL DEPTH:</u> | 615FT | 35N | 1E | 6 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | | | | | 678,067.80 | 4,183,769.00 |
| <u>S.W.L. (BEFORE CASING):</u> | | | | | ZONE 15 | |
| <u>S.W.L. (AFTER CASING):</u> | | <u>REMARKS:</u> | | | | |

LOG ID:**012296**WELL TYPE

Exploratory Hole (Mineral Prospect)

| | | | | | | |
|--------------------------------|--------|-----------------|--------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1953// | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 1,015FT |
| <u>DRILL DEPTH:</u> | 645FT | 35N | 1W | 6 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 55FT | | | | 669,553.87 | 4,182,543.95 |
| <u>S.W.L. (BEFORE CASING):</u> | | | | | ZONE 15 | |
| <u>S.W.L. (AFTER CASING):</u> | | <u>REMARKS:</u> | Well #A-211 | | | |

LOG ID:**010155**WELL TYPE

Private Well

| | | | | | | |
|--------------------------------|------------|-----------------|--------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1947/08/22 | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 961FT |
| <u>DRILL DEPTH:</u> | 47FT | 35N | 1W | 7 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 25FT | | | | 668,945.88 | 4,181,109.93 |
| <u>S.W.L. (BEFORE CASING):</u> | | | | | ZONE 15 | |
| <u>S.W.L. (AFTER CASING):</u> | 28 | <u>REMARKS:</u> | | | | |



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**020385**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1961// TOWNSHIP 35N RANGE 1E SECTION 8 ELEVATION: 1,318FT
DRILL DEPTH: UTM X 680,743.81 UTM Y 4,181,054.97
DEPTH TO BED: 430FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: BONNETERRE STUDY, NO TOTAL DEPTH GIVEN
S.W.L. (AFTER CASING):

LOG ID:**010154**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1947/09/18 TOWNSHIP 35N RANGE 1W SECTION 8 ELEVATION: 897FT
DRILL DEPTH: 52FT UTM X 669,828.88 UTM Y 4,181,408.93
DEPTH TO BED: 10FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS:
S.W.L. (AFTER CASING): 8

LOG ID:**019495**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: TOWNSHIP 35N RANGE 1W SECTION 9 ELEVATION: 1,000FT
DRILL DEPTH: 656FT UTM X 672,819.86 UTM Y 4,181,215.92
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): REMARKS:
S.W.L. (AFTER CASING):

LOG ID:**020388**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: TOWNSHIP 35N RANGE 1W SECTION 9 ELEVATION: 940FT
DRILL DEPTH: 990FT UTM X 672,319.86 UTM Y 4,181,819.94
DEPTH TO BED: 295FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: Well #D-4 - BONNETERRE CORE STUDY
S.W.L. (AFTER CASING):

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**012447**WELL TYPE

Exploratory Hole (Mineral Prospect)

| | | | | | | |
|--------------------------------|--------|-----------------|--------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1953// | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 1,234FT |
| <u>DRILL DEPTH:</u> | 600FT | 35N | 1E | 9 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 85FT | | | | 682,457.80 | 4,181,216.00 |
| <u>S.W.L. (BEFORE CASING):</u> | | | | | ZONE 15 | |
| <u>S.W.L. (AFTER CASING):</u> | | <u>REMARKS:</u> | | | | |

LOG ID:**023804**WELL TYPE

Noncommunity Public Well

| | | | | | | |
|--------------------------------|--------|-----------------|------------------------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1965// | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 956FT |
| <u>DRILL DEPTH:</u> | 240FT | 35N | 2E | 1 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 20FT | | | | 696,109.69 | 4,182,776.21 |
| <u>S.W.L. (BEFORE CASING):</u> | | | | | ZONE 15 | |
| <u>S.W.L. (AFTER CASING):</u> | | <u>REMARKS:</u> | @ CALEDONIA; DRY & ABANDONED | | | |

LOG ID:**003674**WELL TYPE

Noncommunity Public Well

| | | | | | | |
|--------------------------------|------------|-----------------|--------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1936/05/29 | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 923FT |
| <u>DRILL DEPTH:</u> | 150FT | 35N | 2E | 12 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 15FT | | | | 696,470.70 | 4,181,094.17 |
| <u>S.W.L. (BEFORE CASING):</u> | | | | | ZONE 15 | |
| <u>S.W.L. (AFTER CASING):</u> | 30 | <u>REMARKS:</u> | IN CALEDONIA | | | |

LOG ID:**013129**WELL TYPE

Private Well

| | | | | | | |
|--------------------------------|--------|-----------------|--------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1954// | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 918FT |
| <u>DRILL DEPTH:</u> | 60FT | 35N | 2E | 14 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | | | | | 693,706.74 | 4,179,533.10 |
| <u>S.W.L. (BEFORE CASING):</u> | | | | | ZONE 15 | |
| <u>S.W.L. (AFTER CASING):</u> | | <u>REMARKS:</u> | | | | |



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**025146**WELL TYPE

Private Well

DRILL DATE: 1967/09/01TOWNSHIP RANGE SECTIONELEVATION: 995FTDRILL DEPTH: 200FT

35N 2E 2

DEPTH TO BED: 5FTUTM X UTM Y
694,772.69 4,183,551.21
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: 0.75 MI ON HWY C W OF HWY 21S.W.L. (AFTER CASING): 30**LOG ID:****027659**WELL TYPE

Private Well

DRILL DATE:TOWNSHIP RANGE SECTIONELEVATION: 1,007FTDRILL DEPTH: 200FT

35N 2E 2

DEPTH TO BED: 20FTUTM X UTM Y
694,384.70 4,182,863.19
ZONE 15S.W.L. (BEFORE CASING):REMARKS: 0.5 MI N, 1 MI W OF CALEDONIAS.W.L. (AFTER CASING):**LOG ID:****008287**WELL TYPE

Private Well

DRILL DATE: 1942//TOWNSHIP RANGE SECTIONELEVATION: 910FTDRILL DEPTH: 82FT

35N 2E 4

DEPTH TO BED:UTM X UTM Y
691,252.72 4,182,925.15
ZONE 15S.W.L. (BEFORE CASING):REMARKS: FARM WELLS.W.L. (AFTER CASING):**LOG ID:****024685**WELL TYPE

Private Well

DRILL DATE: 1966/07/11TOWNSHIP RANGE SECTIONELEVATION: 996FTDRILL DEPTH: 325FT

35N 3E 14

DEPTH TO BED: 30FTUTM X UTM Y
704,600.66 4,179,277.20
ZONE 15S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
020764

WELL TYPE
Private Well

DRILL DATE: 1962/03/28

TOWNSHIP RANGE SECTION

ELEVATION: 932FT

DRILL DEPTH: 103FT

35N 3E 18

DEPTH TO BED: 45FT

UTM X UTM Y
698,151.72 4,179,085.14
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS: POSSUM TROT FARM

S.W.L. (AFTER CASING): 50

LOG ID:
009375

WELL TYPE
Exploratory Hole (Mineral Prospect)

DRILL DATE: 1942/11/

TOWNSHIP RANGE SECTION

ELEVATION: 1,092FT

DRILL DEPTH: 858FT

36N 1W 1

DEPTH TO BED:

UTM X UTM Y
677,717.73 4,192,400.18
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: STRAWBERRY LEASE

S.W.L. (AFTER CASING):

LOG ID:
009455

WELL TYPE
Outcrop Description

DRILL DATE: 1947/03/

TOWNSHIP RANGE SECTION

ELEVATION: 910FT

DRILL DEPTH: 90FT

36N 1W 10

DEPTH TO BED:

UTM X UTM Y
673,299.76 4,191,406.13
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

LOG ID:
009494

WELL TYPE
Exploratory Hole (Mineral Prospect)

DRILL DATE: 1946//

TOWNSHIP RANGE SECTION

ELEVATION: 1,037FT

DRILL DEPTH: 416FT

36N 1W 11

DEPTH TO BED: 75FT

UTM X UTM Y
676,116.76 4,190,869.12
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
009377

WELL TYPE
Private Well

DRILL DATE: 1946/10/ TOWNSHIP 36N RANGE 1W SECTION 12 ELEVATION: 1,074FT
DRILL DEPTH: 135FT UTM X 677,717.73 UTM Y 4,192,285.17
DEPTH TO BED: 15FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: WATER WELL FOR DRILLING PURPOSES
S.W.L. (AFTER CASING):

LOG ID:
009373

WELL TYPE
Exploratory Hole (Mineral Prospect)

DRILL DATE: 1946/07/ TOWNSHIP 36N RANGE 1W SECTION 12 ELEVATION: 1,041FT
DRILL DEPTH: 1,011FT UTM X 676,813.75 UTM Y 4,191,188.14
DEPTH TO BED: 30FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: FLINT HILL, PALMER DISTRICT
S.W.L. (AFTER CASING):

LOG ID:
009371

WELL TYPE
Exploratory Hole (Mineral Prospect)

DRILL DATE: 1946/10/ TOWNSHIP 36N RANGE 1W SECTION 12 ELEVATION: 1,017FT
DRILL DEPTH: 965FT UTM X 676,913.75 UTM Y 4,191,084.14
DEPTH TO BED: 35FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: FLINT HILL, PALMER DISTRICT
S.W.L. (AFTER CASING):

LOG ID:
009489

WELL TYPE
Exploratory Hole (Mineral Prospect)

DRILL DATE: 1946/07/ TOWNSHIP 36N RANGE 1W SECTION 12 ELEVATION: 1,055FT
DRILL DEPTH: 425FT UTM X 676,413.75 UTM Y 4,191,292.13
DEPTH TO BED: 55FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: FLINT HILL
S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**009487**WELL TYPE

Exploratory Hole (Mineral Prospect)

| | | | | | | |
|--------------------------------|----------|-----------------|------------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1946/06/ | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 1,110FT |
| <u>DRILL DEPTH:</u> | 600FT | 36N | 1W | 12 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 45FT | | | | 677,313.74 | 4,192,128.16 |
| <u>S.W.L. (BEFORE CASING):</u> | | | | | ZONE 15 | |
| <u>S.W.L. (AFTER CASING):</u> | | <u>REMARKS:</u> | STRAWBERRY LEASE | | | |

LOG ID:**009484**WELL TYPE

Exploratory Hole (Mineral Prospect)

| | | | | | | |
|--------------------------------|----------|-----------------|--------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1946/06/ | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 977FT |
| <u>DRILL DEPTH:</u> | 377FT | 36N | 1W | 12 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 6FT | | | | 677,013.75 | 4,191,188.14 |
| <u>S.W.L. (BEFORE CASING):</u> | | | | | ZONE 15 | |
| <u>S.W.L. (AFTER CASING):</u> | | <u>REMARKS:</u> | FLINT HILL | | | |

LOG ID:**009514**WELL TYPE

Exploratory Hole (Mineral Prospect)

| | | | | | | |
|--------------------------------|----------|-----------------|--------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1946/11/ | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 999FT |
| <u>DRILL DEPTH:</u> | 365FT | 36N | 1W | 12 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 5FT | | | | 676,913.74 | 4,191,502.15 |
| <u>S.W.L. (BEFORE CASING):</u> | | | | | ZONE 15 | |
| <u>S.W.L. (AFTER CASING):</u> | | <u>REMARKS:</u> | | | | |

LOG ID:**002137**WELL TYPE

Exploratory Hole (Mineral Prospect)

| | | | | | | |
|--------------------------------|------------|-----------------|--|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1907/03/00 | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 1,063FT |
| <u>DRILL DEPTH:</u> | 960FT | 36N | 1W | 12 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 408FT | | | | 677,013.74 | 4,191,397.15 |
| <u>S.W.L. (BEFORE CASING):</u> | | | | | ZONE 15 | |
| <u>S.W.L. (AFTER CASING):</u> | | <u>REMARKS:</u> | 2 LOGS; "FLINT HILL DIGGINGS, PALMER, MO"; NO UNITS IDENTIFIED | | | |



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**022095**WELL TYPE

Foundation Test Hole

| | | | | | | |
|--------------------------------|----------|-----------------|-----------------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1963/06/ | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 1,000FT |
| <u>DRILL DEPTH:</u> | 60FT | 36N | 1E | 13 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 10FT | | | | 686,813.68 | 4,190,060.26 |
| <u>S.W.L. (BEFORE CASING):</u> | FT | | | | ZONE 15 | |
| <u>S.W.L. (AFTER CASING):</u> | 8 | <u>REMARKS:</u> | CLEAR CREEK LAKE SITE | | | |

LOG ID:**022094**WELL TYPE

Foundation Test Hole

| | | | | | | |
|--------------------------------|----------|-----------------|-------------------------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1963/06/ | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | |
| <u>DRILL DEPTH:</u> | 50FT | 36N | 1E | 13 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 10FT | | | | 686,513.69 | 4,189,724.25 |
| <u>S.W.L. (BEFORE CASING):</u> | FT | | | | ZONE 15 | |
| <u>S.W.L. (AFTER CASING):</u> | 2 | <u>REMARKS:</u> | CLEAR CREEK LAKE SITE CORE #3 | | | |

LOG ID:**022093**WELL TYPE

Foundation Test Hole

| | | | | | | |
|--------------------------------|------|-----------------|--------------------------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | |
| <u>DRILL DEPTH:</u> | 30FT | 36N | 1E | 13 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 10FT | | | | 686,513.69 | 4,189,724.25 |
| <u>S.W.L. (BEFORE CASING):</u> | FT | | | | ZONE 15 | |
| <u>S.W.L. (AFTER CASING):</u> | 2 | <u>REMARKS:</u> | CLEAR CREEK LAKE SITE, CORE #2 | | | |

LOG ID:**022092**WELL TYPE

Foundation Test Hole

| | | | | | | |
|--------------------------------|----------|-----------------|---|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1963/06/ | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 1,030FT |
| <u>DRILL DEPTH:</u> | 30FT | 36N | 1E | 13 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 5FT | | | | 686,613.68 | 4,190,172.26 |
| <u>S.W.L. (BEFORE CASING):</u> | | | | | ZONE 15 | |
| <u>S.W.L. (AFTER CASING):</u> | | <u>REMARKS:</u> | CLEAR CREEK LAKE SITE, NORTHERNMOST TEST HOLE | | | |



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**022091**WELL TYPE

Foundation Test Hole

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

990FT

DRILL DEPTH:

37FT

36N

1E

13

DEPTH TO BED:

5FT

UTM XUTM Y

687,113.68

4,189,948.26

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

CORE #6 CLEAR CREEK LAKE SITE; CORE CHIPS

S.W.L. (AFTER CASING):

5

LOG ID:**009539**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:

1947/04/

TOWNSHIPRANGESECTIONELEVATION:

1,142FT

DRILL DEPTH:

310FT

36N

1W

13

DEPTH TO BED:

115FT

UTM XUTM Y

677,610.76

4,189,125.11

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****009529**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:

1947/02/

TOWNSHIPRANGESECTIONELEVATION:

1,050FT

DRILL DEPTH:

415FT

36N

1W

13

DEPTH TO BED:UTM XUTM Y

676,710.76

4,190,471.12

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****009534**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:

1947/03/

TOWNSHIPRANGESECTIONELEVATION:

1,018FT

DRILL DEPTH:

304FT

36N

1W

13

DEPTH TO BED:

35FT

UTM XUTM Y

676,810.76

4,189,953.11

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**009540**WELL TYPE

Exploratory Hole (Mineral Prospect)

| | | | | | | |
|--------------------------------|----------|-----------------|--------------------------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1947/05/ | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 916FT |
| <u>DRILL DEPTH:</u> | 87FT | 36N | 1W | 14 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 20FT | | | | 675,707.78 | 4,188,849.08 |
| <u>S.W.L. (BEFORE CASING):</u> | | | | | ZONE 15 | |
| <u>S.W.L. (AFTER CASING):</u> | | <u>REMARKS:</u> | 100 YDS N 38 DEGREES W OF A-54 | | | |

LOG ID:**009452**WELL TYPE

Outcrop Description

| | | | | | | |
|--------------------------------|----------|-----------------|--------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1947/03/ | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 960FT |
| <u>DRILL DEPTH:</u> | 100FT | 36N | 1W | 15 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | | | | | 674,091.78 | 4,189,775.10 |
| <u>S.W.L. (BEFORE CASING):</u> | | | | | ZONE 15 | |
| <u>S.W.L. (AFTER CASING):</u> | | <u>REMARKS:</u> | | | | |

LOG ID:**009532**WELL TYPE

Exploratory Hole (Mineral Prospect)

| | | | | | | |
|--------------------------------|----------|-----------------|--------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1947/03/ | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 854FT |
| <u>DRILL DEPTH:</u> | 460FT | 36N | 1W | 15 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 5FT | | | | 673,691.77 | 4,190,193.10 |
| <u>S.W.L. (BEFORE CASING):</u> | | | | | ZONE 15 | |
| <u>S.W.L. (AFTER CASING):</u> | | <u>REMARKS:</u> | | | | |

LOG ID:**009530**WELL TYPE

Exploratory Hole (Mineral Prospect)

| | | | | | | |
|--------------------------------|-------|-----------------|--------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 842FT |
| <u>DRILL DEPTH:</u> | 490FT | 36N | 1W | 16 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 25FT | | | | 671,576.78 | 4,190,087.10 |
| <u>S.W.L. (BEFORE CASING):</u> | | | | | ZONE 15 | |
| <u>S.W.L. (AFTER CASING):</u> | | <u>REMARKS:</u> | | | | |



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**009423**WELL TYPE

Outcrop Description

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

852FT

DRILL DEPTH:

195FT

36N

1W

16

UTM XUTM YDEPTH TO BED:

671,476.78

4,190,087.10

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

SEC. STARTS 10' ABOVE COLLAR OF AM. METAL HOL #39 (#9530)

S.W.L. (AFTER CASING):**LOG ID:****009381**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:

1947/01/

TOWNSHIPRANGESECTIONELEVATION:

1,165FT

DRILL DEPTH:

754FT

36N

1E

17

UTM XUTM YDEPTH TO BED:

75FT

679,857.73

4,190,485.17

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****009519**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:

1947/01/

TOWNSHIPRANGESECTIONELEVATION:

1,072FT

DRILL DEPTH:

395FT

36N

1E

17

UTM XUTM YDEPTH TO BED:

30FT

680,257.74

4,189,681.16

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****009496**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:

1947//

TOWNSHIPRANGESECTIONELEVATION:

1,078FT

DRILL DEPTH:

425FT

36N

1E

17

UTM XUTM YDEPTH TO BED:

10FT

680,757.73

4,190,384.18

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**009533**WELL TYPE

Exploratory Hole (Mineral Prospect)

| | | | | | | |
|--------------------------------|----------|-----------------|--------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1947/03/ | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 827FT |
| <u>DRILL DEPTH:</u> | 350FT | 36N | 1W | 17 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 15FT | | | | 670,901.80 | 4,188,806.08 |
| <u>S.W.L. (BEFORE CASING):</u> | | | | | ZONE 15 | |
| <u>S.W.L. (AFTER CASING):</u> | | <u>REMARKS:</u> | | | | |

LOG ID:**009498**WELL TYPE

Exploratory Hole (Mineral Prospect)

| | | | | | | |
|--------------------------------|--------|-----------------|--------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1947// | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 1,127FT |
| <u>DRILL DEPTH:</u> | 450FT | 36N | 1E | 17 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 40FT | | | | 680,057.74 | 4,189,881.16 |
| <u>S.W.L. (BEFORE CASING):</u> | | | | | ZONE 15 | |
| <u>S.W.L. (AFTER CASING):</u> | | <u>REMARKS:</u> | | | | |

LOG ID:**013211**WELL TYPE

Exploratory Hole (Mineral Prospect)

| | | | | | | |
|--------------------------------|--------|-----------------|---------------------------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1954// | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 939FT |
| <u>DRILL DEPTH:</u> | 315FT | 36N | 1E | 19 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 15FT | | | | 679,177.76 | 4,187,934.10 |
| <u>S.W.L. (BEFORE CASING):</u> | | | | | ZONE 15 | |
| <u>S.W.L. (AFTER CASING):</u> | | <u>REMARKS:</u> | SEE LOG #13626 FOR COMPLETE LOG | | | |

LOG ID:**013626**WELL TYPE

Exploratory Hole (Mineral Prospect)

| | | | | | | |
|--------------------------------|--------|-----------------|--|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1954// | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 939FT |
| <u>DRILL DEPTH:</u> | 830FT | 36N | 1E | 19 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 15FT | | | | 679,177.76 | 4,187,934.10 |
| <u>S.W.L. (BEFORE CASING):</u> | | | | | ZONE 15 | |
| <u>S.W.L. (AFTER CASING):</u> | | <u>REMARKS:</u> | churn drill samples to 315' (see log #13211); core 355-830' (see log #13626) | | | |



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**026701**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1969/02/10TOWNSHIPRANGESECTIONELEVATION:

1,014FT

DRILL DEPTH: 100FT

36N

1E

20

DEPTH TO BED: 5FTUTM XUTM Y

679,503.75

4,188,745.12

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: PAROLE LEASE; IN AREA OF COMPLEX FAULTINGS.W.L. (AFTER CASING):**LOG ID:****013216**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1954//TOWNSHIPRANGESECTIONELEVATION:

1,096FT

DRILL DEPTH: 990FT

36N

1E

20

DEPTH TO BED: 25FTUTM XUTM Y

680,703.74

4,188,745.14

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: churn drill to 500' (see log #13216), core to total depth (see log #13628)S.W.L. (AFTER CASING):**LOG ID:****013206**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1954//TOWNSHIPRANGESECTIONELEVATION:DRILL DEPTH: 68FT

36N

1E

20

DEPTH TO BED: 25FTUTM XUTM Y

679,503.76

4,187,601.10

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: ROTARY DRILLED TO TDS.W.L. (AFTER CASING):**LOG ID:****013628**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1954//TOWNSHIPRANGESECTIONELEVATION:

1,096FT

DRILL DEPTH: 990FT

36N

1E

20

DEPTH TO BED: 25FTUTM XUTM Y

680,703.74

4,188,745.14

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: churn drill samples to 500' (see log #13216), core below (see log #13628)S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**015359**WELL TYPE

Noncommunity Public Well

| | | | | | | |
|--------------------------------|------------|-----------------|---------------------------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1956/08/24 | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 1,088FT |
| <u>DRILL DEPTH:</u> | 65FT | 36N | 1E | 21 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 25FT | | | | 682,365.74 | 4,187,354.13 |
| | | | | | ZONE 15 | |
| <u>S.W.L. (BEFORE CASING):</u> | FT | <u>REMARKS:</u> | W OF BELGRADE ON HWY C @ CHURCH | | | |
| <u>S.W.L. (AFTER CASING):</u> | 50 | | | | | |

LOG ID:**015656**WELL TYPE

Industrial High Capacity Well

| | | | | | | |
|--------------------------------|------------|-----------------|--------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1956/12/13 | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 1,118FT |
| <u>DRILL DEPTH:</u> | 475FT | 36N | 1E | 22 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 35FT | | | | 682,653.73 | 4,188,013.15 |
| | | | | | ZONE 15 | |
| <u>S.W.L. (BEFORE CASING):</u> | FT | <u>REMARKS:</u> | | | | |
| <u>S.W.L. (AFTER CASING):</u> | 70 | | | | | |

LOG ID:**009531**WELL TYPE

Exploratory Hole (Mineral Prospect)

| | | | | | | |
|--------------------------------|----------|-----------------|--------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1947/03/ | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 923FT |
| <u>DRILL DEPTH:</u> | 818FT | 36N | 1W | 22 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | | | | | 673,481.80 | 4,187,123.04 |
| | | | | | ZONE 15 | |
| <u>S.W.L. (BEFORE CASING):</u> | | <u>REMARKS:</u> | | | | |
| <u>S.W.L. (AFTER CASING):</u> | | | | | | |

LOG ID:**009541**WELL TYPE

Exploratory Hole (Mineral Prospect)

| | | | | | | |
|--------------------------------|----------|-----------------|-----------------------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1947/05/ | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 928FT |
| <u>DRILL DEPTH:</u> | 161FT | 36N | 1W | 23 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 40FT | | | | 676,096.78 | 4,188,650.07 |
| | | | | | ZONE 15 | |
| <u>S.W.L. (BEFORE CASING):</u> | | <u>REMARKS:</u> | 100 YDS N 38 DG W FROM A-44 | | | |
| <u>S.W.L. (AFTER CASING):</u> | | | | | | |



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**009535**WELL TYPE

Exploratory Hole (Mineral Prospect)

| | | | | | | |
|--------------------------------|----------|-----------------|--------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1947/03/ | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 914FT |
| <u>DRILL DEPTH:</u> | 330FT | 36N | 1W | 23 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 20FT | | | | 675,896.78 | 4,188,650.07 |
| <u>S.W.L. (BEFORE CASING):</u> | | | | | ZONE 15 | |
| <u>S.W.L. (AFTER CASING):</u> | | | | | <u>REMARKS:</u> | |

LOG ID:**009538**WELL TYPE

Exploratory Hole (Mineral Prospect)

| | | | | | | |
|--------------------------------|----------|-----------------|--------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1947/03/ | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 901FT |
| <u>DRILL DEPTH:</u> | 270FT | 36N | 1W | 24 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 13FT | | | | 676,514.77 | 4,188,404.07 |
| <u>S.W.L. (BEFORE CASING):</u> | | | | | ZONE 15 | |
| <u>S.W.L. (AFTER CASING):</u> | | | | | <u>REMARKS:</u> | |

LOG ID:**009537**WELL TYPE

Exploratory Hole (Mineral Prospect)

| | | | | | | |
|--------------------------------|----------|-----------------|--------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1947/04/ | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 912FT |
| <u>DRILL DEPTH:</u> | 200FT | 36N | 1W | 24 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | | | | | 677,514.77 | 4,187,584.07 |
| <u>S.W.L. (BEFORE CASING):</u> | | | | | ZONE 15 | |
| <u>S.W.L. (AFTER CASING):</u> | | | | | <u>REMARKS:</u> | |

LOG ID:**013207**WELL TYPE

Exploratory Hole (Mineral Prospect)

| | | | | | | |
|--------------------------------|--------|-----------------|--------------|----------------|--|--------------|
| <u>DRILL DATE:</u> | 1954// | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | |
| <u>DRILL DEPTH:</u> | | 36N | 1E | 28 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 55FT | | | | 681,443.75 | 4,186,614.11 |
| <u>S.W.L. (BEFORE CASING):</u> | | | | | ZONE 15 | |
| <u>S.W.L. (AFTER CASING):</u> | | | | | <u>REMARKS:</u> CHURN DRILL SAMPLES ONLY - CORE BELOW NOT SAMPLED OR DESCRIBED | |



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**013204**WELL TYPE

Exploratory Hole (Mineral Prospect)

| | | | | | | |
|--------------------------------|--------|-----------------|----------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1954// | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 1,158FT |
| <u>DRILL DEPTH:</u> | 500FT | 36N | 1E | 29 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 60FT | | | | 680,654.76 | 4,187,058.10 |
| <u>S.W.L. (BEFORE CASING):</u> | | | | | ZONE 15 | |
| <u>S.W.L. (AFTER CASING):</u> | | <u>REMARKS:</u> | see log #13622 | | | |

LOG ID:**013622**WELL TYPE

Exploratory Hole (Mineral Prospect)

| | | | | | | |
|--------------------------------|---------|-----------------|--|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1954// | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 1,158FT |
| <u>DRILL DEPTH:</u> | 1,015FT | 36N | 1E | 29 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 60FT | | | | 680,654.76 | 4,187,058.10 |
| <u>S.W.L. (BEFORE CASING):</u> | | | | | ZONE 15 | |
| <u>S.W.L. (AFTER CASING):</u> | | <u>REMARKS:</u> | churn drill samples to 500' (see log #13204), core 500' to total depth (see log 13622) | | | |

LOG ID:**013215**WELL TYPE

Exploratory Hole (Mineral Prospect)

| | | | | | | |
|--------------------------------|--------|-----------------|--------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1954// | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | |
| <u>DRILL DEPTH:</u> | 325FT | 36N | 1E | 29 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 10FT | | | | 680,654.76 | 4,187,058.10 |
| <u>S.W.L. (BEFORE CASING):</u> | | | | | ZONE 15 | |
| <u>S.W.L. (AFTER CASING):</u> | | <u>REMARKS:</u> | | | | |

LOG ID:**013010**WELL TYPE

Exploratory Hole (Mineral Prospect)

| | | | | | | |
|--------------------------------|----------|-----------------|--|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1953/07/ | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 1,125FT |
| <u>DRILL DEPTH:</u> | 875FT | 36N | 1E | 31 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 40FT | | | | 678,757.79 | 4,185,029.03 |
| <u>S.W.L. (BEFORE CASING):</u> | | | | | ZONE 15 | |
| <u>S.W.L. (AFTER CASING):</u> | | <u>REMARKS:</u> | 40-375' SAMPLES (see log #13010), 374-875' CORE (see log #13621) | | | |



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**013202**WELL TYPE

Exploratory Hole (Mineral Prospect)

| | | | | | | |
|--------------------------------|--------|-----------------|---|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1954// | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 1,167FT |
| <u>DRILL DEPTH:</u> | 875FT | 36N | 1E | 31 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 45FT | | | | 677,957.80 | 4,184,653.02 |
| | | | | | ZONE 15 | |
| <u>S.W.L. (BEFORE CASING):</u> | | <u>REMARKS:</u> | 45-345' (see log #13202) rotary samples; 345 to total depth (see log #13617) core | | | |
| <u>S.W.L. (AFTER CASING):</u> | | | | | | |

LOG ID:**013135**WELL TYPE

Exploratory Hole (Mineral Prospect)

| | | | | | | |
|--------------------------------|--------|-----------------|--------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1953// | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 1,112FT |
| <u>DRILL DEPTH:</u> | 340FT | 36N | 1E | 31 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 5FT | | | | 677,957.80 | 4,184,653.02 |
| | | | | | ZONE 15 | |
| <u>S.W.L. (BEFORE CASING):</u> | | <u>REMARKS:</u> | | | | |
| <u>S.W.L. (AFTER CASING):</u> | | | | | | |

LOG ID:**013621**WELL TYPE

Exploratory Hole (Mineral Prospect)

| | | | | | | |
|--------------------------------|----------|-----------------|--|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1953/07/ | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 1,125FT |
| <u>DRILL DEPTH:</u> | 375FT | 36N | 1E | 31 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 40FT | | | | 678,757.79 | 4,185,029.03 |
| | | | | | ZONE 15 | |
| <u>S.W.L. (BEFORE CASING):</u> | | <u>REMARKS:</u> | 40-375' SAMPLES (see log #13010), 374-875' CORE (see log #13621) | | | |
| <u>S.W.L. (AFTER CASING):</u> | | | | | | |

LOG ID:**013617**WELL TYPE

Exploratory Hole (Mineral Prospect)

| | | | | | | |
|--------------------------------|--------|-----------------|---|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1954// | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 1,167FT |
| <u>DRILL DEPTH:</u> | 875FT | 36N | 1E | 31 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 45FT | | | | 677,957.80 | 4,184,653.02 |
| | | | | | ZONE 15 | |
| <u>S.W.L. (BEFORE CASING):</u> | | <u>REMARKS:</u> | 45-345' (see log #13202) rotary samples; 345 to total depth (see log #13617) core | | | |
| <u>S.W.L. (AFTER CASING):</u> | | | | | | |



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**013217**WELL TYPE

Exploratory Hole (Mineral Prospect)

| | | | | | | |
|--------------------------------|--------|-----------------|--|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1954// | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 1,171FT |
| <u>DRILL DEPTH:</u> | 430FT | 36N | 1E | 31 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 55FT | | | | 678,357.79 | 4,184,653.02 |
| | | | | | ZONE 15 | |
| <u>S.W.L. (BEFORE CASING):</u> | | <u>REMARKS:</u> | CHURN DRILL SAMPLES - CORE MAY HAVE BEEN TAKEN BELOW | | | |
| <u>S.W.L. (AFTER CASING):</u> | | | | | | |

LOG ID:**013214**WELL TYPE

Exploratory Hole (Mineral Prospect)

| | | | | | | |
|--------------------------------|--------|-----------------|--|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1954// | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 1,233FT |
| <u>DRILL DEPTH:</u> | 370FT | 36N | 1E | 31 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 105FT | | | | 678,357.79 | 4,185,029.03 |
| | | | | | ZONE 15 | |
| <u>S.W.L. (BEFORE CASING):</u> | | <u>REMARKS:</u> | CHURN DRILL SAMPLES - CORE MAY HAVE BEEN TAKEN BELOW | | | |
| <u>S.W.L. (AFTER CASING):</u> | | | | | | |

LOG ID:**013213**WELL TYPE

Exploratory Hole (Mineral Prospect)

| | | | | | | |
|--------------------------------|--------|-----------------|--------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1954// | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 1,207FT |
| <u>DRILL DEPTH:</u> | 370FT | 36N | 1E | 31 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 75FT | | | | 678,357.79 | 4,185,029.03 |
| | | | | | ZONE 15 | |
| <u>S.W.L. (BEFORE CASING):</u> | | <u>REMARKS:</u> | | | | |
| <u>S.W.L. (AFTER CASING):</u> | | | | | | |

LOG ID:**013212**WELL TYPE

Exploratory Hole (Mineral Prospect)

| | | | | | | |
|--------------------------------|--------|-----------------|--|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1954// | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 1,166FT |
| <u>DRILL DEPTH:</u> | 345FT | 36N | 1E | 31 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 15FT | | | | 677,957.80 | 4,184,653.02 |
| | | | | | ZONE 15 | |
| <u>S.W.L. (BEFORE CASING):</u> | | <u>REMARKS:</u> | CHURN DRILL SAMPLES - CORE MAY HAVE BEEN TAKEN BELOW | | | |
| <u>S.W.L. (AFTER CASING):</u> | | | | | | |



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
013205

WELL TYPE
Exploratory Hole (Mineral Prospect)

| | | | | | | |
|--------------------------------|--------|-----------------|--------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1954// | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 1,209FT |
| <u>DRILL DEPTH:</u> | 380FT | 36N | 1E | 31 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 70FT | | | | 677,957.79 | 4,185,029.02 |
| <u>S.W.L. (BEFORE CASING):</u> | | | | | ZONE 15 | |
| <u>S.W.L. (AFTER CASING):</u> | | | | | <u>REMARKS:</u> | |

LOG ID:
013113

WELL TYPE
Exploratory Hole (Mineral Prospect)

| | | | | | | |
|--------------------------------|--------|-----------------|--------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1953// | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 1,193FT |
| <u>DRILL DEPTH:</u> | 420FT | 36N | 1E | 31 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 50FT | | | | 678,357.79 | 4,184,653.02 |
| <u>S.W.L. (BEFORE CASING):</u> | | | | | ZONE 15 | |
| <u>S.W.L. (AFTER CASING):</u> | | | | | <u>REMARKS:</u> | |

LOG ID:
013111

WELL TYPE
Exploratory Hole (Mineral Prospect)

| | | | | | | |
|--------------------------------|--------|-----------------|--------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1953// | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 1,157FT |
| <u>DRILL DEPTH:</u> | 395FT | 36N | 1E | 31 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 40FT | | | | 677,957.80 | 4,184,653.02 |
| <u>S.W.L. (BEFORE CASING):</u> | | | | | ZONE 15 | |
| <u>S.W.L. (AFTER CASING):</u> | | | | | <u>REMARKS:</u> | |

LOG ID:
013200

WELL TYPE
Exploratory Hole (Mineral Prospect)

| | | | | | | |
|--------------------------------|--------|-----------------|--------------|----------------|--|--------------|
| <u>DRILL DATE:</u> | 1954// | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 1,182FT |
| <u>DRILL DEPTH:</u> | 400FT | 36N | 1E | 31 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 80FT | | | | 678,757.79 | 4,185,029.03 |
| <u>S.W.L. (BEFORE CASING):</u> | | | | | ZONE 15 | |
| <u>S.W.L. (AFTER CASING):</u> | | | | | <u>REMARKS:</u> CHURN DRILL SAMPLES - CORE MAY HAVE BEEN TAKEN BELOW | |



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**013199**WELL TYPE

Exploratory Hole (Mineral Prospect)

| | | | | | | |
|--------------------------------|--------|-----------------|--------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1954// | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 1,189FT |
| <u>DRILL DEPTH:</u> | 420FT | 36N | 1E | 31 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 70FT | | | | 678,357.80 | 4,184,277.01 |
| <u>S.W.L. (BEFORE CASING):</u> | | | | | ZONE 15 | |
| <u>S.W.L. (AFTER CASING):</u> | | | | | <u>REMARKS:</u> | |

LOG ID:**013118**WELL TYPE

Exploratory Hole (Mineral Prospect)

| | | | | | | |
|--------------------------------|--------|-----------------|--------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1953// | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 1,160FT |
| <u>DRILL DEPTH:</u> | 335FT | 36N | 1E | 31 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 35FT | | | | 677,957.80 | 4,184,653.02 |
| <u>S.W.L. (BEFORE CASING):</u> | | | | | ZONE 15 | |
| <u>S.W.L. (AFTER CASING):</u> | | | | | <u>REMARKS:</u> | |

LOG ID:**013137**WELL TYPE

Exploratory Hole (Mineral Prospect)

| | | | | | | |
|--------------------------------|--------|-----------------|--------------|----------------|--|--------------|
| <u>DRILL DATE:</u> | 1953// | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 1,161FT |
| <u>DRILL DEPTH:</u> | 365FT | 36N | 1E | 31 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 35FT | | | | 678,557.79 | 4,184,841.03 |
| <u>S.W.L. (BEFORE CASING):</u> | | | | | ZONE 15 | |
| <u>S.W.L. (AFTER CASING):</u> | | | | | <u>REMARKS:</u> LOCATION VERY QUESTIONABLE | |

LOG ID:**013008**WELL TYPE

Exploratory Hole (Mineral Prospect)

| | | | | | | |
|--------------------------------|--------|-----------------|--------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1953// | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 1,171FT |
| <u>DRILL DEPTH:</u> | 365FT | 36N | 1E | 31 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 60FT | | | | 678,357.79 | 4,184,653.02 |
| <u>S.W.L. (BEFORE CASING):</u> | | | | | ZONE 15 | |
| <u>S.W.L. (AFTER CASING):</u> | | | | | <u>REMARKS:</u> | |



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
013115

WELL TYPE
Exploratory Hole (Mineral Prospect)

| | | | | | | |
|--------------------------------|--------|-----------------|--------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1953// | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 1,084FT |
| <u>DRILL DEPTH:</u> | 270FT | 36N | 1E | 31 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 10FT | | | | 677,957.80 | 4,184,653.02 |
| <u>S.W.L. (BEFORE CASING):</u> | | | | | ZONE 15 | |
| <u>S.W.L. (AFTER CASING):</u> | | | | | <u>REMARKS:</u> | |

LOG ID:
013201

WELL TYPE
Exploratory Hole (Mineral Prospect)

| | | | | | | |
|--------------------------------|--------|-----------------|--------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1954// | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 1,143FT |
| <u>DRILL DEPTH:</u> | 405FT | 36N | 1E | 31 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 35FT | | | | 677,957.80 | 4,184,653.02 |
| <u>S.W.L. (BEFORE CASING):</u> | | | | | ZONE 15 | |
| <u>S.W.L. (AFTER CASING):</u> | | | | | <u>REMARKS:</u> | |

LOG ID:
013136

WELL TYPE
Exploratory Hole (Mineral Prospect)

| | | | | | | |
|--------------------------------|--------|-----------------|--------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1953// | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 1,176FT |
| <u>DRILL DEPTH:</u> | 340FT | 36N | 1E | 31 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 40FT | | | | 679,157.79 | 4,184,653.03 |
| <u>S.W.L. (BEFORE CASING):</u> | | | | | ZONE 15 | |
| <u>S.W.L. (AFTER CASING):</u> | | | | | <u>REMARKS:</u> | |

LOG ID:
013134

WELL TYPE
Exploratory Hole (Mineral Prospect)

| | | | | | | |
|--------------------------------|--------|-----------------|--------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1953// | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 1,195FT |
| <u>DRILL DEPTH:</u> | 390FT | 36N | 1E | 31 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 35FT | | | | 678,357.79 | 4,184,653.02 |
| <u>S.W.L. (BEFORE CASING):</u> | | | | | ZONE 15 | |
| <u>S.W.L. (AFTER CASING):</u> | | | | | <u>REMARKS:</u> | |



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**013198**WELL TYPE

Exploratory Hole (Mineral Prospect)

| | | | | | | |
|--------------------------------|--------|-----------------|--|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1954// | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 1,166FT |
| <u>DRILL DEPTH:</u> | 385FT | 36N | 1E | 31 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 50FT | | | | 678,357.80 | 4,184,277.01 |
| <u>S.W.L. (BEFORE CASING):</u> | | | | | ZONE 15 | |
| <u>S.W.L. (AFTER CASING):</u> | | <u>REMARKS:</u> | CHURN DRILL SAMPLES - CORE MAY HAVE BEEN TAKEN BELOW | | | |

LOG ID:**013120**WELL TYPE

Exploratory Hole (Mineral Prospect)

| | | | | | | |
|--------------------------------|--------|-----------------|--------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1953// | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 1,213FT |
| <u>DRILL DEPTH:</u> | 440FT | 36N | 1E | 31 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 60FT | | | | 678,357.79 | 4,184,653.02 |
| <u>S.W.L. (BEFORE CASING):</u> | | | | | ZONE 15 | |
| <u>S.W.L. (AFTER CASING):</u> | | <u>REMARKS:</u> | | | | |

LOG ID:**012470**WELL TYPE

Exploratory Hole (Mineral Prospect)

| | | | | | | |
|--------------------------------|--------|-----------------|--------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1953// | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 1,129FT |
| <u>DRILL DEPTH:</u> | 335FT | 36N | 1E | 31 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 25FT | | | | 677,957.79 | 4,185,405.03 |
| <u>S.W.L. (BEFORE CASING):</u> | | | | | ZONE 15 | |
| <u>S.W.L. (AFTER CASING):</u> | | <u>REMARKS:</u> | | | | |

LOG ID:**012455**WELL TYPE

Exploratory Hole (Mineral Prospect)

| | | | | | | |
|--------------------------------|--------|-----------------|--------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1953// | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 1,194FT |
| <u>DRILL DEPTH:</u> | 375FT | 36N | 1E | 31 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 35FT | | | | 678,357.79 | 4,184,653.02 |
| <u>S.W.L. (BEFORE CASING):</u> | | | | | ZONE 15 | |
| <u>S.W.L. (AFTER CASING):</u> | | <u>REMARKS:</u> | | | | |



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**012464**WELL TYPE

Exploratory Hole (Mineral Prospect)

| | | | | | | |
|--------------------------------|--------|-----------------|--------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1953// | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 1,185FT |
| <u>DRILL DEPTH:</u> | 350FT | 36N | 1E | 31 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 120FT | | | | 678,357.79 | 4,184,653.02 |
| <u>S.W.L. (BEFORE CASING):</u> | | | | | ZONE 15 | |
| <u>S.W.L. (AFTER CASING):</u> | | | | | <u>REMARKS:</u> | |

LOG ID:**012461**WELL TYPE

Exploratory Hole (Mineral Prospect)

| | | | | | | |
|--------------------------------|----------|-----------------|--------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1953/07/ | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 1,112FT |
| <u>DRILL DEPTH:</u> | 285FT | 36N | 1E | 31 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 85FT | | | | 677,957.80 | 4,184,277.01 |
| <u>S.W.L. (BEFORE CASING):</u> | | | | | ZONE 15 | |
| <u>S.W.L. (AFTER CASING):</u> | | | | | <u>REMARKS:</u> | |

LOG ID:**012460**WELL TYPE

Exploratory Hole (Mineral Prospect)

| | | | | | | |
|--------------------------------|----------|-----------------|--------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1953/07/ | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 1,106FT |
| <u>DRILL DEPTH:</u> | 335FT | 36N | 1E | 31 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 150FT | | | | 678,757.79 | 4,184,653.03 |
| <u>S.W.L. (BEFORE CASING):</u> | | | | | ZONE 15 | |
| <u>S.W.L. (AFTER CASING):</u> | | | | | <u>REMARKS:</u> | |

LOG ID:**012459**WELL TYPE

Exploratory Hole (Mineral Prospect)

| | | | | | | |
|--------------------------------|----------|-----------------|--------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1953/06/ | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 1,135FT |
| <u>DRILL DEPTH:</u> | 355FT | 36N | 1E | 31 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 60FT | | | | 678,357.79 | 4,184,653.02 |
| <u>S.W.L. (BEFORE CASING):</u> | | | | | ZONE 15 | |
| <u>S.W.L. (AFTER CASING):</u> | | | | | <u>REMARKS:</u> | |



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**012458**WELL TYPE

Exploratory Hole (Mineral Prospect)

| | | | | | | |
|--------------------------------|--------|-----------------|--------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1953// | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 1,159FT |
| <u>DRILL DEPTH:</u> | 365FT | 36N | 1E | 31 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 65FT | | | | 678,357.79 | 4,184,653.02 |
| <u>S.W.L. (BEFORE CASING):</u> | | | | | ZONE 15 | |
| <u>S.W.L. (AFTER CASING):</u> | | | | | <u>REMARKS:</u> | |

LOG ID:**012465**WELL TYPE

Exploratory Hole (Mineral Prospect)

| | | | | | | |
|--------------------------------|----------|-----------------|--------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1953/06/ | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 1,090FT |
| <u>DRILL DEPTH:</u> | 270FT | 36N | 1E | 31 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 40FT | | | | 678,757.79 | 4,185,029.03 |
| <u>S.W.L. (BEFORE CASING):</u> | | | | | ZONE 15 | |
| <u>S.W.L. (AFTER CASING):</u> | | | | | <u>REMARKS:</u> | |

LOG ID:**012456**WELL TYPE

Exploratory Hole (Mineral Prospect)

| | | | | | | |
|--------------------------------|--------|-----------------|--------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1952// | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 1,142FT |
| <u>DRILL DEPTH:</u> | 315FT | 36N | 1E | 31 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 45FT | | | | 678,357.79 | 4,184,653.02 |
| <u>S.W.L. (BEFORE CASING):</u> | | | | | ZONE 15 | |
| <u>S.W.L. (AFTER CASING):</u> | | | | | <u>REMARKS:</u> | |

LOG ID:**012469**WELL TYPE

Exploratory Hole (Mineral Prospect)

| | | | | | | |
|--------------------------------|--------|-----------------|--------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1953// | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 1,216FT |
| <u>DRILL DEPTH:</u> | 425FT | 36N | 1E | 31 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 55FT | | | | 678,357.79 | 4,184,653.02 |
| <u>S.W.L. (BEFORE CASING):</u> | | | | | ZONE 15 | |
| <u>S.W.L. (AFTER CASING):</u> | | | | | <u>REMARKS:</u> | |



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**012466**WELL TYPE

Exploratory Hole (Mineral Prospect)

| | | | | | | |
|--------------------------------|----------|-----------------|--------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1953/06/ | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 1,146FT |
| <u>DRILL DEPTH:</u> | 320FT | 36N | 1E | 31 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 25FT | | | | 678,357.80 | 4,184,277.01 |
| <u>S.W.L. (BEFORE CASING):</u> | | | | | ZONE 15 | |
| <u>S.W.L. (AFTER CASING):</u> | | | | | <u>REMARKS:</u> | |

LOG ID:**012467**WELL TYPE

Exploratory Hole (Mineral Prospect)

| | | | | | | |
|--------------------------------|--------|-----------------|--------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1953// | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 1,190FT |
| <u>DRILL DEPTH:</u> | 375FT | 36N | 1E | 31 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 65FT | | | | 678,357.79 | 4,185,029.03 |
| <u>S.W.L. (BEFORE CASING):</u> | | | | | ZONE 15 | |
| <u>S.W.L. (AFTER CASING):</u> | | | | | <u>REMARKS:</u> | |

LOG ID:**012445**WELL TYPE

Exploratory Hole (Mineral Prospect)

| | | | | | | |
|--------------------------------|----------|-----------------|--------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1953/07/ | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 1,210FT |
| <u>DRILL DEPTH:</u> | 390FT | 36N | 1E | 31 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 60FT | | | | 678,757.79 | 4,184,653.03 |
| <u>S.W.L. (BEFORE CASING):</u> | | | | | ZONE 15 | |
| <u>S.W.L. (AFTER CASING):</u> | | | | | <u>REMARKS:</u> | |

LOG ID:**012444**WELL TYPE

Exploratory Hole (Mineral Prospect)

| | | | | | | |
|--------------------------------|----------|-----------------|--------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1953/07/ | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 1,149FT |
| <u>DRILL DEPTH:</u> | 335FT | 36N | 1E | 31 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 50FT | | | | 678,757.79 | 4,184,653.03 |
| <u>S.W.L. (BEFORE CASING):</u> | | | | | ZONE 15 | |
| <u>S.W.L. (AFTER CASING):</u> | | | | | <u>REMARKS:</u> | |



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**012468**WELL TYPE

Exploratory Hole (Mineral Prospect)

| | | | | | | |
|--------------------------------|----------|-----------------|--------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1953/06/ | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 1,217FT |
| <u>DRILL DEPTH:</u> | 420FT | 36N | 1E | 31 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 50FT | | | | 678,357.79 | 4,185,029.03 |
| <u>S.W.L. (BEFORE CASING):</u> | | | | | ZONE 15 | |
| <u>S.W.L. (AFTER CASING):</u> | | | | | <u>REMARKS:</u> | |

LOG ID:**012457**WELL TYPE

Exploratory Hole (Mineral Prospect)

| | | | | | | |
|--------------------------------|--------|-----------------|--------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1953// | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 1,044FT |
| <u>DRILL DEPTH:</u> | 235FT | 36N | 1E | 31 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 10FT | | | | 679,157.79 | 4,185,029.04 |
| <u>S.W.L. (BEFORE CASING):</u> | | | | | ZONE 15 | |
| <u>S.W.L. (AFTER CASING):</u> | | | | | <u>REMARKS:</u> | |

LOG ID:**012303**WELL TYPE

Exploratory Hole (Mineral Prospect)

| | | | | | | |
|--------------------------------|--------|-----------------|--------------|----------------|--|--------------|
| <u>DRILL DATE:</u> | 1953// | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 1,010FT |
| <u>DRILL DEPTH:</u> | 803FT | 36N | 1E | 32 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 5FT | | | | 680,680.77 | 4,185,408.07 |
| <u>S.W.L. (BEFORE CASING):</u> | | | | | ZONE 15 | |
| <u>S.W.L. (AFTER CASING):</u> | | | | | <u>REMARKS:</u> ROTARY SAMPLES TO 305', CORE BELOW | |

LOG ID:**012307**WELL TYPE

Exploratory Hole (Mineral Prospect)

| | | | | | | |
|--------------------------------|------------|-----------------|--------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1952/10/24 | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | |
| <u>DRILL DEPTH:</u> | 763FT | 36N | 1W | 34 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 5FT | | | | 673,984.83 | 4,184,000.98 |
| <u>S.W.L. (BEFORE CASING):</u> | | | | | ZONE 15 | |
| <u>S.W.L. (AFTER CASING):</u> | | | | | <u>REMARKS:</u> | |



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**012322**WELL TYPE

Exploratory Hole (Mineral Prospect)

| | | | | | | |
|--------------------------------|--------|-----------------|--------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1952// | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 1,030FT |
| <u>DRILL DEPTH:</u> | 837FT | 36N | 1W | 35 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 35FT | | | | 675,197.82 | 4,184,498.99 |
| <u>S.W.L. (BEFORE CASING):</u> | | | | | ZONE 15 | |
| <u>S.W.L. (AFTER CASING):</u> | | <u>REMARKS:</u> | | | | |

LOG ID:**013629**WELL TYPE

Exploratory Hole (Mineral Prospect)

| | | | | | | |
|--------------------------------|--------|-----------------|---|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1953// | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 1,224FT |
| <u>DRILL DEPTH:</u> | | 36N | 1W | 36 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | | | | | 677,610.80 | 4,184,601.01 |
| <u>S.W.L. (BEFORE CASING):</u> | | | | | ZONE 15 | |
| <u>S.W.L. (AFTER CASING):</u> | | <u>REMARKS:</u> | #13116 DEEPENED & CORED - SEE LOG #13116 FOR COMPLETE LOG | | | |

LOG ID:**013203**WELL TYPE

Exploratory Hole (Mineral Prospect)

| | | | | | | |
|--------------------------------|--------|-----------------|--------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1954// | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 1,186FT |
| <u>DRILL DEPTH:</u> | 430FT | 36N | 1W | 36 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 95FT | | | | 677,610.80 | 4,184,185.00 |
| <u>S.W.L. (BEFORE CASING):</u> | | | | | ZONE 15 | |
| <u>S.W.L. (AFTER CASING):</u> | | <u>REMARKS:</u> | | | | |

LOG ID:**013163**WELL TYPE

Exploratory Hole (Mineral Prospect)

| | | | | | | |
|--------------------------------|--------|-----------------|--------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1954// | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | |
| <u>DRILL DEPTH:</u> | 450FT | 36N | 1W | 36 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 65FT | | | | 677,210.80 | 4,184,601.00 |
| <u>S.W.L. (BEFORE CASING):</u> | | | | | ZONE 15 | |
| <u>S.W.L. (AFTER CASING):</u> | | <u>REMARKS:</u> | | | | |



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**013117**WELL TYPE

Exploratory Hole (Mineral Prospect)

| | | | | | | |
|--------------------------------|--------|-----------------|--------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1953// | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 1,178FT |
| <u>DRILL DEPTH:</u> | 280FT | 36N | 1W | 36 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 25FT | | | | 677,610.80 | 4,184,185.00 |
| <u>S.W.L. (BEFORE CASING):</u> | | | | | ZONE 15 | |
| <u>S.W.L. (AFTER CASING):</u> | | | | | <u>REMARKS:</u> | |

LOG ID:**013119**WELL TYPE

Exploratory Hole (Mineral Prospect)

| | | | | | | |
|--------------------------------|--------|-----------------|--------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1953// | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 1,184FT |
| <u>DRILL DEPTH:</u> | 340FT | 36N | 1W | 36 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 50FT | | | | 677,510.80 | 4,184,497.01 |
| <u>S.W.L. (BEFORE CASING):</u> | | | | | ZONE 15 | |
| <u>S.W.L. (AFTER CASING):</u> | | | | | <u>REMARKS:</u> | |

LOG ID:**013218**WELL TYPE

Exploratory Hole (Mineral Prospect)

| | | | | | | |
|--------------------------------|--------|-----------------|--------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1954// | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 1,169FT |
| <u>DRILL DEPTH:</u> | 300FT | 36N | 1W | 36 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 100FT | | | | 677,610.80 | 4,184,185.00 |
| <u>S.W.L. (BEFORE CASING):</u> | | | | | ZONE 15 | |
| <u>S.W.L. (AFTER CASING):</u> | | | | | <u>REMARKS:</u> | |

LOG ID:**013116**WELL TYPE

Exploratory Hole (Mineral Prospect)

| | | | | | | |
|--------------------------------|--------|-----------------|--------------|----------------|---|--------------|
| <u>DRILL DATE:</u> | 1953// | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 1,172FT |
| <u>DRILL DEPTH:</u> | 835FT | 36N | 1W | 36 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 50FT | | | | 677,610.80 | 4,184,601.01 |
| <u>S.W.L. (BEFORE CASING):</u> | | | | | ZONE 15 | |
| <u>S.W.L. (AFTER CASING):</u> | | | | | <u>REMARKS:</u> #13116 - 50-400' (TD); DEEPENED (CORED) 505-835' (see log #13629) | |



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**013209**WELL TYPE

Exploratory Hole (Mineral Prospect)

| | | | | | | |
|--------------------------------|--------|-----------------|--------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1954// | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 1,179FT |
| <u>DRILL DEPTH:</u> | 305FT | 36N | 1W | 36 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 65FT | | | | 677,610.80 | 4,184,185.00 |
| <u>S.W.L. (BEFORE CASING):</u> | | | | | ZONE 15 | |
| <u>S.W.L. (AFTER CASING):</u> | | | | | <u>REMARKS:</u> | |

LOG ID:**009536**WELL TYPE

Exploratory Hole (Mineral Prospect)

| | | | | | | |
|--------------------------------|----------|-----------------|--------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1947/04/ | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 828FT |
| <u>DRILL DEPTH:</u> | 397FT | 36N | 1W | 4 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 15FT | | | | 672,068.77 | 4,191,940.14 |
| <u>S.W.L. (BEFORE CASING):</u> | | | | | ZONE 15 | |
| <u>S.W.L. (AFTER CASING):</u> | | | | | <u>REMARKS:</u> | |

LOG ID:**011333**WELL TYPE

Exploratory Hole (Mineral Prospect)

| | | | | | | |
|--------------------------------|------------|-----------------|--------------|----------------|--|--------------|
| <u>DRILL DATE:</u> | 1950/04/25 | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 1,133FT |
| <u>DRILL DEPTH:</u> | 1,335FT | 36N | 1E | 5 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 105FT | | | | 680,026.71 | 4,192,532.21 |
| <u>S.W.L. (BEFORE CASING):</u> | | | | | ZONE 15 | |
| <u>S.W.L. (AFTER CASING):</u> | 75 | | | | <u>REMARKS:</u> 7 MI S OF HWY 8; PAROLE MINE | |

LOG ID:**011242**WELL TYPE

Exploratory Hole (Mineral Prospect)

| | | | | | | |
|--------------------------------|------------|-----------------|--------------|----------------|--|--------------|
| <u>DRILL DATE:</u> | 1950/02/20 | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 1,053FT |
| <u>DRILL DEPTH:</u> | 1,504FT | 36N | 1E | 5 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 10FT | | | | 679,526.71 | 4,193,099.22 |
| <u>S.W.L. (BEFORE CASING):</u> | | | | | ZONE 15 | |
| <u>S.W.L. (AFTER CASING):</u> | | | | | <u>REMARKS:</u> PAROLE MINING CO; 9 MI FROM HWY 8 & PALMER | |

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**009447**WELL TYPE

Outcrop Description

DRILL DATE: 1947/03/03TOWNSHIPRANGESECTIONELEVATION:

880FT

DRILL DEPTH: 90FT

36N

1W

5

UTM XUTM YDEPTH TO BED:

670,089.76

4,193,116.16

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****009457**WELL TYPE

Outcrop Description

DRILL DATE: 1947/03/TOWNSHIPRANGESECTIONELEVATION:

870FT

DRILL DEPTH: 60FT

36N

1W

5

UTM XUTM YDEPTH TO BED:

670,089.77

4,191,856.14

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****009456**WELL TYPE

Outcrop Description

DRILL DATE: 1947/03/TOWNSHIPRANGESECTIONELEVATION:

900FT

DRILL DEPTH: 100FT

36N

1W

5

UTM XUTM YDEPTH TO BED:

670,789.77

4,192,381.15

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****009378**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1946/10/TOWNSHIPRANGESECTIONELEVATION:

1,138FT

DRILL DEPTH: 1,111FT

36N

1E

6

UTM XUTM YDEPTH TO BED: 25FT

679,163.72

4,192,543.20

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: CABLE TOOL TO 410'S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**009380**WELL TYPE

Exploratory Hole (Mineral Prospect)

| | | | | | | |
|--------------------------------|----------|-----------------|--------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1946/12/ | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 1,109FT |
| <u>DRILL DEPTH:</u> | 1,446FT | 36N | 1E | 6 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 10FT | | | | 679,163.71 | 4,193,043.21 |
| <u>S.W.L. (BEFORE CASING):</u> | | | | | ZONE 15 | |
| <u>S.W.L. (AFTER CASING):</u> | | <u>REMARKS:</u> | | | | |

LOG ID:**009485**WELL TYPE

Exploratory Hole (Mineral Prospect)

| | | | | | | |
|--------------------------------|----------|-----------------|--------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1946/07/ | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 1,169FT |
| <u>DRILL DEPTH:</u> | 465FT | 36N | 1E | 6 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 20FT | | | | 679,163.72 | 4,192,418.20 |
| <u>S.W.L. (BEFORE CASING):</u> | | | | | ZONE 15 | |
| <u>S.W.L. (AFTER CASING):</u> | | <u>REMARKS:</u> | PAROLE TRACT | | | |

LOG ID:**009512**WELL TYPE

Exploratory Hole (Mineral Prospect)

| | | | | | | |
|--------------------------------|----------|-----------------|--------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1946/11/ | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 1,123FT |
| <u>DRILL DEPTH:</u> | 380FT | 36N | 1E | 6 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 55FT | | | | 679,163.72 | 4,192,793.21 |
| <u>S.W.L. (BEFORE CASING):</u> | | | | | ZONE 15 | |
| <u>S.W.L. (AFTER CASING):</u> | | <u>REMARKS:</u> | | | | |

LOG ID:**009526**WELL TYPE

Exploratory Hole (Mineral Prospect)

| | | | | | | |
|--------------------------------|----------|-----------------|--------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1947/02/ | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 1,089FT |
| <u>DRILL DEPTH:</u> | 445FT | 36N | 1E | 6 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 15FT | | | | 678,763.72 | 4,192,293.19 |
| <u>S.W.L. (BEFORE CASING):</u> | | | | | ZONE 15 | |
| <u>S.W.L. (AFTER CASING):</u> | | <u>REMARKS:</u> | | | | |



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**023492**WELL TYPE

Industrial High Capacity Well

DRILL DATE: 1965/05/14TOWNSHIPRANGESECTIONELEVATION:

1,042FT

DRILL DEPTH: 475FT

36N

1E

7

DEPTH TO BED: 65FTUTM XUTM Y

677,930.74

4,190,896.15

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 1.5 MI NE OF PALMERS.W.L. (AFTER CASING): 125**LOG ID:****009374**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1946/11/TOWNSHIPRANGESECTIONELEVATION:

1,174FT

DRILL DEPTH: 1,099FT

36N

1E

7

DEPTH TO BED: 40FTUTM XUTM Y

679,230.72

4,192,034.19

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****009376**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1946/07/TOWNSHIPRANGESECTIONELEVATION:

1,068FT

DRILL DEPTH: 1,023FT

36N

1E

7

DEPTH TO BED: 5FTUTM XUTM Y

679,330.73

4,191,516.18

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****009486**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1946/06/TOWNSHIPRANGESECTIONELEVATION:

1,182FT

DRILL DEPTH: 415FT

36N

1E

7

DEPTH TO BED: 15FTUTM XUTM Y

678,930.72

4,192,034.19

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: "MINERALIZED ZONE" - 0-150'S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**009497**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1947// TOWNSHIP 36N RANGE 1E SECTION 7 ELEVATION: 1,002FT
DRILL DEPTH: 450FT UTM X 678,330.74 UTM Y 4,191,102.16
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): REMARKS:
S.W.L. (AFTER CASING):

LOG ID:**009543**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1947/01/ TOWNSHIP 36N RANGE 1E SECTION 7 ELEVATION: 1,039FT
DRILL DEPTH: 420FT UTM X 678,430.73 UTM Y 4,191,620.17
DEPTH TO BED: 25FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS:
S.W.L. (AFTER CASING):

LOG ID:**009495**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1946// TOWNSHIP 36N RANGE 1E SECTION 7 ELEVATION: 1,211FT
DRILL DEPTH: 465FT UTM X 679,230.72 UTM Y 4,192,138.19
DEPTH TO BED: 45FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS:
S.W.L. (AFTER CASING):

LOG ID:**009379**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1946/11/ TOWNSHIP 36N RANGE 1E SECTION 7 ELEVATION: 1,086FT
DRILL DEPTH: 1,004FT UTM X 679,230.73 UTM Y 4,191,516.18
DEPTH TO BED: 15FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS:
S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**009488**WELL TYPE

Exploratory Hole (Mineral Prospect)

| | | | | | | |
|--------------------------------|----------|-----------------|--------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1946/07/ | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 1,156FT |
| <u>DRILL DEPTH:</u> | 405FT | 36N | 1E | 7 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 50FT | | | | 679,330.72 | 4,192,034.19 |
| <u>S.W.L. (BEFORE CASING):</u> | | | | | ZONE 15 | |
| <u>S.W.L. (AFTER CASING):</u> | | | | | <u>REMARKS:</u> | |

LOG ID:**009522**WELL TYPE

Exploratory Hole (Mineral Prospect)

| | | | | | | |
|--------------------------------|----------|-----------------|--------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1947/02/ | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 1,057FT |
| <u>DRILL DEPTH:</u> | 445FT | 36N | 1E | 7 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 20FT | | | | 678,230.73 | 4,192,034.18 |
| <u>S.W.L. (BEFORE CASING):</u> | | | | | ZONE 15 | |
| <u>S.W.L. (AFTER CASING):</u> | | | | | <u>REMARKS:</u> | |

LOG ID:**009524**WELL TYPE

Exploratory Hole (Mineral Prospect)

| | | | | | | |
|--------------------------------|-------|-----------------|--------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 1,100FT |
| <u>DRILL DEPTH:</u> | 405FT | 36N | 1E | 7 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 75FT | | | | 678,130.74 | 4,190,688.15 |
| <u>S.W.L. (BEFORE CASING):</u> | | | | | ZONE 15 | |
| <u>S.W.L. (AFTER CASING):</u> | | | | | <u>REMARKS:</u> | |

LOG ID:**009520**WELL TYPE

Exploratory Hole (Mineral Prospect)

| | | | | | | |
|--------------------------------|----------|-----------------|--------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1947/01/ | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 990FT |
| <u>DRILL DEPTH:</u> | 440FT | 36N | 1E | 7 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 20FT | | | | 678,330.74 | 4,191,102.16 |
| <u>S.W.L. (BEFORE CASING):</u> | | | | | ZONE 15 | |
| <u>S.W.L. (AFTER CASING):</u> | | | | | <u>REMARKS:</u> | |



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**009521**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1947/02/ TOWNSHIP 36N RANGE 1E SECTION 8 ELEVATION: 1,061FT
DRILL DEPTH: 335FT UTM X 679,606.73 UTM Y 4,191,131.18
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): REMARKS: TD MAY BE BELOW 335', "CORE" ?
S.W.L. (AFTER CASING):

LOG ID:**009493**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1946// TOWNSHIP 36N RANGE 1E SECTION 8 ELEVATION: 1,185FT
DRILL DEPTH: 976FT UTM X 680,106.72 UTM Y 4,191,539.19
DEPTH TO BED: 35FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS:
S.W.L. (AFTER CASING):

LOG ID:**009492**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1946// TOWNSHIP 36N RANGE 1E SECTION 8 ELEVATION: 1,087FT
DRILL DEPTH: 864FT UTM X 679,606.73 UTM Y 4,190,927.17
DEPTH TO BED: 25FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS:
S.W.L. (AFTER CASING):

LOG ID:**009490**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1946/07/ TOWNSHIP 36N RANGE 1E SECTION 8 ELEVATION: 1,153FT
DRILL DEPTH: 400FT UTM X 680,406.72 UTM Y 4,191,743.20
DEPTH TO BED: 30FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS:
S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**009513**WELL TYPE

Exploratory Hole (Mineral Prospect)

| | | | | | | |
|--------------------------------|----------|-----------------|--------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1948/11/ | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 1,176FT |
| <u>DRILL DEPTH:</u> | 420FT | 36N | 1E | 8 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 40FT | | | | 680,506.72 | 4,191,641.20 |
| <u>S.W.L. (BEFORE CASING):</u> | | | | | ZONE 15 | |
| <u>S.W.L. (AFTER CASING):</u> | | | | | <u>REMARKS:</u> | |

LOG ID:**009528**WELL TYPE

Exploratory Hole (Mineral Prospect)

| | | | | | | |
|--------------------------------|----------|-----------------|--------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1947/02/ | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 1,170FT |
| <u>DRILL DEPTH:</u> | 410FT | 36N | 1E | 8 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 15FT | | | | 679,706.72 | 4,192,151.20 |
| <u>S.W.L. (BEFORE CASING):</u> | | | | | ZONE 15 | |
| <u>S.W.L. (AFTER CASING):</u> | | | | | <u>REMARKS:</u> | |

LOG ID:**011332**WELL TYPE

Exploratory Hole (Mineral Prospect)

| | | | | | | |
|--------------------------------|------------|-----------------|--------------|----------------|--|--------------|
| <u>DRILL DATE:</u> | 1950/04/04 | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 1,119FT |
| <u>DRILL DEPTH:</u> | 1,030FT | 36N | 1E | 8 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 20FT | | | | 679,606.72 | 4,191,641.19 |
| <u>S.W.L. (BEFORE CASING):</u> | | | | | ZONE 15 | |
| <u>S.W.L. (AFTER CASING):</u> | 75 | | | | <u>REMARKS:</u> CREVICE @ 225', 415', 420-425' | |

LOG ID:**009458**WELL TYPE

Outcrop Description

| | | | | | | |
|--------------------------------|----------|-----------------|--------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1947/03/ | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | |
| <u>DRILL DEPTH:</u> | 160FT | 36N | 1W | 8 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | | | | | 670,892.78 | 4,190,722.12 |
| <u>S.W.L. (BEFORE CASING):</u> | | | | | ZONE 15 | |
| <u>S.W.L. (AFTER CASING):</u> | | | | | <u>REMARKS:</u> | |



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**009453**WELL TYPE

Outcrop Description

DRILL DATE: 1947/03/ TOWNSHIP 36N RANGE 1W SECTION 9 ELEVATION: 910FT
DRILL DEPTH: 100FT UTM X 671,874.77 UTM Y 4,191,284.13
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): REMARKS: EITHER ALL EMINENCE, OR GASCONADE & EMINENCE
S.W.L. (AFTER CASING):

LOG ID:**009454**WELL TYPE

Outcrop Description

DRILL DATE: 1947/03/ TOWNSHIP 36N RANGE 1W SECTION 9 ELEVATION: 900FT
DRILL DEPTH: 80FT UTM X 672,674.77 UTM Y 4,191,284.13
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): REMARKS: MISSING SEVERAL PARTS; 10-30',40-50',60-80'
S.W.L. (AFTER CASING):

LOG ID:**009525**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1947/02/ TOWNSHIP 36N RANGE 1E SECTION 9 ELEVATION: 1,119FT
DRILL DEPTH: 130FT UTM X 681,068.71 UTM Y 4,191,572.21
DEPTH TO BED: 40FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS:
S.W.L. (AFTER CASING):

LOG ID:**008894**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1945/08/ TOWNSHIP 36N RANGE 2E SECTION 10 ELEVATION: 1,141FT
DRILL DEPTH: 555FT UTM X 692,397.62 UTM Y 4,192,223.39
DEPTH TO BED: 90FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS:
S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**008895**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1945/08/ TOWNSHIP 36N RANGE 2E SECTION 10 ELEVATION: 1,088FT
DRILL DEPTH: 550FT UTM X 692,797.62 UTM Y 4,192,223.40
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): REMARKS:
S.W.L. (AFTER CASING):

LOG ID:**008898**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1945/08/ TOWNSHIP 36N RANGE 2E SECTION 12 ELEVATION: 1,059FT
DRILL DEPTH: 606FT UTM X 696,510.60 UTM Y 4,191,033.42
DEPTH TO BED: 5FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS:
S.W.L. (AFTER CASING):

LOG ID:**008899**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1945/08/ TOWNSHIP 36N RANGE 2E SECTION 12 ELEVATION: 1,028FT
DRILL DEPTH: 586FT UTM X 696,110.61 UTM Y 4,191,033.42
DEPTH TO BED: 25FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: FEDERAL DIVISION
S.W.L. (AFTER CASING):

LOG ID:**016668**WELL TYPE

Private Well

DRILL DATE: 1957// TOWNSHIP 36N RANGE 2E SECTION 13 ELEVATION: 1,050FT
DRILL DEPTH: 135FT UTM X 696,816.61 UTM Y 4,190,409.41
DEPTH TO BED: 15FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS:
S.W.L. (AFTER CASING): 49



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**015685**WELL TYPE

Private Well

| | | | | | | |
|--------------------------------|--------|-----------------|----------------------------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1956// | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 1,022FT |
| <u>DRILL DEPTH:</u> | 90FT | 36N | 2E | 13 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 45FT | | | | 696,259.61 | 4,189,976.39 |
| <u>S.W.L. (BEFORE CASING):</u> | FT | | | | ZONE 15 | |
| <u>S.W.L. (AFTER CASING):</u> | 60 | <u>REMARKS:</u> | formerly in name of Charles Hays | | | |

LOG ID:**008897**WELL TYPE

Exploratory Hole (Mineral Prospect)

| | | | | | | |
|--------------------------------|----------|-----------------|--------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1945/08/ | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 1,050FT |
| <u>DRILL DEPTH:</u> | 599FT | 36N | 2E | 13 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 5FT | | | | 695,730.61 | 4,190,664.40 |
| <u>S.W.L. (BEFORE CASING):</u> | | <u>REMARKS:</u> | | | | |
| <u>S.W.L. (AFTER CASING):</u> | | | | | | |

LOG ID:**015466**WELL TYPE

Private Well

| | | | | | | |
|--------------------------------|------------|-----------------|--|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1956/10/12 | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 888FT |
| <u>DRILL DEPTH:</u> | 25FT | 36N | 2E | 14 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | | | | | 695,044.62 | 4,189,965.38 |
| <u>S.W.L. (BEFORE CASING):</u> | FT | <u>REMARKS:</u> | 6 MI S OF POTOSI ON HWY 21, 1 MI W ON FURNACE CREEK RD | | | |
| <u>S.W.L. (AFTER CASING):</u> | 6 | | | | | |

LOG ID:**006129**WELL TYPE

Industrial High Capacity Well

| | | | | | | |
|--------------------------------|-------|-----------------|---|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 1,003FT |
| <u>DRILL DEPTH:</u> | 259FT | 36N | 2E | 15 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 25FT | | | | 693,626.63 | 4,190,658.37 |
| <u>S.W.L. (BEFORE CASING):</u> | FT | <u>REMARKS:</u> | TIFF MILL, 7 MI S OF POTOSI ON HWY 21, 3 MI W OF HWY 21 | | | |
| <u>S.W.L. (AFTER CASING):</u> | 15 | | | | | |



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
015465

WELL TYPE
Private Well

| | | | | | | |
|--------------------------------|------------|--|--------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1956/10/12 | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 874FT |
| <u>DRILL DEPTH:</u> | 83FT | 36N | 2E | 23 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 10FT | | | | 695,381.63 | 4,188,708.35 |
| | | | | | ZONE 15 | |
| <u>S.W.L. (BEFORE CASING):</u> | FT | <u>REMARKS:</u> 6 MI S OF POTOSI ON HWY 21, 0.5 MI W ON FURNACE CREEK RD | | | | |
| <u>S.W.L. (AFTER CASING):</u> | 12 | | | | | |

LOG ID:
007428

WELL TYPE
Private Well

| | | | | | | |
|--------------------------------|------|------------------------------------|--------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 829FT |
| <u>DRILL DEPTH:</u> | 50FT | 36N | 2E | 26 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 15FT | | | | 694,389.66 | 4,186,491.28 |
| | | | | | ZONE 15 | |
| <u>S.W.L. (BEFORE CASING):</u> | FT | <u>REMARKS:</u> 2 MI E OF BELGRADE | | | | |
| <u>S.W.L. (AFTER CASING):</u> | 7 | | | | | |

LOG ID:
012193

WELL TYPE
Private Well

| | | | | | | |
|--------------------------------|------------|--------------------------------------|--------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1953/02/24 | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 907FT |
| <u>DRILL DEPTH:</u> | 215FT | 36N | 2E | 26 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 195FT | | | | 694,204.66 | 4,187,092.29 |
| | | | | | ZONE 15 | |
| <u>S.W.L. (BEFORE CASING):</u> | | <u>REMARKS:</u> DRY HOLE - ABANDONED | | | | |
| <u>S.W.L. (AFTER CASING):</u> | | | | | | |

LOG ID:
011884

WELL TYPE
Exploratory Hole (Mineral Prospect)

| | | | | | | |
|--------------------------------|--------|---|--------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1951// | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 906FT |
| <u>DRILL DEPTH:</u> | 153FT | 36N | 2E | 35 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 5FT | | | | 694,160.67 | 4,185,720.26 |
| | | | | | ZONE 15 | |
| <u>S.W.L. (BEFORE CASING):</u> | | <u>REMARKS:</u> MONTGOMERY - "CAN'T LOCATE" | | | | |
| <u>S.W.L. (AFTER CASING):</u> | | | | | | |

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
011817

WELL TYPE
Exploratory Hole (Mineral Prospect)

DRILL DATE: 1951// TOWNSHIP 36N RANGE 2E SECTION 35 ELEVATION: 906FT
DRILL DEPTH: 153FT UTM X 694,160.67 UTM Y 4,185,720.26
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): REMARKS: "CAN'T LOCATE"
S.W.L. (AFTER CASING):

LOG ID:
011816

WELL TYPE
Exploratory Hole (Mineral Prospect)

DRILL DATE: 1951// TOWNSHIP 36N RANGE 2E SECTION 35 ELEVATION: 906FT
DRILL DEPTH: 120FT UTM X 694,160.67 UTM Y 4,185,720.26
DEPTH TO BED: 5FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: MONTGOMERY - "CAN'T LOCATE"
S.W.L. (AFTER CASING):

LOG ID:
011812

WELL TYPE
Exploratory Hole (Mineral Prospect)

DRILL DATE: 1951/11/ TOWNSHIP 36N RANGE 2E SECTION 35 ELEVATION: 906FT
DRILL DEPTH: 127FT UTM X 694,160.67 UTM Y 4,185,720.26
DEPTH TO BED: 70FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: "CAN'T LOCATE"
S.W.L. (AFTER CASING):

LOG ID:
008896

WELL TYPE
Exploratory Hole (Mineral Prospect)

DRILL DATE: 1945/08/ TOWNSHIP 36N RANGE 2E SECTION 9 ELEVATION: 1,108FT
DRILL DEPTH: 535FT UTM X 691,527.64 UTM Y 4,191,320.36
DEPTH TO BED: 25FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS:
S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**008892**WELL TYPE

Exploratory Hole (Mineral Prospect)

| | | | | | | |
|--------------------------------|----------|-----------------|--------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1945/07/ | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 1,190FT |
| <u>DRILL DEPTH:</u> | 630FT | 36N | 2E | 9 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 25FT | | | | 691,927.63 | 4,191,752.38 |
| <u>S.W.L. (BEFORE CASING):</u> | | | | | ZONE 15 | |
| <u>S.W.L. (AFTER CASING):</u> | | | | | <u>REMARKS:</u> | |

LOG ID:**008893**WELL TYPE

Exploratory Hole (Mineral Prospect)

| | | | | | | |
|--------------------------------|----------|-----------------|--------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1945/08/ | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 1,138FT |
| <u>DRILL DEPTH:</u> | 490FT | 36N | 2E | 9 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 15FT | | | | 691,927.63 | 4,192,182.39 |
| <u>S.W.L. (BEFORE CASING):</u> | | | | | ZONE 15 | |
| <u>S.W.L. (AFTER CASING):</u> | | | | | <u>REMARKS:</u> | |

LOG ID:**007438**WELL TYPE

Private Well

| | | | | | | |
|--------------------------------|--------|-----------------|--------------|----------------|-------------------------------------|--------------|
| <u>DRILL DATE:</u> | 1941// | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 797FT |
| <u>DRILL DEPTH:</u> | 80FT | 36N | 3E | 10 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | | | | | 702,711.55 | 4,191,992.51 |
| <u>S.W.L. (BEFORE CASING):</u> | | | | | ZONE 15 | |
| <u>S.W.L. (AFTER CASING):</u> | 25 | | | | <u>REMARKS:</u> 3 MI NW OF IRONDALE | |

LOG ID:**025013**WELL TYPE

Community Public Well

| | | | | | | |
|--------------------------------|----------|-----------------|--------------|----------------|---|--------------|
| <u>DRILL DATE:</u> | 1967/02/ | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 964FT |
| <u>DRILL DEPTH:</u> | 1,030FT | 36N | 3E | 14 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 35FT | | | | 705,138.54 | 4,190,787.50 |
| <u>S.W.L. (BEFORE CASING):</u> | | | | | ZONE 15 | |
| <u>S.W.L. (AFTER CASING):</u> | 120 | | | | <u>REMARKS:</u> LINER INSTALLED THROUGH DAVIS SHALE | |



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**011245**WELL TYPE

Noncommunity Public Well

| | | | | | | |
|--------------------------------|--------|-----------------|--------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1950// | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 811FT |
| <u>DRILL DEPTH:</u> | 75FT | 36N | 3E | 14 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 5FT | | | | 704,438.55 | 4,189,929.47 |
| | | | | | ZONE 15 | |
| <u>S.W.L. (BEFORE CASING):</u> | | <u>REMARKS:</u> | | | | |
| <u>S.W.L. (AFTER CASING):</u> | | | | | | |

LOG ID:**011666**WELL TYPE

Industrial High Capacity Well

| | | | | | | |
|--------------------------------|----------|-----------------|--------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1950/09/ | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 830FT |
| <u>DRILL DEPTH:</u> | 350FT | 36N | 3E | 14 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 5FT | | | | 704,338.55 | 4,190,032.47 |
| | | | | | ZONE 15 | |
| <u>S.W.L. (BEFORE CASING):</u> | FT | <u>REMARKS:</u> | in Irondale | | | |
| <u>S.W.L. (AFTER CASING):</u> | 35 | | | | | |

LOG ID:**002077**WELL TYPE

Exploratory Hole (Mineral Prospect)

| | | | | | | |
|--------------------------------|------------|-----------------|--------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1914/00/00 | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 900FT |
| <u>DRILL DEPTH:</u> | 160FT | 36N | 3E | 14 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 5FT | | | | 705,638.55 | 4,189,311.46 |
| | | | | | ZONE 15 | |
| <u>S.W.L. (BEFORE CASING):</u> | | <u>REMARKS:</u> | | | | |
| <u>S.W.L. (AFTER CASING):</u> | | | | | | |

LOG ID:**002309**WELL TYPE

Noncommunity Public Well

| | | | | | | |
|--------------------------------|----------|-----------------|-----------------|---|-------------------|--------------|
| <u>DRILL DATE:</u> | 1930/07/ | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 897FT |
| <u>DRILL DEPTH:</u> | 874FT | 36N | 3E | 14 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 430FT | | | | 705,238.54 | 4,189,929.48 |
| | | | | | ZONE 15 | |
| <u>S.W.L. (BEFORE CASING):</u> | 51 | FT | <u>REMARKS:</u> | CLOSE TO COURDALE-SIMMS MTN. FAULT ZONE - | | |
| <u>S.W.L. (AFTER CASING):</u> | 165 | FT | | DOWNTOWN SIDE | | |



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**002076**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1917/09/00TOWNSHIP RANGE SECTIONELEVATION: 807FTDRILL DEPTH: 270FT

36N 3E 16

DEPTH TO BED: 5FTUTM X UTM Y
700,995.58 4,189,905.44
ZONE 15S.W.L. (BEFORE CASING):REMARKS: J.M. & T.F. SLOAN TRACTS.W.L. (AFTER CASING):**LOG ID:****012638**WELL TYPE

Outcrop Description

DRILL DATE:TOWNSHIP RANGE SECTIONELEVATION: 863FTDRILL DEPTH: 40FT

36N 3E 19

DEPTH TO BED:UTM X UTM Y
698,103.61 4,189,035.40
ZONE 15S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****007430**WELL TYPE

Private Well

DRILL DATE: 1941//TOWNSHIP RANGE SECTIONELEVATION: 788FTDRILL DEPTH: 180FT

36N 3E 2

DEPTH TO BED:UTM X UTM Y
704,961.51 4,194,051.58
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: formerly in name of Floyd Smith - at Stony Point - 2nd farm up Big RiverS.W.L. (AFTER CASING): 100**LOG ID:****002078**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1917/11/00TOWNSHIP RANGE SECTIONELEVATION: 950FTDRILL DEPTH: 141FT

36N 3E 24

DEPTH TO BED: 3FTUTM X UTM Y
707,299.54 4,188,528.46
ZONE 15S.W.L. (BEFORE CASING):REMARKS: BIG RIVER LEAD CO TRACT, W WASH - ST FRANCOIS CO LINES.W.L. (AFTER CASING):

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
006113

WELL TYPE
Private Well

DRILL DATE: 1939/11/ TOWNSHIP 36N RANGE 3E SECTION 32 ELEVATION: 867FT
DRILL DEPTH: 120FT UTM X 699,932.63 UTM Y 4,185,620.32
DEPTH TO BED: 35FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: UP CEDAR CK FROM CEDAR CK BRIDGE, W SD HUGHES MTN.
S.W.L. (AFTER CASING):

LOG ID:
002797

WELL TYPE
Private Well

DRILL DATE: TOWNSHIP 37N RANGE 1W SECTION 14 ELEVATION: 892FT
DRILL DEPTH: 85FT UTM X 674,916.69 UTM Y 4,198,788.28
DEPTH TO BED: 20FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS:
S.W.L. (AFTER CASING):

LOG ID:
015357

WELL TYPE
Industrial High Capacity Well

DRILL DATE: 1956/09/03 TOWNSHIP 37N RANGE 1E SECTION 15 ELEVATION: 903FT
DRILL DEPTH: 114FT UTM X 682,644.62 UTM Y 4,200,507.43
DEPTH TO BED: 20FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: 2 MI W OF SHIRLEY ON HWY 8
S.W.L. (AFTER CASING): 39

LOG ID:
003363

WELL TYPE
Noncommunity Public Well

DRILL DATE: 1935/05/ TOWNSHIP 37N RANGE 1W SECTION 17 ELEVATION: 1,050FT
DRILL DEPTH: 285FT UTM X 670,418.70 UTM Y 4,199,737.29
DEPTH TO BED: 40FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: AT CAMP NEAR BERRYMAN
S.W.L. (AFTER CASING): 202



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**015587**WELL TYPE

Private Well

DRILL DATE: 1936/10/23TOWNSHIPRANGESECTIONELEVATION:

974FT

DRILL DEPTH: 70FT

37N

1E

18

DEPTH TO BED: 10FTUTM XUTM Y

678,479.67

4,199,153.33

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 11 MI W OF POTOSI ON HWY 8, 0.25 MI TO RT (S)S.W.L. (AFTER CASING): 45**LOG ID:****010859**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1949/06/TOWNSHIPRANGESECTIONELEVATION:

766FT

DRILL DEPTH: 1,155FT

37N

1W

19

DEPTH TO BED: 30FTUTM XUTM Y

669,692.72

4,198,162.26

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 8**LOG ID:****010853**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

751FT

DRILL DEPTH: 1,090FT

37N

1W

19

DEPTH TO BED: 20FTUTM XUTM Y

668,292.72

4,198,162.26

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: E.T. BANTA TRACTS.W.L. (AFTER CASING):**LOG ID:****013009**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1953/07/TOWNSHIPRANGESECTIONELEVATION:

1,076FT

DRILL DEPTH: 680FT

37N

1W

2

DEPTH TO BED: 35FTUTM XUTM Y

675,241.66

4,202,212.35

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: POSSIBLE FAULT IN BASAL 30 FT OF SAMPLESS.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**020774**WELL TYPE

Private Well

DRILL DATE: 1961/05/12TOWNSHIPRANGESECTIONELEVATION:

856FT

DRILL DEPTH: 55FT

37N

1E

2

DEPTH TO BED: 15FTUTM XUTM Y

685,043.57

4,203,985.55

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 7.5 MI W OF POTOSI, 0.25 MI E OF HWY AAS.W.L. (AFTER CASING): 18**LOG ID:****019338**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

998FT

DRILL DEPTH: 100FT

37N

1E

20

DEPTH TO BED: 70FTUTM XUTM Y

679,656.67

4,197,503.32

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 1 MI S OF COLEY'S CAFE S OF HWY 8, N OF SCHOOL HOUSES.W.L. (AFTER CASING): 18**LOG ID:****009243**WELL TYPE

Noncommunity Public Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

796FT

DRILL DEPTH: 102FT

37N

1W

20

DEPTH TO BED: 25FTUTM XUTM Y

670,318.71

4,198,195.26

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: LOST CREEK INN ON HWY 8S.W.L. (AFTER CASING):**LOG ID:****022729**WELL TYPE

Noncommunity Public Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

943FT

DRILL DEPTH: 190FT

37N

1E

21

DEPTH TO BED: 5FTUTM XUTM Y

681,635.65

4,197,940.36

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 25

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
004246

WELL TYPE
Private Well

DRILL DATE: 1937// TOWNSHIP 37N RANGE 1W SECTION 23 ELEVATION: 868FT
DRILL DEPTH: 59FT UTM X 674,984.70 UTM Y 4,198,475.27
DEPTH TO BED: 15FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: ON HWY 8, ON RD S OF BLATT WELL (#2797)
S.W.L. (AFTER CASING):

LOG ID:
006115

WELL TYPE
Noncommunity Public Well

DRILL DATE: 1940// TOWNSHIP 37N RANGE 1E SECTION 23 ELEVATION: 1,025FT
DRILL DEPTH: 118FT UTM X 684,629.63 UTM Y 4,197,754.40
DEPTH TO BED: 115FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: deepened in 1964; 1 mi W of Hwy 8, bridge @ Shirley over Forche
S.W.L. (AFTER CASING): Remalt

LOG ID:
009365

WELL TYPE
Exploratory Hole (Mineral Prospect)

DRILL DATE: 1946/12/ TOWNSHIP 37N RANGE 1E SECTION 24 ELEVATION: 992FT
DRILL DEPTH: 180FT UTM X 686,736.61 UTM Y 4,198,592.46
DEPTH TO BED: 5FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: Kreuger #35
S.W.L. (AFTER CASING):

LOG ID:
008952

WELL TYPE
Exploratory Hole (Mineral Prospect)

DRILL DATE: 1944/01/04 TOWNSHIP 37N RANGE 1E SECTION 24 ELEVATION: 1,010FT
DRILL DEPTH: 210FT UTM X 686,736.60 UTM Y 4,198,801.46
DEPTH TO BED: 10FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: 80' S, 100' W OF SHAFT
S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**009364**WELL TYPE

Exploratory Hole (Mineral Prospect)

| | | | | | | |
|--------------------------------|----------|-----------------|--------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1946/12/ | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 1,026FT |
| <u>DRILL DEPTH:</u> | 248FT | 37N | 1E | 24 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 15FT | | | | 686,736.61 | 4,198,592.46 |
| <u>S.W.L. (BEFORE CASING):</u> | | | | | ZONE 15 | |
| <u>S.W.L. (AFTER CASING):</u> | | <u>REMARKS:</u> | Kreuger #34 | | | |

LOG ID:**002288**WELL TYPE

Exploratory Hole (Mineral Prospect)

| | | | | | | |
|--------------------------------|--------|-----------------|-------------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1930// | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 1,003FT |
| <u>DRILL DEPTH:</u> | 190FT | 37N | 1E | 24 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 10FT | | | | 686,736.60 | 4,198,801.46 |
| <u>S.W.L. (BEFORE CASING):</u> | | | | | ZONE 15 | |
| <u>S.W.L. (AFTER CASING):</u> | | <u>REMARKS:</u> | "BIG BILL?" TRACT | | | |

LOG ID:**002296**WELL TYPE

Exploratory Hole (Mineral Prospect)

| | | | | | | |
|--------------------------------|--------|-----------------|--------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1930// | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 1,040FT |
| <u>DRILL DEPTH:</u> | 175FT | 37N | 1E | 24 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 10FT | | | | 686,736.60 | 4,198,801.46 |
| <u>S.W.L. (BEFORE CASING):</u> | | | | | ZONE 15 | |
| <u>S.W.L. (AFTER CASING):</u> | | <u>REMARKS:</u> | | | | |

LOG ID:**002295**WELL TYPE

Exploratory Hole (Mineral Prospect)

| | | | | | | |
|--------------------------------|--------|-----------------|--------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1930// | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 1,002FT |
| <u>DRILL DEPTH:</u> | 180FT | 37N | 1E | 24 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 5FT | | | | 686,736.60 | 4,198,801.46 |
| <u>S.W.L. (BEFORE CASING):</u> | | | | | ZONE 15 | |
| <u>S.W.L. (AFTER CASING):</u> | | <u>REMARKS:</u> | | | | |



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**010940**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1949/08/11TOWNSHIPRANGESECTIONELEVATION:

761FT

DRILL DEPTH: 1,300FT

37N

1W

30

DEPTH TO BED: 20FTUTM XUTM Y

668,308.74

4,195,694.21

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: GILLIAM TRACT, ARTESIAN AT 300'S.W.L. (AFTER CASING):**LOG ID:****010985**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1949/09/14TOWNSHIPRANGESECTIONELEVATION:DRILL DEPTH: 1,340FT

37N

1W

30

DEPTH TO BED:UTM XUTM Y

669,508.73

4,196,322.23

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: CRADDOCK TRACTS.W.L. (AFTER CASING): 47**LOG ID:****009343**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1946//TOWNSHIPRANGESECTIONELEVATION:

997FT

DRILL DEPTH: 175FT

37N

1W

31

DEPTH TO BED: 20FTUTM XUTM Y

668,722.76

4,193,533.17

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****009344**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1946//TOWNSHIPRANGESECTIONELEVATION:

943FT

DRILL DEPTH: 115FT

37N

1W

31

DEPTH TO BED:UTM XUTM Y

668,922.77

4,193,311.17

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**009448**WELL TYPE

Outcrop Description

DRILL DATE: 1947/03/03TOWNSHIP

37N

RANGE

1W

SECTION

32

ELEVATION:

920FT

DRILL DEPTH: 140FTUTM X

670,729.75

UTM Y

4,194,140.18

DEPTH TO BED:

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****008951**WELL TYPE

Unknown Well

DRILL DATE:TOWNSHIP

37N

RANGE

1E

SECTION

4

ELEVATION:

887FT

DRILL DEPTH: 300FTUTM X

681,136.60

UTM Y

4,203,714.48

DEPTH TO BED: 15FT

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: #1 CHERRY; NOT SURE OF PURPOSE FOR WELLS.W.L. (AFTER CASING):**LOG ID:****010876**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1949//TOWNSHIP

37N

RANGE

1E

SECTION

4

ELEVATION:

976FT

DRILL DEPTH: 250FTUTM X

681,036.61

UTM Y

4,202,902.46

DEPTH TO BED: 10FT

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 3 MI N OF SHIRLEY OFF OF HWY 8S.W.L. (AFTER CASING): 120**LOG ID:****015686**WELL TYPE

Private Well

DRILL DATE: 1956/10/19TOWNSHIP

37N

RANGE

1E

SECTION

5

ELEVATION:

876FT

DRILL DEPTH: 82FTUTM X

680,282.62

UTM Y

4,202,432.43

DEPTH TO BED: 10FT

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 50



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**011040**WELL TYPE

Exploratory Hole (Mineral Prospect)

| | | | | | | |
|--------------------------------|------------|-----------------|--------------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1949/10/11 | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 855FT |
| <u>DRILL DEPTH:</u> | 1,125FT | 37N | 1W | 6 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 20FT | | | | 669,594.67 | 4,202,904.36 |
| <u>S.W.L. (BEFORE CASING):</u> | FT | <u>REMARKS:</u> | 6 MI FROM BERRYMAN | | | |
| <u>S.W.L. (AFTER CASING):</u> | 25 | | | | | |

ZONE 15

LOG ID:**010987**WELL TYPE

Exploratory Hole (Mineral Prospect)

| | | | | | | |
|--------------------------------|----------|-----------------|--------------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1949/07/ | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 860FT |
| <u>DRILL DEPTH:</u> | 220FT | 37N | 1W | 6 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 15FT | | | | 669,694.67 | 4,202,801.35 |
| <u>S.W.L. (BEFORE CASING):</u> | | <u>REMARKS:</u> | CAVING FROM 40-90' | | | |
| <u>S.W.L. (AFTER CASING):</u> | | | | | | |

ZONE 15

LOG ID:**010917**WELL TYPE

Exploratory Hole (Mineral Prospect)

| | | | | | | |
|--------------------------------|----------|-----------------|------------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1949/07/ | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 794FT |
| <u>DRILL DEPTH:</u> | 1,010FT | 37N | 1W | 6 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 10FT | | | | 668,494.68 | 4,202,179.34 |
| <u>S.W.L. (BEFORE CASING):</u> | | <u>REMARKS:</u> | HUNTZINGER TRACT | | | |
| <u>S.W.L. (AFTER CASING):</u> | | | | | | |

ZONE 15

LOG ID:**028215**WELL TYPE

Community Public Well

| | | | | | | |
|--------------------------------|---------|-----------------|------------------------------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 975FT |
| <u>DRILL DEPTH:</u> | 1,350FT | 37N | 2E | 11 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 10FT | | | | 695,079.52 | 4,200,776.65 |
| <u>S.W.L. (BEFORE CASING):</u> | | <u>REMARKS:</u> | NO PRODUCTION OR CONSTRUCTION DATA | | | |
| <u>S.W.L. (AFTER CASING):</u> | | | | | | |

ZONE 15

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
008820

WELL TYPE
Exploratory Hole (Mineral Prospect)

DRILL DATE: 1945/07/ TOWNSHIP 37N RANGE 2E SECTION 13 ELEVATION: 1,011FT
DRILL DEPTH: 445FT UTM X 697,113.51 UTM Y 4,199,607.66
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): REMARKS:
S.W.L. (AFTER CASING):

LOG ID:
009026

WELL TYPE
Exploratory Hole (Mineral Prospect)

DRILL DATE: 1945/12/ TOWNSHIP 37N RANGE 2E SECTION 25 ELEVATION: 1,090FT
DRILL DEPTH: 500FT UTM X 696,833.54 UTM Y 4,196,856.58
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): REMARKS:
S.W.L. (AFTER CASING):

LOG ID:
009030

WELL TYPE
Exploratory Hole (Mineral Prospect)

DRILL DATE: 1945/12/ TOWNSHIP 37N RANGE 2E SECTION 25 ELEVATION: 1,051FT
DRILL DEPTH: 455FT UTM X 696,833.54 UTM Y 4,197,306.59
DEPTH TO BED: 30FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS:
S.W.L. (AFTER CASING):

LOG ID:
011208

WELL TYPE
Exploratory Hole (Mineral Prospect)

DRILL DATE: 1949/11/04 TOWNSHIP 37N RANGE 2W SECTION 25 ELEVATION: 800FT
DRILL DEPTH: 1,225FT UTM X 668,081.75 UTM Y 4,194,904.20
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: 7.7 MI FROM HWY 8
S.W.L. (AFTER CASING): 7

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
027179

WELL TYPE
Exploratory Hole (Mineral Prospect)

DRILL DATE:
DRILL DEPTH: 1,460FT
DEPTH TO BED: 85FT
S.W.L. (BEFORE CASING):
S.W.L. (AFTER CASING):

TOWNSHIP 37N
RANGE 2E
SECTION 32
ELEVATION: 1,152FT
UTM X 688,989.62
UTM Y 4,195,316.42
ZONE 15

REMARKS: 0-560' see log #21181, 560-1460' see log #27179

LOG ID:
021181

WELL TYPE
Exploratory Hole (Mineral Prospect)

DRILL DATE:
DRILL DEPTH: 1,460FT
DEPTH TO BED:
S.W.L. (BEFORE CASING):
S.W.L. (AFTER CASING):

TOWNSHIP 37N
RANGE 2E
SECTION 32
ELEVATION: 1,151FT
UTM X 688,989.62
UTM Y 4,195,316.42
ZONE 15

REMARKS: 0-560' see log #21181, 560-1460' see log #27179

LOG ID:
019964

WELL TYPE
Exploratory Hole (Mineral Prospect)

DRILL DATE:
DRILL DEPTH: 1,555FT
DEPTH TO BED: 15FT
S.W.L. (BEFORE CASING):
S.W.L. (AFTER CASING):

TOWNSHIP 37N
RANGE 2E
SECTION 32
ELEVATION: 1,072FT
UTM X 688,989.62
UTM Y 4,195,106.41
ZONE 15

REMARKS:

LOG ID:
019971

WELL TYPE
Exploratory Hole (Mineral Prospect)

DRILL DATE: 1961/04/
DRILL DEPTH: 1,485FT
DEPTH TO BED: 105FT
S.W.L. (BEFORE CASING):
S.W.L. (AFTER CASING):

TOWNSHIP 37N
RANGE 2E
SECTION 32
ELEVATION: 1,211FT
UTM X 689,789.61
UTM Y 4,195,524.43
ZONE 15

REMARKS:



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**015467**WELL TYPE

Private Well

DRILL DATE: 1956/10/08TOWNSHIPRANGESECTIONELEVATION:

978FT

DRILL DEPTH: 115FT

37N

2E

34

DEPTH TO BED:UTM XUTM Y

692,458.59

4,195,756.48

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:ON PALMER RD 5 MI SW OF POTOSI (OLD BATES CREEK
SCHOOL)S.W.L. (AFTER CASING): 45**LOG ID:****005052**WELL TYPE

Private Well

DRILL DATE: 1938/08/TOWNSHIPRANGESECTIONELEVATION:

1,104FT

DRILL DEPTH: 210FT

37N

2E

9

DEPTH TO BED: 15FTUTM XUTM Y

690,473.55

4,201,445.59

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:

3 MI W OF POTOSI

S.W.L. (AFTER CASING): 100**LOG ID:****015435**WELL TYPE

Private Well

DRILL DATE: 1956//TOWNSHIPRANGESECTIONELEVATION:

1,024FT

DRILL DEPTH: 120FT

37N

3E

18

DEPTH TO BED: 15FTUTM XUTM Y

697,229.51

4,199,567.66

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:

2.5 MI E OF POTOSI ON HWY 8

S.W.L. (AFTER CASING): 85**LOG ID:****015428**WELL TYPE

Industrial High Capacity Well

DRILL DATE: 1956/09/10TOWNSHIPRANGESECTIONELEVATION:

981FT

DRILL DEPTH: 375FT

37N

3E

18

DEPTH TO BED: 10FTUTM XUTM Y

697,229.51

4,199,463.65

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 39

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
019179

WELL TYPE
Private Well

DRILL DATE: 1960/06/24 TOWNSHIP 37N RANGE 3E SECTION 18 ELEVATION: 954FT
DRILL DEPTH: 50FT
DEPTH TO BED: 20FT UTM X 698,029.51 UTM Y 4,199,463.66
S.W.L. (BEFORE CASING): FT REMARKS: 3 MI E OF POTOSI ON HWY 8
S.W.L. (AFTER CASING): 20 ZONE 15

LOG ID:
009028

WELL TYPE
Exploratory Hole (Mineral Prospect)

DRILL DATE: 1945/12/ TOWNSHIP 37N RANGE 3E SECTION 18 ELEVATION: 975FT
DRILL DEPTH: 365FT
DEPTH TO BED: 5FT UTM X 697,329.51 UTM Y 4,199,305.65
S.W.L. (BEFORE CASING): REMARKS:
S.W.L. (AFTER CASING): ZONE 15

LOG ID:
008818

WELL TYPE
Exploratory Hole (Mineral Prospect)

DRILL DATE: 1945/07/ TOWNSHIP 37N RANGE 3E SECTION 18 ELEVATION: 988FT
DRILL DEPTH: 340FT
DEPTH TO BED: UTM X 697,629.51 UTM Y 4,199,567.66
S.W.L. (BEFORE CASING): REMARKS:
S.W.L. (AFTER CASING): ZONE 15

LOG ID:
008819

WELL TYPE
Exploratory Hole (Mineral Prospect)

DRILL DATE: 1945/07/ TOWNSHIP 37N RANGE 3E SECTION 18 ELEVATION: 1,000FT
DRILL DEPTH: 400FT
DEPTH TO BED: 5FT UTM X 697,229.51 UTM Y 4,199,567.66
S.W.L. (BEFORE CASING): REMARKS:
S.W.L. (AFTER CASING): ZONE 15



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**011811**WELL TYPE

Exploratory Hole (Mineral Prospect)

| | | | | | | |
|--------------------------------|----------|-----------------|--------------|----------------|--------------------------------|--------------|
| <u>DRILL DATE:</u> | 1951/11/ | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 968FT |
| <u>DRILL DEPTH:</u> | 68FT | 37N | 3E | 18 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 5FT | | | | 697,929.51 | 4,199,619.67 |
| <u>S.W.L. (BEFORE CASING):</u> | | | | | ZONE 15 | |
| <u>S.W.L. (AFTER CASING):</u> | | | | | <u>REMARKS:</u> "CAN'T LOCATE" | |

LOG ID:**011810**WELL TYPE

Exploratory Hole (Mineral Prospect)

| | | | | | | |
|--------------------------------|----------|-----------------|--------------|----------------|--------------------------------|--------------|
| <u>DRILL DATE:</u> | 1951/11/ | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 968FT |
| <u>DRILL DEPTH:</u> | 66FT | 37N | 3E | 18 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | | | | | 697,929.51 | 4,199,619.67 |
| <u>S.W.L. (BEFORE CASING):</u> | | | | | ZONE 15 | |
| <u>S.W.L. (AFTER CASING):</u> | | | | | <u>REMARKS:</u> "CAN'T LOCATE" | |

LOG ID:**009029**WELL TYPE

Exploratory Hole (Mineral Prospect)

| | | | | | | |
|--------------------------------|----------|-----------------|--------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1945/12/ | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 948FT |
| <u>DRILL DEPTH:</u> | 300FT | 37N | 3E | 19 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 10FT | | | | 698,127.51 | 4,198,965.65 |
| <u>S.W.L. (BEFORE CASING):</u> | | | | | ZONE 15 | |
| <u>S.W.L. (AFTER CASING):</u> | | | | | <u>REMARKS:</u> | |

LOG ID:**008972**WELL TYPE

Exploratory Hole (Mineral Prospect)

| | | | | | | |
|--------------------------------|------|-----------------|--------------|----------------|---|--------------|
| <u>DRILL DATE:</u> | | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 1,009FT |
| <u>DRILL DEPTH:</u> | 90FT | 37N | 3E | 19 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 50FT | | | | 697,727.52 | 4,198,749.64 |
| <u>S.W.L. (BEFORE CASING):</u> | | | | | ZONE 15 | |
| <u>S.W.L. (AFTER CASING):</u> | | | | | <u>REMARKS:</u> DEMPSEY TRACT, NEW DIGGINGS | |



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**008939**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1943/08/30 TOWNSHIP 37N RANGE 3E SECTION 19 ELEVATION: 1,014FT
DRILL DEPTH: 350FT UTM X 697,727.52 UTM Y 4,198,749.64
DEPTH TO BED: 10FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: "NEW DIGGINS", DEMSEY PROPERTY, POTOSI
S.W.L. (AFTER CASING):

LOG ID:**008821**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1945/07/ TOWNSHIP 37N RANGE 3E SECTION 19 ELEVATION: 975FT
DRILL DEPTH: 365FT UTM X 697,627.51 UTM Y 4,199,073.65
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): REMARKS:
S.W.L. (AFTER CASING):

LOG ID:**000210**WELL TYPE

Unknown Well

DRILL DATE: TOWNSHIP 37N RANGE 3E SECTION 19 ELEVATION: 1,034FT
DRILL DEPTH: 340FT UTM X 698,227.52 UTM Y 4,197,993.63
DEPTH TO BED: 15FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: 1 MI N OF PALMER; @ NEW DIGGINGS SE OF POTOSI
S.W.L. (AFTER CASING):

LOG ID:**002020**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1916// TOWNSHIP 37N RANGE 3E SECTION 19 ELEVATION: 950FT
DRILL DEPTH: 947FT UTM X 697,927.52 UTM Y 4,198,317.63
DEPTH TO BED: 5FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: 1 MI N OF PALMER; @ NEW DIGGINS SE OF POTOSI
S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**000422**WELL TYPE

Unknown Well

DRILL DATE: 1906/06/12 TOWNSHIP 37N RANGE 3E SECTION 19 ELEVATION: 1,017FT
DRILL DEPTH: 403FT UTM X 697,927.52 UTM Y 4,198,317.63
DEPTH TO BED: 5FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: "CAN'T LOCATE"; 1 SAMPLE EVERY 25 FEET
S.W.L. (AFTER CASING):

LOG ID:**004126**WELL TYPE

Private Well

DRILL DATE: 1937// TOWNSHIP 37N RANGE 3E SECTION 20 ELEVATION: 980FT
DRILL DEPTH: 76FT UTM X 700,230.50 UTM Y 4,199,040.67
DEPTH TO BED: 35FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: formerly in name of J.A. Cook - 13 MI E OF POTOSI ON HWY 8
S.W.L. (AFTER CASING): 48

LOG ID:**007436**WELL TYPE

Private Well

DRILL DATE: 1941// TOWNSHIP 37N RANGE 3E SECTION 21 ELEVATION: 1,027FT
DRILL DEPTH: 60FT UTM X 701,342.50 UTM Y 4,198,451.67
DEPTH TO BED: 25FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: BETWEEN LEADWOOD & POTOSI NEAR RR OVERPASS ON HWY 8
S.W.L. (AFTER CASING): 40 @ SUMMIT

LOG ID:**022446**WELL TYPE

Private Well

DRILL DATE: TOWNSHIP 37N RANGE 3E SECTION 26 ELEVATION: 925FT
DRILL DEPTH: 160FT UTM X 705,464.48 UTM Y 4,197,616.68
DEPTH TO BED: 125FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: NO PRODUCTION OR CONSTRUCTION DATA
S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**027312**WELL TYPE

Private Well

| | | | | | | |
|--------------------------------|------------|-----------------|-------------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1970/06/18 | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 883FT |
| <u>DRILL DEPTH:</u> | 200FT | 37N | 3E | 3 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 10FT | | | | 702,997.44 | 4,203,527.81 |
| <u>S.W.L. (BEFORE CASING):</u> | FT | | | | ZONE 15 | |
| <u>S.W.L. (AFTER CASING):</u> | 20 | <u>REMARKS:</u> | VERY POOR SAMPLES | | | |

LOG ID:**013532**WELL TYPE

Noncommunity Public Well

| | | | | | | |
|--------------------------------|------------|-----------------|---|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1955/05/23 | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 892FT |
| <u>DRILL DEPTH:</u> | 600FT | 37N | 3E | 33 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 20FT | | | | 702,052.52 | 4,195,702.60 |
| <u>S.W.L. (BEFORE CASING):</u> | FT | | | | ZONE 15 | |
| <u>S.W.L. (AFTER CASING):</u> | 80 | <u>REMARKS:</u> | 7 MI SE OF POTOSE ON SIDE OF HOPEWELL CREEK | | | |

LOG ID:**019339**WELL TYPE

Noncommunity Public Well

| | | | | | | |
|--------------------------------|------------|-----------------|--------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1960/08/12 | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 952FT |
| <u>DRILL DEPTH:</u> | 130FT | 37N | 3E | 33 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 35FT | | | | 702,052.52 | 4,195,488.60 |
| <u>S.W.L. (BEFORE CASING):</u> | FT | | | | ZONE 15 | |
| <u>S.W.L. (AFTER CASING):</u> | 75 | <u>REMARKS:</u> | | | | |

LOG ID:**005272**WELL TYPE

Exploratory Hole (Mineral Prospect)

| | | | | | | |
|--------------------------------|------------|-----------------|--|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1938/00/00 | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | |
| <u>DRILL DEPTH:</u> | 118FT | 37N | 3E | 4 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 95FT | | | | 701,262.45 | 4,203,468.80 |
| <u>S.W.L. (BEFORE CASING):</u> | | | | | ZONE 15 | |
| <u>S.W.L. (AFTER CASING):</u> | | <u>REMARKS:</u> | PYRITE TEST HOLE; CLAIMED TO BE SAME HOLE AS #4692 | | | |



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**013879**WELL TYPE

Industrial High Capacity Well

| | | | | | | |
|--------------------------------|------------|-----------------|--------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1955/07/09 | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 898FT |
| <u>DRILL DEPTH:</u> | 647FT | 37N | 3E | 5 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 10FT | | | | 699,662.46 | 4,203,726.79 |
| <u>S.W.L. (BEFORE CASING):</u> | FT | <u>REMARKS:</u> | | | ZONE 15 | |
| <u>S.W.L. (AFTER CASING):</u> | 188 | | | | | |

LOG ID:**025274**WELL TYPE

Exploratory Hole (Mineral Prospect)

| | | | | | | |
|--------------------------------|----------|-----------------|--------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1967/11/ | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 860FT |
| <u>DRILL DEPTH:</u> | 1,084FT | 38N | 1E | 1 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 15FT | | | | 686,386.49 | 4,213,970.89 |
| <u>S.W.L. (BEFORE CASING):</u> | | <u>REMARKS:</u> | | | ZONE 15 | |
| <u>S.W.L. (AFTER CASING):</u> | | | | | | |

LOG ID:**019688**WELL TYPE

Exploratory Hole (Mineral Prospect)

| | | | | | | |
|--------------------------------|---------|-----------------|--------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 767FT |
| <u>DRILL DEPTH:</u> | 1,352FT | 38N | 1E | 1 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 10FT | | | | 687,286.49 | 4,213,148.88 |
| <u>S.W.L. (BEFORE CASING):</u> | | <u>REMARKS:</u> | | | ZONE 15 | |
| <u>S.W.L. (AFTER CASING):</u> | | | | | | |

LOG ID:**015870**WELL TYPE

Private Well

| | | | | | | |
|--------------------------------|------------|-----------------|--------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1957/01/02 | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 929FT |
| <u>DRILL DEPTH:</u> | 180FT | 38N | 1E | 11 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 25FT | | | | 684,302.51 | 4,211,452.76 |
| <u>S.W.L. (BEFORE CASING):</u> | FT | <u>REMARKS:</u> | | | ZONE 15 | |
| <u>S.W.L. (AFTER CASING):</u> | 60 | | | | | |



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
019687

WELL TYPE
Exploratory Hole (Mineral Prospect)

DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION: 805FT
38N 1E 12
DRILL DEPTH: 1,446FT
DEPTH TO BED: UTM X UTM Y
687,271.49 4,212,392.85
ZONE 15
S.W.L. (BEFORE CASING): REMARKS:
S.W.L. (AFTER CASING):

LOG ID:
012289

WELL TYPE
Exploratory Hole (Mineral Prospect)

DRILL DATE: 1952/10/06 TOWNSHIP RANGE SECTION ELEVATION: 980FT
38N 1E 17
DRILL DEPTH: 1,053FT
DEPTH TO BED: 5FT UTM X UTM Y
680,073.56 4,209,910.63
ZONE 15
S.W.L. (BEFORE CASING): REMARKS:
S.W.L. (AFTER CASING):

LOG ID:
012453

WELL TYPE
Exploratory Hole (Mineral Prospect)

DRILL DATE: 1953// TOWNSHIP RANGE SECTION ELEVATION: 1,025FT
38N 1E 17
DRILL DEPTH: 323FT
DEPTH TO BED: 115FT UTM X UTM Y
679,873.55 4,210,555.65
ZONE 15
S.W.L. (BEFORE CASING): REMARKS: SEVERAL LARGE "MUD CHANNELS"
S.W.L. (AFTER CASING):

LOG ID:
012316

WELL TYPE
Exploratory Hole (Mineral Prospect)

DRILL DATE: 1952// TOWNSHIP RANGE SECTION ELEVATION: 985FT
38N 1E 18
DRILL DEPTH: 1,114FT
DEPTH TO BED: 10FT UTM X UTM Y
678,677.56 4,210,102.61
ZONE 15
S.W.L. (BEFORE CASING): REMARKS:
S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
012287

WELL TYPE
Exploratory Hole (Mineral Prospect)

| | | | | | | |
|--------------------------------|--------|-----------------|--------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1952// | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 1,000FT |
| <u>DRILL DEPTH:</u> | 480FT | 38N | 1E | 18 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 40FT | | | | 677,877.58 | 4,209,288.57 |
| <u>S.W.L. (BEFORE CASING):</u> | | | | | ZONE 15 | |
| <u>S.W.L. (AFTER CASING):</u> | | | | | <u>REMARKS:</u> | |

LOG ID:
012165

WELL TYPE
Exploratory Hole (Mineral Prospect)

| | | | | | | |
|--------------------------------|---------|-----------------|--------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1953// | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 970FT |
| <u>DRILL DEPTH:</u> | 1,135FT | 38N | 1E | 18 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 15FT | | | | 679,077.56 | 4,210,510.64 |
| <u>S.W.L. (BEFORE CASING):</u> | | | | | ZONE 15 | |
| <u>S.W.L. (AFTER CASING):</u> | | | | | <u>REMARKS:</u> | |

LOG ID:
012286

WELL TYPE
Exploratory Hole (Mineral Prospect)

| | | | | | | |
|--------------------------------|----------|-----------------|--------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1952/10/ | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 1,130FT |
| <u>DRILL DEPTH:</u> | 703FT | 38N | 1E | 19 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 95FT | | | | 677,874.59 | 4,208,031.52 |
| <u>S.W.L. (BEFORE CASING):</u> | | | | | ZONE 15 | |
| <u>S.W.L. (AFTER CASING):</u> | | | | | <u>REMARKS:</u> | |

LOG ID:
012318

WELL TYPE
Exploratory Hole (Mineral Prospect)

| | | | | | | |
|--------------------------------|---------|-----------------|--------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1953// | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 1,112FT |
| <u>DRILL DEPTH:</u> | 1,079FT | 38N | 1E | 19 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 60FT | | | | 679,074.58 | 4,208,031.54 |
| <u>S.W.L. (BEFORE CASING):</u> | | | | | ZONE 15 | |
| <u>S.W.L. (AFTER CASING):</u> | | | | | <u>REMARKS:</u> | |

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
025275

WELL TYPE
Exploratory Hole (Mineral Prospect)

| | | | | | | |
|--------------------------------|-------|-----------------|--------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 840FT |
| | | 38N | 1E | 2 | | |
| <u>DRILL DEPTH:</u> | 595FT | | | | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 15FT | | | | 685,510.50 | 4,212,694.83 |
| | | | | | ZONE 15 | |
| <u>S.W.L. (BEFORE CASING):</u> | | <u>REMARKS:</u> | | | | |
| <u>S.W.L. (AFTER CASING):</u> | | | | | | |

LOG ID:
012319

WELL TYPE
Exploratory Hole (Mineral Prospect)

| | | | | | | |
|--------------------------------|----------|-----------------|--------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1952/08/ | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 960FT |
| | | 38N | 1E | 20 | | |
| <u>DRILL DEPTH:</u> | 1,132FT | | | | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 5FT | | | | 679,471.57 | 4,208,455.56 |
| | | | | | ZONE 15 | |
| <u>S.W.L. (BEFORE CASING):</u> | | <u>REMARKS:</u> | | | | |
| <u>S.W.L. (AFTER CASING):</u> | | | | | | |

LOG ID:
012452

WELL TYPE
Exploratory Hole (Mineral Prospect)

| | | | | | | |
|--------------------------------|--------|-----------------|--------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1952// | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 1,120FT |
| | | 38N | 1E | 20 | | |
| <u>DRILL DEPTH:</u> | 415FT | | | | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 50FT | | | | 680,671.56 | 4,208,455.58 |
| | | | | | ZONE 15 | |
| <u>S.W.L. (BEFORE CASING):</u> | | <u>REMARKS:</u> | | | | |
| <u>S.W.L. (AFTER CASING):</u> | | | | | | |

LOG ID:
023716

WELL TYPE
Private Well

| | | | | | | |
|--------------------------------|-------|--|--------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | |
| | | 38N | 1W | 27 | | |
| <u>DRILL DEPTH:</u> | 110FT | | | | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 30FT | | | | 673,849.64 | 4,205,687.42 |
| | | | | | ZONE 15 | |
| <u>S.W.L. (BEFORE CASING):</u> | FT | <u>REMARKS:</u> 8 MI S OF ANTHONY'S MILL | | | | |
| <u>S.W.L. (AFTER CASING):</u> | 8 | | | | | |

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
004141

WELL TYPE
Private Well

| | | | | | | |
|--------------------------------|----------|-----------------|--------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1937/03/ | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 835FT |
| <u>DRILL DEPTH:</u> | 505FT | 38N | 1E | 27 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 50FT | | | | 682,590.57 | 4,206,394.56 |
| <u>S.W.L. (BEFORE CASING):</u> | | <u>REMARKS:</u> | SHIRLEY | | | |
| <u>S.W.L. (AFTER CASING):</u> | | | | | | |

LOG ID:
012324

WELL TYPE
Exploratory Hole (Mineral Prospect)

| | | | | | | |
|--------------------------------|---------|-----------------|--------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1952// | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 1,070FT |
| <u>DRILL DEPTH:</u> | 1,100FT | 38N | 1E | 28 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 50FT | | | | 681,058.58 | 4,206,473.54 |
| <u>S.W.L. (BEFORE CASING):</u> | | <u>REMARKS:</u> | | | | |
| <u>S.W.L. (AFTER CASING):</u> | | | | | | |

LOG ID:
012288

WELL TYPE
Exploratory Hole (Mineral Prospect)

| | | | | | | |
|--------------------------------|----------|-----------------|---|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1952/08/ | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 1,200FT |
| <u>DRILL DEPTH:</u> | 595FT | 38N | 1E | 29 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 106FT | | | | 680,261.58 | 4,207,253.54 |
| <u>S.W.L. (BEFORE CASING):</u> | | <u>REMARKS:</u> | SAMPLES LOG #11991; CORED INTERVAL #12288; COMPLETE | | | |
| <u>S.W.L. (AFTER CASING):</u> | | | LOG ON #11991 | | | |

LOG ID:
011991

WELL TYPE
Exploratory Hole (Mineral Prospect)

| | | | | | | |
|--------------------------------|----------|-----------------|---|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1952/08/ | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 1,207FT |
| <u>DRILL DEPTH:</u> | 595FT | 38N | 1E | 29 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 108FT | | | | 680,261.58 | 4,207,253.54 |
| <u>S.W.L. (BEFORE CASING):</u> | | <u>REMARKS:</u> | SAMPLES #11991, CORED INTERVAL #12288; COMPLETE LOG | | | |
| <u>S.W.L. (AFTER CASING):</u> | | | #11991 | | | |



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**012317**WELL TYPE

Exploratory Hole (Mineral Prospect)

| | | | | | | |
|--------------------------------|---------|-----------------|--------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1953// | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | |
| <u>DRILL DEPTH:</u> | 1,063FT | 38N | 1E | 29 | | |
| <u>DEPTH TO BED:</u> | 60FT | | | | <u>UTM X</u> | <u>UTM Y</u> |
| <u>S.W.L. (BEFORE CASING):</u> | | | | | 680,261.59 | 4,206,027.51 |
| <u>S.W.L. (AFTER CASING):</u> | | | | | ZONE 15 | |

REMARKS:

LOG ID:**008058**WELL TYPE

Exploratory Hole (Mineral Prospect)

| | | | | | | |
|--------------------------------|----------|-----------------|--------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1942/12/ | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 899FT |
| <u>DRILL DEPTH:</u> | 90FT | 38N | 1W | 3 | | |
| <u>DEPTH TO BED:</u> | | | | | <u>UTM X</u> | <u>UTM Y</u> |
| <u>S.W.L. (BEFORE CASING):</u> | | | | | 674,228.55 | 4,213,352.69 |
| <u>S.W.L. (AFTER CASING):</u> | | | | | ZONE 15 | |

REMARKS: RESIDUAL ROUBIDOUX; ONE OF THREE HOLES AT W EDGE OF DEPOSIT

LOG ID:**012321**WELL TYPE

Exploratory Hole (Mineral Prospect)

| | | | | | | |
|--------------------------------|------------|-----------------|--------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1952/07/10 | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 956FT |
| <u>DRILL DEPTH:</u> | 1,112FT | 38N | 1E | 31 | | |
| <u>DEPTH TO BED:</u> | 5FT | | | | <u>UTM X</u> | <u>UTM Y</u> |
| <u>S.W.L. (BEFORE CASING):</u> | | | | | 678,312.62 | 4,204,771.45 |
| <u>S.W.L. (AFTER CASING):</u> | | | | | ZONE 15 | |

REMARKS:

LOG ID:**012306**WELL TYPE

Exploratory Hole (Mineral Prospect)

| | | | | | | |
|--------------------------------|------------|-----------------|--------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1952/09/19 | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 1,130FT |
| <u>DRILL DEPTH:</u> | 1,145FT | 38N | 1E | 31 | | |
| <u>DEPTH TO BED:</u> | 30FT | | | | <u>UTM X</u> | <u>UTM Y</u> |
| <u>S.W.L. (BEFORE CASING):</u> | | | | | 679,112.61 | 4,205,161.47 |
| <u>S.W.L. (AFTER CASING):</u> | | | | | ZONE 15 | |

REMARKS:



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**011988**WELL TYPE

Exploratory Hole (Mineral Prospect)

| | | | | | | |
|--------------------------------|----------|-----------------|--------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1952/07/ | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 940FT |
| <u>DRILL DEPTH:</u> | 386FT | 38N | 1E | 32 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 35FT | | | | 680,677.59 | 4,205,617.51 |
| <u>S.W.L. (BEFORE CASING):</u> | | | | | ZONE 15 | |
| <u>S.W.L. (AFTER CASING):</u> | | <u>REMARKS:</u> | | | | |

LOG ID:**011207**WELL TYPE

Unknown Well

| | | | | | | |
|--------------------------------|------------|-----------------|---------------------------------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1949/11/17 | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 922FT |
| <u>DRILL DEPTH:</u> | 450FT | 38N | 1W | 32 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 10FT | | | | 671,076.66 | 4,203,498.37 |
| <u>S.W.L. (BEFORE CASING):</u> | | | | | ZONE 15 | |
| <u>S.W.L. (AFTER CASING):</u> | | <u>REMARKS:</u> | FLOWS, ABANDONED @ 450' DUE TO CAVING | | | |

LOG ID:**011241**WELL TYPE

Exploratory Hole (Mineral Prospect)

| | | | | | | |
|--------------------------------|------------|-----------------|---|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1950/01/25 | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 906FT |
| <u>DRILL DEPTH:</u> | 1,215FT | 38N | 1W | 32 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | | | | | 671,276.66 | 4,203,498.37 |
| <u>S.W.L. (BEFORE CASING):</u> | FT | | | | ZONE 15 | |
| <u>S.W.L. (AFTER CASING):</u> | 10 | <u>REMARKS:</u> | 6 MI N OF HWY 8 LOST CREEK INN ON HWY CC TO BUTTS | | | |

LOG ID:**023117**WELL TYPE

Industrial High Capacity Well

| | | | | | | |
|--------------------------------|-------|-----------------|---------------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 925FT |
| <u>DRILL DEPTH:</u> | 340FT | 38N | 1E | 36 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 165FT | | | | 687,199.55 | 4,204,620.61 |
| <u>S.W.L. (BEFORE CASING):</u> | FT | | | | ZONE 15 | |
| <u>S.W.L. (AFTER CASING):</u> | 60 | <u>REMARKS:</u> | 3 MI FROM RICHWOODS | | | |



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**023296**WELL TYPE

Industrial High Capacity Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

950FT

DRILL DEPTH:

360FT

38N

1E

36

DEPTH TO BED:

10FT

UTM XUTM Y

687,199.55

4,204,620.61

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

"ABNORMALLY THIN POTOSI"

S.W.L. (AFTER CASING):

130

LOG ID:**023324**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

925FT

DRILL DEPTH:

1,000FT

38N

1E

36

DEPTH TO BED:

340FT

UTM XUTM Y

687,199.55

4,204,620.61

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****027018**WELL TYPE

Unknown Well

DRILL DATE:

1972/02/29

TOWNSHIPRANGESECTIONELEVATION:

925FT

DRILL DEPTH:

1,105FT

38N

1E

36

DEPTH TO BED:

1,000FT

UTM XUTM Y

687,199.55

4,204,620.61

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

RICHWOODS, OLD NATIONAL MILL

S.W.L. (AFTER CASING):**LOG ID:****013160**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:

1953//

TOWNSHIPRANGESECTIONELEVATION:

919FT

DRILL DEPTH:

650FT

38N

1E

36

DEPTH TO BED:

55FT

UTM XUTM Y

687,243.54

4,204,625.61

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

NO LOCATION GIVEN

S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**011815**WELL TYPE

Exploratory Hole (Mineral Prospect)

| | | | | | | |
|--------------------------------|----------|-----------------|--------------|----------------|--------------------------------|--------------|
| <u>DRILL DATE:</u> | 1951/10/ | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 925FT |
| <u>DRILL DEPTH:</u> | 30FT | 38N | 1E | 36 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 5FT | | | | 687,199.55 | 4,204,620.61 |
| <u>S.W.L. (BEFORE CASING):</u> | | | | | ZONE 15 | |
| <u>S.W.L. (AFTER CASING):</u> | | | | | <u>REMARKS:</u> "CAN'T LOCATE" | |

LOG ID:**002269**WELL TYPE

Exploratory Hole (Mineral Prospect)

| | | | | | | |
|--------------------------------|-------|-----------------|--------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 925FT |
| <u>DRILL DEPTH:</u> | 660FT | 38N | 1E | 36 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 150FT | | | | 687,199.55 | 4,204,620.61 |
| <u>S.W.L. (BEFORE CASING):</u> | | | | | ZONE 15 | |
| <u>S.W.L. (AFTER CASING):</u> | | | | | <u>REMARKS:</u> | |

LOG ID:**002865**WELL TYPE

Private Well

| | | | | | | |
|--------------------------------|----------|-----------------|--------------|----------------|-----------------------------|--------------|
| <u>DRILL DATE:</u> | 1934/05/ | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 925FT |
| <u>DRILL DEPTH:</u> | 109FT | 38N | 1E | 36 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 12FT | | | | 687,199.55 | 4,204,620.61 |
| <u>S.W.L. (BEFORE CASING):</u> | | | | | ZONE 15 | |
| <u>S.W.L. (AFTER CASING):</u> | | | | | <u>REMARKS:</u> @ OLD MINES | |

LOG ID:**005541**WELL TYPE

Private Well

| | | | | | | |
|--------------------------------|----------|-----------------|--------------|----------------|--|--------------|
| <u>DRILL DATE:</u> | 1939/07/ | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 939FT |
| <u>DRILL DEPTH:</u> | 136FT | 38N | 2E | 14 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 15FT | | | | 694,102.45 | 4,209,924.88 |
| <u>S.W.L. (BEFORE CASING):</u> | | | | | ZONE 15 | |
| <u>S.W.L. (AFTER CASING):</u> | | | | | <u>REMARKS:</u> W OF TOWN OF OLD MINES | |



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**011519**WELL TYPE

Private Well

DRILL DATE: 1950/12/27TOWNSHIP RANGE SECTIONELEVATION: 846FTDRILL DEPTH: 394FT

38N 2E 15

DEPTH TO BED: 5FTUTM X UTM Y
693,193.46 4,210,729.89
ZONE 15S.W.L. (BEFORE CASING):REMARKS: OLD WELL DEEPENED, SEE LOG #11612 FOR COMPLETE LOGS.W.L. (AFTER CASING):**LOG ID:****011612**WELL TYPE

Private Well

DRILL DATE: 1950/12/27TOWNSHIP RANGE SECTIONELEVATION: 846FTDRILL DEPTH: 394FT

38N 2E 15

DEPTH TO BED: 5FTUTM X UTM Y
693,193.46 4,210,729.89
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: OLD WELL (#11519) DEEPENED (#11612) 220-394'; COMPLETE LOG
#11612S.W.L. (AFTER CASING): 110**LOG ID:****015636**WELL TYPE

Private Well

DRILL DATE: 1956/11/30TOWNSHIP RANGE SECTIONELEVATION: 807FTDRILL DEPTH: 105FT

38N 2E 30

DEPTH TO BED: 15FTUTM X UTM Y
688,609.51 4,207,299.70
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: 6 MI NW OF POTOSI ON HWY 114S.W.L. (AFTER CASING): 50**LOG ID:****019178**WELL TYPE

Private Well

DRILL DATE: 1960/06/17TOWNSHIP RANGE SECTIONELEVATION: 1,117FTDRILL DEPTH: 210FT

38N 2E 36

DEPTH TO BED: 35FTUTM X UTM Y
696,330.47 4,205,116.78
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: 4 MI N OF POTOSI ON HWY 21S.W.L. (AFTER CASING): 150



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
004988

WELL TYPE
Private Well

DRILL DATE: 1938/07/ TOWNSHIP 38N RANGE 2E SECTION 4 ELEVATION: 685FT
DRILL DEPTH: 46FT UTM X 690,889.47 UTM Y 4,214,077.97
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): REMARKS: formerly in name of George Fairless - near Aptus, on Mineral Fork
S.W.L. (AFTER CASING): Creek

LOG ID:
020366

WELL TYPE
Exploratory Hole (Mineral Prospect)

DRILL DATE: TOWNSHIP 38N RANGE 2E SECTION 8 ELEVATION: 713FT
DRILL DEPTH: 1,430FT UTM X 688,773.49 UTM Y 4,211,910.86
DEPTH TO BED: 10FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS:
S.W.L. (AFTER CASING):

LOG ID:
005081

WELL TYPE
Noncommunity Public Well

DRILL DATE: 1938// TOWNSHIP 38N RANGE 2E SECTION 8 ELEVATION: 887FT
DRILL DEPTH: 180FT UTM X 689,676.48 UTM Y 4,211,545.86
DEPTH TO BED: 37FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: 0.5 MI SE OF APTUS
S.W.L. (AFTER CASING):

LOG ID:
012586

WELL TYPE
Private Well

DRILL DATE: 1953/09/18 TOWNSHIP 38N RANGE 3E SECTION 10 ELEVATION: 807FT
DRILL DEPTH: 72FT UTM X 702,374.41 UTM Y 4,211,599.04
DEPTH TO BED: 10FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: 0.5 MI SE OF BELLEFONTAIN SCHOOL
S.W.L. (AFTER CASING): 10



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**012582**WELL TYPE

Private Well

DRILL DATE: 1954/02/04TOWNSHIP RANGE SECTIONELEVATION: 743FTDRILL DEPTH: 85FT

38N 3E 11

DEPTH TO BED:UTM X UTM Y
705,385.40 4,211,454.06
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: 1 MI N OF TIFF POST OFFICES.W.L. (AFTER CASING): 52**LOG ID:****016318**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1957/06/14TOWNSHIP RANGE SECTIONELEVATION: 720FTDRILL DEPTH: 475FT

38N 3E 13

DEPTH TO BED: 30FTUTM X UTM Y
706,460.39 4,210,641.05
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: CADET WASHER PLANTS.W.L. (AFTER CASING): 75**LOG ID:****012660**WELL TYPE

Private Well

DRILL DATE: 1953/12/08TOWNSHIP RANGE SECTIONELEVATION: 646FTDRILL DEPTH: 345FT

38N 3E 13

DEPTH TO BED: 30FTUTM X UTM Y
705,560.40 4,210,853.05
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 5**LOG ID:****015699**WELL TYPE

Private Well

DRILL DATE: 1956//TOWNSHIP RANGE SECTIONELEVATION: 823FTDRILL DEPTH: 75FT

38N 3E 16

DEPTH TO BED: 5FTUTM X UTM Y
701,392.41 4,209,816.97
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 25



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**004987**WELL TYPE

Private Well

DRILL DATE: 1938/08/ TOWNSHIP 38N RANGE 3E SECTION 16 ELEVATION: 896FT
DRILL DEPTH: 50FT UTM X 700,492.42 UTM Y 4,210,344.98
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: 4 MI SE OF OLD MINES
S.W.L. (AFTER CASING): 30

LOG ID:**013087**WELL TYPE

Private Well

DRILL DATE: 1954/10/22 TOWNSHIP 38N RANGE 3E SECTION 21 ELEVATION: 844FT
DRILL DEPTH: 90FT UTM X 701,535.41 UTM Y 4,209,148.95
DEPTH TO BED: 25FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: 1.2 MI N OF HWY 47 ON HWY E, E SIDE
S.W.L. (AFTER CASING): 45

LOG ID:**008640**WELL TYPE

Industrial High Capacity Well

DRILL DATE: 1944/11/ TOWNSHIP 38N RANGE 3E SECTION 21 ELEVATION: 852FT
DRILL DEPTH: 1,269FT UTM X 700,635.41 UTM Y 4,209,148.95
DEPTH TO BED: 10FT ZONE 15
S.W.L. (BEFORE CASING): 204 REMARKS: #2 BOTTOM DIGGINGS; ALL PRODUCTION FROM LAMOTTE
S.W.L. (AFTER CASING): FT

LOG ID:**015436**WELL TYPE

Private Well

DRILL DATE: 1956/10/01 TOWNSHIP 38N RANGE 3E SECTION 23 ELEVATION: 721FT
DRILL DEPTH: 55FT UTM X 704,117.40 UTM Y 4,208,077.94
DEPTH TO BED: 5FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: 1 MI E OF CADET ON HWY 47; EVERY OTHER SAMPLE LOGGED
S.W.L. (AFTER CASING): 7



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**028491**WELL TYPE

Community Public Well

DRILL DATE: 1981/12/02TOWNSHIPRANGESECTIONELEVATION:

801FT

DRILL DEPTH: 1,285FT

38N

3E

27

DEPTH TO BED: 50FTUTM XUTM Y

702,946.41

4,206,926.90

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****022394**WELL TYPE

Community Public Well

DRILL DATE: 1964/04/TOWNSHIPRANGESECTIONELEVATION:

873FT

DRILL DEPTH: 1,260FT

38N

3E

27

DEPTH TO BED: 40FTUTM XUTM Y

702,646.42

4,206,380.89

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 0.25 MI SW OF CADETS.W.L. (AFTER CASING): 114**LOG ID:****011992**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1952/06/23TOWNSHIPRANGESECTIONELEVATION:

928FT

DRILL DEPTH: 1,330FT

38N

3E

28

DEPTH TO BED:UTM XUTM Y

701,563.41

4,207,652.91

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: N side Hwy 47; old well #11916 deepened #11992; complete log #11916S.W.L. (AFTER CASING):**LOG ID:****011916**WELL TYPE

Industrial High Capacity Well

DRILL DATE: 1952/06/23TOWNSHIPRANGESECTIONELEVATION:

928FT

DRILL DEPTH: 1,330FT

38N

3E

28

DEPTH TO BED: 30FTUTM XUTM Y

701,563.41

4,207,652.91

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: N side Hwy 47; old well #11916 deepened #11992; complete log #11916S.W.L. (AFTER CASING): 293



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**015419**WELL TYPE

Private Well

DRILL DATE: 1956/10/02TOWNSHIP RANGE SECTIONELEVATION: 859FTDRILL DEPTH: 100FT

38N

3E

3

DEPTH TO BED:UTM XUTM Y

702,200.42 4,213,689.11

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: TOTAL DRAWDOWNS.W.L. (AFTER CASING): 30**LOG ID:****012570**WELL TYPE

Private Well

DRILL DATE: 1953/09/05TOWNSHIP RANGE SECTIONELEVATION: 798FTDRILL DEPTH: 85FT

38N

3E

3

DEPTH TO BED: 5FTUTM XUTM Y

703,428.42 4,213,967.13

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: 3 MI W OF BLACKWELL (#2 = #12602)S.W.L. (AFTER CASING):**LOG ID:****012602**WELL TYPE

Private Well

DRILL DATE: 1953/09/14TOWNSHIP RANGE SECTIONELEVATION: 806FTDRILL DEPTH: 85FT

38N

3E

3

DEPTH TO BED:UTM XUTM Y

703,428.42 4,213,958.13

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 1000' S OF HOLE #1 (#12570)S.W.L. (AFTER CASING): 10**LOG ID:****002304**WELL TYPE

Industrial High Capacity Well

DRILL DATE: 1930/07/TOWNSHIP RANGE SECTIONELEVATION: 850FTDRILL DEPTH: 1,295FT

38N

3E

32

DEPTH TO BED: 10FTUTM XUTM Y

700,131.44 4,205,674.84

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: #1 FOUNTAIN FARM WASHING PLANTS.W.L. (AFTER CASING): 132



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**016062**WELL TYPE

Private Well

DRILL DATE: 1957/04/11TOWNSHIPRANGESECTIONELEVATION:

843FT

DRILL DEPTH: 138FT

38N

3E

4

DEPTH TO BED: 5FTUTM XUTM Y

700,947.42

4,213,266.08

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 7**LOG ID:****012884**WELL TYPE

Private Well

DRILL DATE: 1954/07/19TOWNSHIPRANGESECTIONELEVATION:

795FT

DRILL DEPTH: 75FT

38N

3E

4

DEPTH TO BED: 10FTUTM XUTM Y

701,047.42

4,213,864.11

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 2 MI S OF LOOKOUT TOWER IN WASHINGTON STATE PARKS.W.L. (AFTER CASING): 14**LOG ID:****015004**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1956/08/20TOWNSHIPRANGESECTIONELEVATION:

841FT

DRILL DEPTH: 225FT

38N

3E

9

DEPTH TO BED: 10FTUTM XUTM Y

701,749.41

4,211,130.02

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 57**LOG ID:****015603**WELL TYPE

Private Well

DRILL DATE: 1956/07/09TOWNSHIPRANGESECTIONELEVATION:

819FT

DRILL DEPTH: 125FT

39N

1E

1

DEPTH TO BED: 30FTUTM XUTM Y

686,853.44

4,223,272.24

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: YIELDS - 5 GPM @ 80', 5.2 GPM @ 100' & TDS.W.L. (AFTER CASING): 2.5



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**015339**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:DRILL DEPTH:

39N

1E

12

DEPTH TO BED:

95FT

UTM XUTM Y

687,149.45

4,221,398.18

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

NO TOTAL DEPTH GIVEN CUTTING LOGGED; OB WA-20

S.W.L. (AFTER CASING):**LOG ID:****011376**WELL TYPE

Private Well

DRILL DATE:

1949//

TOWNSHIPRANGESECTIONELEVATION:

970FT

DRILL DEPTH:

196FT

39N

1W

13

DEPTH TO BED:

50FT

UTM XUTM Y

676,212.46

4,219,886.96

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

HALFWAY BETWEEN SULLIVAN & POTOSI ON HWY D

S.W.L. (AFTER CASING):

135

LOG ID:**027492**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

883FT

DRILL DEPTH:

305FT

39N

1E

2

DEPTH TO BED:

170FT

UTM XUTM Y

684,985.44

4,223,550.23

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

BY AT&T TOWER ON HWY T

S.W.L. (AFTER CASING):

160

LOG ID:**010468**WELL TYPE

Private Well

DRILL DATE:

1948/07/

TOWNSHIPRANGESECTIONELEVATION:

760FT

DRILL DEPTH:

125FT

39N

1W

31

DEPTH TO BED:UTM XUTM Y

668,566.55

4,213,319.67

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

formerly in name of D. Sherriffs Well #2 - 3.5 mi S of Anthonies Mill

S.W.L. (AFTER CASING):

13



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**010469**WELL TYPE

Private Well

DRILL DATE: 1948// TOWNSHIP 39N RANGE 1W SECTION 31 ELEVATION: 740FT
DRILL DEPTH: 150FT UTM X 668,373.54 UTM Y 4,214,170.70
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: JACK FRANK SUMMERS; 3 MI S OF ANTHONIES MILL
S.W.L. (AFTER CASING): 40

LOG ID:**025811**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1968/10/14 TOWNSHIP 39N RANGE 1E SECTION 35 ELEVATION: 1,180FT
DRILL DEPTH: 370FT UTM X 685,662.48 UTM Y 4,215,984.96
DEPTH TO BED: 50FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: Highpoint Tower Site
S.W.L. (AFTER CASING): 285

LOG ID:**017434**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1957/04/04 TOWNSHIP 39N RANGE 1W SECTION 5 ELEVATION: 983FT
DRILL DEPTH: 670FT UTM X 670,691.45 UTM Y 4,221,281.99
DEPTH TO BED: 30FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS:
S.W.L. (AFTER CASING): 200

LOG ID:**017512**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1957/03/28 TOWNSHIP 39N RANGE 1W SECTION 5 ELEVATION: 959FT
DRILL DEPTH: 660FT UTM X 670,891.45 UTM Y 4,221,281.99
DEPTH TO BED: 30FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS:
S.W.L. (AFTER CASING): 170



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**011532**WELL TYPE

Private Well

DRILL DATE: 1951/04/TOWNSHIPRANGESECTIONELEVATION:

675FT

DRILL DEPTH: 75FT

39N

2E

33

DEPTH TO BED: 10FTUTM XUTM Y

691,944.46

4,214,484.00

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****017369**WELL TYPE

Private Well

DRILL DATE: 1958/06/17TOWNSHIPRANGESECTIONELEVATION:

631FT

DRILL DEPTH: 100FT

39N

2E

34

DEPTH TO BED: 20FTUTM XUTM Y

692,983.46

4,215,780.06

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 5 MI SW OF KINGSTON SCHOOL HOUSE, N OF MINERAL FORK CREEKS.W.L. (AFTER CASING): 12**LOG ID:****016249**WELL TYPE

Private Well

DRILL DATE: 1957/02/28TOWNSHIPRANGESECTIONELEVATION:

919FT

DRILL DEPTH: 150FT

39N

2E

8

DEPTH TO BED: 15FTUTM XUTM Y

689,335.45

4,222,357.24

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 45**LOG ID:****011121**WELL TYPE

Private Well

DRILL DATE: 1949/10/19TOWNSHIPRANGESECTIONELEVATION:

855FT

DRILL DEPTH: 75FT

39N

2E

8

DEPTH TO BED: 5FTUTM XUTM Y

690,135.45

4,222,567.26

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 0.25 MI N OF BERRY SCHOOL, RICHWOODSS.W.L. (AFTER CASING): 18



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**013059**WELL TYPE

Private Well

| | | | | | | |
|--------------------------------|------------|-----------------|--------------------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1954/09/24 | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 826FT |
| <u>DRILL DEPTH:</u> | 125FT | 39N | 2E | 9 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 3FT | | | | 691,401.45 | 4,221,088.23 |
| <u>S.W.L. (BEFORE CASING):</u> | FT | | | | ZONE 15 | |
| <u>S.W.L. (AFTER CASING):</u> | 23 | <u>REMARKS:</u> | 0.5 MI S OF BERRY SCHOOL | | | |

LOG ID:**019291**WELL TYPE

Private Well

| | | | | | | |
|--------------------------------|------------|-----------------|---|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1960/09/09 | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 910FT |
| <u>DRILL DEPTH:</u> | 350FT | 39N | 2E | 9 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 225FT | | | | 690,891.45 | 4,222,195.26 |
| <u>S.W.L. (BEFORE CASING):</u> | FT | | | | ZONE 15 | |
| <u>S.W.L. (AFTER CASING):</u> | 45 | <u>REMARKS:</u> | OLD WELL DEEPENED 225-350', OLD YIELD - 4 GPM | | | |

LOG ID:**011118**WELL TYPE

Private Well

| | | | | | | |
|--------------------------------|------------|-----------------|-------------------------------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1949/10/25 | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 925FT |
| <u>DRILL DEPTH:</u> | 40FT | 39N | 2E | 9 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 10FT | | | | 690,901.45 | 4,221,591.24 |
| <u>S.W.L. (BEFORE CASING):</u> | | | | | ZONE 15 | |
| <u>S.W.L. (AFTER CASING):</u> | | <u>REMARKS:</u> | 0.5 MI E OF BERRY SCHOOL, RICHWOODS | | | |

LOG ID:**012245**WELL TYPE

Private Well

| | | | | | | |
|--------------------------------|------------|-----------------|---------------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1952/10/14 | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 876FT |
| <u>DRILL DEPTH:</u> | 225FT | 39N | 2E | 9 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 20FT | | | | 690,801.45 | 4,221,692.24 |
| <u>S.W.L. (BEFORE CASING):</u> | FT | | | | ZONE 15 | |
| <u>S.W.L. (AFTER CASING):</u> | 24 | <u>REMARKS:</u> | 3 MI S OF RICHWOODS | | | |



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**005720**WELL TYPE

Noncommunity Public Well

| | | | | | | |
|--------------------------------|--------|-----------------|---------------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1939// | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 913FT |
| <u>DRILL DEPTH:</u> | 85FT | 39N | 2E | 9 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 25FT | | | | 690,654.45 | 4,222,228.26 |
| <u>S.W.L. (BEFORE CASING):</u> | | | | | | ZONE 15 |
| <u>S.W.L. (AFTER CASING):</u> | | <u>REMARKS:</u> | 2 MI FROM RICHWOODS | | | |

LOG ID:**007172**WELL TYPE

Private Well

| | | | | | | |
|--------------------------------|----------|-----------------|---|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1941/09/ | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 600FT |
| <u>DRILL DEPTH:</u> | 603FT | 39N | 3E | 15 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 325FT | | | | 702,785.43 | 4,219,665.31 |
| <u>S.W.L. (BEFORE CASING):</u> | | | | | | ZONE 15 |
| <u>S.W.L. (AFTER CASING):</u> | 17 | <u>REMARKS:</u> | formerly in name of Dr. W.E. Gibson - old well to 65 ft, old well to 325 ft | | | |

LOG ID:**013901**WELL TYPE

Private Well

| | | | | | | |
|--------------------------------|-------|-----------------|--------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 609FT |
| <u>DRILL DEPTH:</u> | 575FT | 39N | 3E | 16 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 5FT | | | | 700,781.44 | 4,219,546.29 |
| <u>S.W.L. (BEFORE CASING):</u> | | | | | | ZONE 15 |
| <u>S.W.L. (AFTER CASING):</u> | 20 | <u>REMARKS:</u> | @ DESOTO | | | |

LOG ID:**010147**WELL TYPE

Private Well

| | | | | | | |
|--------------------------------|--------|-----------------|--|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1947// | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 599FT |
| <u>DRILL DEPTH:</u> | 390FT | 39N | 3E | 16 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 90FT | | | | 701,503.44 | 4,219,663.30 |
| <u>S.W.L. (BEFORE CASING):</u> | | | | | | ZONE 15 |
| <u>S.W.L. (AFTER CASING):</u> | | <u>REMARKS:</u> | DRY @ 180' - formerly in name of W.E. Gibson | | | |



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
021353

WELL TYPE
Private Well

DRILL DATE: 1962// TOWNSHIP 39N RANGE 3E SECTION 21 ELEVATION: 602FT
DRILL DEPTH: 575FT UTM X 700,954.44 UTM Y 4,218,610.26
DEPTH TO BED: 85FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS:
S.W.L. (AFTER CASING): 18

LOG ID:
002859

WELL TYPE
Noncommunity Public Well

DRILL DATE: 1934/05/ TOWNSHIP 39N RANGE 3E SECTION 22 ELEVATION:
DRILL DEPTH: 775FT UTM X 702,821.43 UTM Y 4,217,813.25
DEPTH TO BED: 65FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: #1 CCC CAMP
S.W.L. (AFTER CASING):

LOG ID:
026064

WELL TYPE
Private Well

DRILL DATE: 1968/02/02 TOWNSHIP 39N RANGE 3E SECTION 26 ELEVATION: 682FT
DRILL DEPTH: 305FT UTM X 704,374.42 UTM Y 4,217,801.27
DEPTH TO BED: 5FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: 1 MI S OF BIG RIVER BRIDGE ON HWY 21
S.W.L. (AFTER CASING):

LOG ID:
012670

WELL TYPE
Private Well

DRILL DATE: 1954/01/07 TOWNSHIP 39N RANGE 3E SECTION 26 ELEVATION: 633FT
DRILL DEPTH: 179FT UTM X 704,574.42 UTM Y 4,217,579.26
DEPTH TO BED: 110FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS:
S.W.L. (AFTER CASING): 70



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**003180**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1935/02/13TOWNSHIP

39N

RANGE

3E

SECTION

26

ELEVATION:DRILL DEPTH: 701FTUTM X

704,174.42

UTM Y

4,217,244.25

DEPTH TO BED:

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 153**LOG ID:****026181**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1969/05/TOWNSHIP

39N

RANGE

3E

SECTION

27

ELEVATION:

902FT

DRILL DEPTH: 800FTUTM X

702,320.43

UTM Y

4,217,219.23

DEPTH TO BED: 70FT

ZONE 15

S.W.L. (BEFORE CASING): 335 FTREMARKS: #3 ?S.W.L. (AFTER CASING): 310 FT**LOG ID:****014739**WELL TYPE

Community Public Well

DRILL DATE: 1955/02/09TOWNSHIP

39N

RANGE

3E

SECTION

27

ELEVATION:

749FT

DRILL DEPTH: 240FTUTM X

702,865.42

UTM Y

4,216,406.21

DEPTH TO BED: 25FT

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 800' S OF FERTILE SCHOOL HOUSES.W.L. (AFTER CASING): 29**LOG ID:****019791**WELL TYPE

Community Public Well

DRILL DATE:TOWNSHIP

39N

RANGE

3E

SECTION

27

ELEVATION:

761FT

DRILL DEPTH: 73FTUTM X

702,865.43

UTM Y

4,216,620.21

DEPTH TO BED: 10FT

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: @ FERTILES.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**012883**WELL TYPE

Private Well

DRILL DATE: 1954/07/28 TOWNSHIP 39N RANGE 3E SECTION 28 ELEVATION: 658FT
DRILL DEPTH: 88FT UTM X 700,486.43 UTM Y 4,216,253.18
DEPTH TO BED: 700,486.43 4,216,253.18
ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: 0.25 MI S OF HWY 21 ON W SD CANNON MINES CREEK
S.W.L. (AFTER CASING): 3

LOG ID:**013972**WELL TYPE

Private Well

DRILL DATE: 1955/08/17 TOWNSHIP 39N RANGE 3E SECTION 28 ELEVATION: 685FT
DRILL DEPTH: 90FT UTM X 700,386.43 UTM Y 4,216,358.18
DEPTH TO BED: 700,386.43 4,216,358.18
ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS:
S.W.L. (AFTER CASING): 55

LOG ID:**013147**WELL TYPE

Private Well

DRILL DATE: 1954/11/08 TOWNSHIP 39N RANGE 3E SECTION 28 ELEVATION: 766FT
DRILL DEPTH: 200FT UTM X 700,986.43 UTM Y 4,216,780.20
DEPTH TO BED: 10FT 700,986.43 4,216,780.20
ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: 1500' E OF CANNON MINES CREEK ON S SD HWY 21
S.W.L. (AFTER CASING): 47

LOG ID:**012045**WELL TYPE

Private Well

DRILL DATE: 1951/11/13 TOWNSHIP 39N RANGE 3E SECTION 28 ELEVATION: 650FT
DRILL DEPTH: 65FT UTM X 700,386.43 UTM Y 4,216,780.20
DEPTH TO BED: 14FT 700,386.43 4,216,780.20
ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: CANNON MINES CREEK ON N SD HWY 21
S.W.L. (AFTER CASING): 12



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**005690**WELL TYPE

Noncommunity Public Well

| | | | | | | |
|--------------------------------|--------|-----------------|-----------------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1939// | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 871FT |
| <u>DRILL DEPTH:</u> | 315FT | 39N | 3E | 28 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 35FT | | | | 701,786.43 | 4,216,570.20 |
| <u>S.W.L. (BEFORE CASING):</u> | FT | | | | ZONE 15 | |
| <u>S.W.L. (AFTER CASING):</u> | 150 | <u>REMARKS:</u> | L.A. HRIBERNIK, OWNER | | | |

LOG ID:**012731**WELL TYPE

Private Well

| | | | | | | |
|--------------------------------|------------|-----------------|---|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1954/03/05 | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 759FT |
| <u>DRILL DEPTH:</u> | 170FT | 39N | 3E | 29 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 60FT | | | | 699,955.43 | 4,216,618.19 |
| <u>S.W.L. (BEFORE CASING):</u> | FT | | | | ZONE 15 | |
| <u>S.W.L. (AFTER CASING):</u> | 65 | <u>REMARKS:</u> | 1 MI W OF CANNON MINES CREEK ON N SD HWY 21 | | | |

LOG ID:**011168**WELL TYPE

Private Well

| | | | | | | |
|--------------------------------|--------|-----------------|--------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1947// | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 792FT |
| <u>DRILL DEPTH:</u> | 115FT | 39N | 3E | 29 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | | | | | 699,255.44 | 4,216,720.18 |
| <u>S.W.L. (BEFORE CASING):</u> | | | | | ZONE 15 | |
| <u>S.W.L. (AFTER CASING):</u> | | <u>REMARKS:</u> | @ CADET | | | |

LOG ID:**012417**WELL TYPE

Private Well

| | | | | | | |
|--------------------------------|------------|-----------------|--|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1953/07/27 | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 746FT |
| <u>DRILL DEPTH:</u> | 305FT | 39N | 3E | 29 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 5FT | | | | 699,955.43 | 4,216,516.18 |
| <u>S.W.L. (BEFORE CASING):</u> | FT | | | | ZONE 15 | |
| <u>S.W.L. (AFTER CASING):</u> | 95 | <u>REMARKS:</u> | 1200' W OF CANNON MINEAS CREEK, 300' S OF HWY 21 | | | |



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**026644**WELL TYPE

Industrial High Capacity Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

720FT

DRILL DEPTH:

135FT

39N

3E

32

DEPTH TO BED:

10FT

UTM XUTM Y

699,240.43

4,215,885.16

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****012694**WELL TYPE

Industrial High Capacity Well

DRILL DATE:

1954/02/01

TOWNSHIPRANGESECTIONELEVATION:DRILL DEPTH:

295FT

39N

3E

32

DEPTH TO BED:

3FT

UTM XUTM Y

698,761.44

4,215,716.15

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:0.25 MI E OF CREWS SCHOOL, 500' S OF HWY 21; YIELD - 25 GPM
@ 150'S.W.L. (AFTER CASING):

58

LOG ID:**011131**WELL TYPE

Private Well

DRILL DATE:

1947//

TOWNSHIPRANGESECTIONELEVATION:

790FT

DRILL DEPTH:

103FT

39N

3E

32

DEPTH TO BED:

15FT

UTM XUTM Y

699,240.43

4,215,489.14

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

RFD 1, CADET

S.W.L. (AFTER CASING):

88

LOG ID:**010224**WELL TYPE

Industrial High Capacity Well

DRILL DATE:

1948//

TOWNSHIPRANGESECTIONELEVATION:

785FT

DRILL DEPTH:

67FT

39N

3E

33

DEPTH TO BED:

5FT

UTM XUTM Y

701,255.43

4,215,772.17

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

#2 BOYER CANNON MINES, @ FERTILE

S.W.L. (AFTER CASING):

14



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**010979**WELL TYPE

Private Well

| | | | | | | |
|--------------------------------|------------|-----------------|--|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1949/09/06 | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 836FT |
| <u>DRILL DEPTH:</u> | 165FT | 39N | 3E | 34 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 20FT | | | | 702,504.42 | 4,215,849.18 |
| | | | | | ZONE 15 | |
| <u>S.W.L. (BEFORE CASING):</u> | FT | <u>REMARKS:</u> | 0.75 MI S OF ENTRANCE TO WASHINGTON STATE PK | | | |
| <u>S.W.L. (AFTER CASING):</u> | 105 | | | | | |

LOG ID:**012118**WELL TYPE

Industrial High Capacity Well

| | | | | | | |
|--------------------------------|------------|-----------------|---|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1951/10/27 | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 762FT |
| <u>DRILL DEPTH:</u> | 355FT | 39N | 3E | 34 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 30FT | | | | 702,204.43 | 4,216,063.19 |
| | | | | | ZONE 15 | |
| <u>S.W.L. (BEFORE CASING):</u> | FT | <u>REMARKS:</u> | 0.5 MI S OF W ENTRANCE TO WASHINGTON STATE PARK | | | |
| <u>S.W.L. (AFTER CASING):</u> | 90 | | | | | |

LOG ID:**014501**WELL TYPE

Industrial High Capacity Well

| | | | | | | |
|--------------------------------|------------|-----------------|--------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1956/02/18 | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 760FT |
| <u>DRILL DEPTH:</u> | 335FT | 39N | 3E | 35 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 10FT | | | | 703,999.42 | 4,215,167.18 |
| | | | | | ZONE 15 | |
| <u>S.W.L. (BEFORE CASING):</u> | FT | <u>REMARKS:</u> | | | | |
| <u>S.W.L. (AFTER CASING):</u> | 52 | | | | | |

LOG ID:**013481**WELL TYPE

Industrial High Capacity Well

| | | | | | | |
|--------------------------------|------------|-----------------|----------------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1955/04/15 | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 817FT |
| <u>DRILL DEPTH:</u> | 1,091FT | 39N | 3E | 36 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 40FT | | | | 706,687.41 | 4,215,827.22 |
| | | | | | ZONE 15 | |
| <u>S.W.L. (BEFORE CASING):</u> | FT | <u>REMARKS:</u> | 3 MI NW OF BLACKWELL | | | |
| <u>S.W.L. (AFTER CASING):</u> | 218 | | | | | |



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**012688**WELL TYPE

Private Well

| | | | | | | |
|--------------------------------|------------|-----------------|---------------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1954/04/28 | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 798FT |
| <u>DRILL DEPTH:</u> | 318FT | 39N | 3E | 36 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 135FT | | | | 706,787.41 | 4,215,665.22 |
| <u>S.W.L. (BEFORE CASING):</u> | FT | | | | ZONE 15 | |
| <u>S.W.L. (AFTER CASING):</u> | 121 | <u>REMARKS:</u> | 3 MI N OF BLACKWELL | | | |

LOG ID:**017104**WELL TYPE

Private Well

| | | | | | | |
|--------------------------------|------------|-----------------|------------------------------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1958/08/01 | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 795FT |
| <u>DRILL DEPTH:</u> | 105FT | 40N | 1E | 13 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 20FT | | | | 687,523.41 | 4,230,602.51 |
| <u>S.W.L. (BEFORE CASING):</u> | FT | | | | ZONE 15 | |
| <u>S.W.L. (AFTER CASING):</u> | 15 | <u>REMARKS:</u> | YIELDS - 12 GPM @ 50', 30 GPM @ TD | | | |

LOG ID:**019154**WELL TYPE

Private Well

| | | | | | | |
|--------------------------------|------------|-----------------|--|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1960/05/16 | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 861FT |
| <u>DRILL DEPTH:</u> | 270FT | 40N | 1W | 17 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 65FT | | | | 670,212.33 | 4,230,172.34 |
| <u>S.W.L. (BEFORE CASING):</u> | FT | | | | ZONE 15 | |
| <u>S.W.L. (AFTER CASING):</u> | 230 | <u>REMARKS:</u> | formerly in name of Theo Holsey - on Hwy 155, 6 mi S of Sullivan | | | |

LOG ID:**023663**WELL TYPE

Foundation Test Hole

| | | | | | | |
|--------------------------------|-------|-----------------|-------------------------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 790FT |
| <u>DRILL DEPTH:</u> | 256FT | 40N | 1W | 18 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 5FT | | | | 668,499.34 | 4,229,515.30 |
| <u>S.W.L. (BEFORE CASING):</u> | | | | | ZONE 15 | |
| <u>S.W.L. (AFTER CASING):</u> | | <u>REMARKS:</u> | SITE 2-BY; CORPS OF ENGINEERS | | | |



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
018201

WELL TYPE
Private Well

| | | | | | | |
|--------------------------------|------------|-----------------|--------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1959/05/09 | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 868FT |
| <u>DRILL DEPTH:</u> | 220FT | 40N | 1W | 20 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 65FT | | | | 669,634.35 | 4,229,177.30 |
| <u>S.W.L. (BEFORE CASING):</u> | FT | | | | ZONE 15 | |
| <u>S.W.L. (AFTER CASING):</u> | 170 | | | | | |

REMARKS:

LOG ID:
019155

WELL TYPE
Private Well

| | | | | | | |
|--------------------------------|------------|-----------------|--------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1960/02/15 | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 880FT |
| <u>DRILL DEPTH:</u> | 230FT | 40N | 1W | 20 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 30FT | | | | 669,434.36 | 4,227,837.24 |
| <u>S.W.L. (BEFORE CASING):</u> | FT | | | | ZONE 15 | |
| <u>S.W.L. (AFTER CASING):</u> | 170 | | | | | |

REMARKS: 8 MI S OF SULLIVAN ON HAMILTON RD

LOG ID:
024083

WELL TYPE
Noncommunity Public Well

| | | | | | | |
|--------------------------------|----------|-----------------|--------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1965/12/ | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 922FT |
| <u>DRILL DEPTH:</u> | 315FT | 40N | 1W | 21 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 95FT | | | | 671,918.37 | 4,227,684.25 |
| <u>S.W.L. (BEFORE CASING):</u> | FT | | | | ZONE 15 | |
| <u>S.W.L. (AFTER CASING):</u> | 235 | | | | | |

REMARKS: LOOKOUT TOWER SITE

LOG ID:
018114

WELL TYPE
Private Well

| | | | | | | |
|--------------------------------|------------|-----------------|--------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1958/07/20 | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 889FT |
| <u>DRILL DEPTH:</u> | 200FT | 40N | 1W | 21 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 65FT | | | | 672,518.35 | 4,229,170.31 |
| <u>S.W.L. (BEFORE CASING):</u> | FT | | | | ZONE 15 | |
| <u>S.W.L. (AFTER CASING):</u> | 140 | | | | | |

REMARKS:



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**022894**WELL TYPE

Noncommunity Public Well

| | | | | | | |
|--------------------------------|------------|-----------------|--------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1964/08/12 | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 946FT |
| <u>DRILL DEPTH:</u> | 267FT | 40N | 1W | 21 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 85FT | | | | 671,918.36 | 4,227,896.26 |
| <u>S.W.L. (BEFORE CASING):</u> | FT | | | | ZONE 15 | |
| <u>S.W.L. (AFTER CASING):</u> | 210 | | | | | |

REMARKS:**LOG ID:****014494**WELL TYPE

Private Well

| | | | | | | |
|--------------------------------|------------|-----------------|--------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1955/09/25 | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 676FT |
| <u>DRILL DEPTH:</u> | 80FT | 40N | 1W | 23 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 5FT | | | | 675,072.35 | 4,229,232.32 |
| <u>S.W.L. (BEFORE CASING):</u> | FT | | | | ZONE 15 | |
| <u>S.W.L. (AFTER CASING):</u> | 15 | | | | | |

REMARKS:**LOG ID:****015872**WELL TYPE

Private Well

| | | | | | | |
|--------------------------------|----------|-----------------|--------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1953/05/ | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 879FT |
| <u>DRILL DEPTH:</u> | 245FT | 40N | 1W | 28 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 90FT | | | | 672,140.39 | 4,226,065.18 |
| <u>S.W.L. (BEFORE CASING):</u> | FT | | | | ZONE 15 | |
| <u>S.W.L. (AFTER CASING):</u> | 140 | | | | | |

REMARKS:**LOG ID:****023647**WELL TYPE

Exploratory Hole (Mineral Prospect)

| | | | | | | |
|--------------------------------|------------|-----------------|--------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1965/00/00 | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 675FT |
| <u>DRILL DEPTH:</u> | 195FT | 40N | 2W | 13 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 5FT | | | | 666,802.34 | 4,229,985.31 |
| <u>S.W.L. (BEFORE CASING):</u> | | | | | ZONE 15 | |
| <u>S.W.L. (AFTER CASING):</u> | | | | | | |

REMARKS: MERAMEC DAM SITE, UPSTREAM FROM HWY 155



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**005001**WELL TYPE

Private Well

DRILL DATE: 1938/08/ TOWNSHIP 40N RANGE 2E SECTION 16 ELEVATION: 844FT
DRILL DEPTH: 99FT UTM X 691,111.43 UTM Y 4,229,893.53
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: NEAR PROSPECT SH ?, RICHWOODS
S.W.L. (AFTER CASING): 65

LOG ID:**024946**WELL TYPE

Private Well

DRILL DATE: 1966/08/29 TOWNSHIP 40N RANGE 2E SECTION 18 ELEVATION: 904FT
DRILL DEPTH: 185FT UTM X 689,081.42 UTM Y 4,230,537.53
DEPTH TO BED: 85FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: NEAR ST. CLAIR
S.W.L. (AFTER CASING):

LOG ID:**003919**WELL TYPE

Community Public Well

DRILL DATE: 1936/07/21 TOWNSHIP 40N RANGE 2E SECTION 21 ELEVATION: 835FT
DRILL DEPTH: 132FT UTM X 691,356.44 UTM Y 4,229,371.51
DEPTH TO BED: 30FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: LOST OF CAVING
S.W.L. (AFTER CASING):

LOG ID:**003921**WELL TYPE

Industrial High Capacity Well

DRILL DATE: 1936/07/30 TOWNSHIP 40N RANGE 2E SECTION 29 ELEVATION: 930FT
DRILL DEPTH: 140FT UTM X 690,631.44 UTM Y 4,227,661.45
DEPTH TO BED: 5FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: OLD NATL PIGMENT CO PROPERTY
S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**013058**WELL TYPE

Private Well

DRILL DATE: 1954/09/28TOWNSHIPRANGESECTIONELEVATION:

756FT

DRILL DEPTH: 85FT

40N

2E

31

UTM XUTM YDEPTH TO BED:

689,097.44

4,225,012.33

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 1 BLK N & W OF RICHWOOD POST OFFICES.W.L. (AFTER CASING): 25**LOG ID:****011821**WELL TYPE

Private Well

DRILL DATE: 1951/12/TOWNSHIPRANGESECTIONELEVATION:

765FT

DRILL DEPTH: 50FT

40N

2E

31

UTM XUTM YDEPTH TO BED: 5FT

689,397.44

4,225,017.34

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: IN RICHWOODSS.W.L. (AFTER CASING): 20

WASHINGTON